
New Look Website!

CEP Complete Environmental Products, Inc.
CEP SORBENTS.com



Solutions For A Cleaner World

New Biax Meltblown Sorbent Technology Highest Quality in the Industry



Thank You for taking the time to read through Complete Environmental Products, Inc. (CEP) new environmental and safety catalog. As you browse through the CEP "super center" for spill and emergency response products, we hope you are impressed enough to allow us the opportunity at earning your business.

Many new and exciting changes have taken place at CEP. We have just finished our recapitalization of our manufacturing facility. This facility is now equipped with the newest high tech melt-blown equipment in the industry. Two new 60" biax machines with dual drum capability allow us to produce the finest sorbent materials in the marketplace. We continue to take pride in being the only sorbent manufacturer that produces under the ISO quality management system. To our customer, this guarantees the highest quality of material, on time, every time. If you haven't looked at CEP sorbent products lately, please take a moment to request a **sample pack**. Our production capabilities are now quite impressive.

Since 1994, CEP has helped thousands of distributors grow their business by providing the industries most innovative environmental products. From serving the largest integrated national suppliers down to the local one man shops, CEP has provided environmental

and safety solutions for any application. We pride ourselves in becoming the environmental solution to our customers.

Our Employees are dedicated to personal attention and quality customer service. Call our customer service center at 800-444-4237 and talk with an experienced person, not a machine. Get same day shipments and 24 hour service. Please visit our website www.cepsorbents.com as we have a new video section for training and updates. As you browse the catalog and website take note of the "New" products available. Several of these products are solutions to new regulations and your customers will be in need.

Thank you for your business and the opportunity of becoming your **complete** supplier of **environmental products**.

Chad Clayl President

TABLE OF CONTENTS

Sorbent Technologies4-20	Spill Kits (cont.)
Orange Power Pad	Mercury Spill Kits
White Oil Only Pads & Rolls	Mobile Overpack Spill Kits
Blue Oil Only Pads & Rolls	Wheeled Spill Kit
Gray Universal Pads & Rolls	Lab Spill Kit
Green Hazmat Pads & Rolls	Leak Control Patch Kits
Universal Military Pads And Rolls	Mercury Spill Kit
Drum Top Pads	Shop Spill Kits
Oil Only Boom	Spill Kits
Universal Boom	First Responder Kits
Particulate	Vehicle Spill Kits
Specialty Pillows-Oil Only	Truck Spill Kits
Oil Only Socks	Plastic Wall Cabinet
Oil Only Pillows	Battery Acid Spill Station
Universal/General Purpose Socks	Spill Stations
Universal/General Purpose Pillows	Granular Absorbents &
Hazmat Socks	Neutralizers
Hazmat Pillows	Cheetah Sorb
Cotton Pillows	Sphagnum Peat Moss Absorbents 41
Clay Socks	Anti-Slip Absorbents
Peat Pillow/Pad	OptiSorb
Peat Socks	Diatomaceous Earth
Rag Rugs	Clay Floor Sweep
Industrial Rugs	Clean B Sorbents
Poly Back Industrial Rugs	Clean B Tracks
•	Ensorb Super Absorbent
Contractor Response21-28	Ensorb Super Cleaner/Degreaser43
Gloves	M.A.X. Dri
Shower, Eyewash And Facewash Products 23	Xtrasorb
Boots	Gator Absorbent
Safety Eyewear	Kenaf Absorbents
Safety Glasses 24 Soil Test Kit 25	Cellulose & Vermiculite & Corn Cob
Water Test Kit	Neutralizers & Gels
Respirators	Neutralizers & Solidifiers
Roll Off Box Liners	Biohazard / Infection Control
Drum Liners And Poly Sheeting	Multi Purpose Spill Control Kit
General Purpose Protective Clothing	Neutralizing Granulars
Fire Resistant Coveralls	Porta-Sorb Granular Dispenser
Accessories	Secondary Containment48-97
General Purpose Protective Clothing	Black Diamond
Spill Kits	Drum Deck
5 Gallon Spill Kits	Spill Pallets
20 Gallon Spill Kits	Low Profile Spill Pallets
30 Gallon Spill Kits	Sheds
55 Gallon Spill Kits	IBC Containment Pallet
95 Gallon Spill Kits	Poly Spillpaks
Transport Spill Kits	Build-A-Tray50
VACPAK25	Steel 54
Safety & Infection Control Kits	Spill Control Platforms
DECONKIT - Portable Decon Kit	Work Stations
Battery Acid Spill Kit	Workstation Spill Pallets
DuffleBag Spill Kit	Modular Spill Platform Systems
Construction Site Spill Kits	Spilldecks
General Purpose Mobile Spill Kit	Safety Cabinet Bladder Systems
DuffleBag Multi Spill Kit	4 Drum Spill Platform
CSK 75 Ŏil Only Stackable Kit	Spilldecks Plus
Hurricane Spill Kits	Pallets Spilldack Bladder Systems 54
Universal Econo Kit	Spilldeck Bladder Systems
Mobile Spill Carts	Spilldecks – In-Line
Mobile Spill Kit Tool Kaddie	Spillkings
Drum Repair Spill Kits	Spill Containment Pallets
	opiii oontaininent Fallets

Sorbent Technologies

4

Contractor Response 21

Spill Kits 29

Granular
Absorbents &
Neutralizers 41

Secondary Containment 48

Stormwater 98

Safety Cans & Safety Cabinets

rums &

Environmental Safety 135

Facility Safety

141

110

Construction Safety 145

Marine Spill Control

149

Emergency Response Equipment 151

How To Order

161







		IABLE UF C		ENIS (CONI)
Sorbent		Cocondary Containment (cont.)	D	ispensing
Technologies	s 4	Secondary Containment (cont.)		
		Spill Containment Platforms		Dispensing-Poly-Racker Systems
		Spill Pallets)	Dispensing-Racker/Stackers
		Spill Collector		Dispensing-Single Drums
Contractor		Spillcollectors		The Mini-Racker System
Response	21	Poly Collector 57	7	Dispensing-Poly-Dollys
		Sumps		Dispensing-Carts
		Containment Sumps)	Horizontal Drum Stacking System
		Storage		Mobile Spill Control Platforms
Spill Kits	29	Outdoor Drum Storage		ab & Utility
Spill Kits	29	Outdoor Storage-Job Huts		Spilltrays 89
		Outdoor Storage Poly Safety Packs		Spillpads
		Haz Hut		Labtrays
Granular		Hardcover Spill Pallets	-	Utility Trays
Absorbents 8	2,	Rotary Top Containment	•	Flexible Rack Sump Insert 90
Neutralizers)	Spill Shelves
Neutralizers		IBC Pallets		Containment Utility Tray
		Super Shipper IBC Units		Containment Trays
		Super Shipper Cross-Contain Pallet	r	Rack Containment Trays
Secondary		IBC Super-Saver 275 64	_	otes
Containmen	t 48	Double IBC Low-Top 350 65	5 10	• • •
		IBC Spill Pallets65-66	ì	Utility Boxes
		IBC Spill Unit	;	Storage Totes
		Twin IBC Spillpallet 67	7	Secondary Containment
Stormwater	98	IBC Hard Tops		iscellaneous
Stormwater	50	Ultra-Modular IBC Spill Pallets	}	Ultra-Hose Connector
		Flexible	•	Ultra-Universal Sampler
			1	Hose Containment
Safety Cans		Flexpal	,	Oilinator Pavement & Ground Protector
& Safety		IBC Berm, Flexible IBC Tote		Universal Surface Protector Mat
Cabinets	110	Stinger Spillpal) D	rip Diverters
Cabinets	110	Stinger Polyberm Containment Systems		
		Hose Bridge		Drip Dam
		The Throw-N-Go Berm		Leak Diverters
Drums &	440	40Mil L Bracket Econo-Berm72		ylinder Products
Accessories	118	ECONO Spill Shell		Gas Cylinder Products96
		Economy L-Bracket Containment Berms	R	ailroad
		Snap-Up Containment Berms	}	Railroad Petroleum Sorbents 97
Francisco con con	401	Frac Tank Berm	ļ	Rail Berm
Environmen		ISO Tank Berm		Railroad Trackpans
Safety	135	Flexstation		tormwater
		Portable Spill Containment		Dandy Curb Bags
		Duck Ponds		Dandy Curb
Facility		Folding Duck Ponds		Dandy Curb
Facility	111	Porta-Pallets		Dandy Curb Sack
Safety	141	Portable Spill Containment	`	Dandy Bag
				Dandy Sack
		Berm Repair Kits) 7	Dandy Pop
Construction	, 1			Stormwater Drainguards
Safety	145	Storage And Transport Bag		Curb-Insert Style
Salety	143	Ground Pad		Stormwater Grateguards
		Trac Mat 77		Ultra Curb Guard Plus
		Containment Berms78-80		Ultra Grate Guard Plus
Marine Spill		Fire Fighting Equipment Folding Frame Tanks 8		Downspouts And Gutter Guards
Control	149	Concrete Washout Berm 8		Ultra Drain Guard, Recycled Model 102
Control	175	Portable Spill Containment		Storm Sentinel Adjustable Catch Basin Insert 102
		Economy & Sprung Steel Popup Pools 82	<u>-</u>	Frameless Storm Sentinel
		Cabmount Containers)	Skimmers
Emergency		Drip Pillow Berms		Curbguards, Insert-Style
Response		Standard & Drip-Grip Dripillow Berms	3	Pipesocks
Equipment	151	Off-Road Dripillow Berms		Ultra-Inlet Guard
		Oil-Only Drip Sentinel Drip Pad		
		Drip Sentinel Maintenance Blankets		Dewatering Bags
How To				Ultra Gutter Guard Plus
Order	161	Spill Berm		Storm Sentinel Adjustable Curb Inlet Insert
31401	.01	Spillberm		Ultra Oil & Debris Blocker
		Bazooka Trickle Filter w/Automatic Shutoff 85)	Ultra Filter Deck

TABLE OF CONTENTS (CONT.)

Stormwater (cont.)	All Purpose Industrial Cleaner/Degreaser 138	Sorbent	4
Drainseals	Non Petroleum Solvent	Technologies	4
Drainseals Truckmount	Super Industrial Cleaner/Degreaser		
Drain Dam	Cleaners And Solvents		
Drain Protector	Microblaze And Microblaze Out	Contractor	
Drainplugs	Wipes & Rags	Response	21
Safety Cans &	Tools/Brushes/Mops	Козронос	
Safety Cabinets	Water Scrubber		
	Facility Safety141-144		
Modular Quik-Assembly Poly Cabinets	Smoking Receptacles	Omill With	20
	Safety Rail Protectors	Spill Kits	29
Hazardous/Flammable Drum Storage Cabinets	Cable Protection System		
Combo Cabinets	Rack Guard		
Paint And Ink Cabinets	Barricade Systems	Granular	
Acid & Corrosive Cabinets	Ultra-Post Protectors	Absorbents 8	
Polyethylene Acid And Corrosive Cabinets	Bollard Post & Sleeve Combos	Neutralizers	41
Pesticide Cabinets	Column/Corner Protectors	Neutralizers	
Disposable Cans	Clearance Bars		
Lab Cans	Post Sleeves	Coccocioni	
Plunger Cans	Poly Curb Ramp	Secondary	40
Bench & Daub Cans	Construction Safety145-148	Containment	48
DOT Transport Cans			
Poly Disposal Cans	Hose Bridges		_
Poly Waste Cans	Floor Mats & Grates		
Safety Cans116-117	Cushion Tile Systems	Stormwater	98
Drums & Accessories118-134	Tarps		
Envirosalv Poly Salvage Drum Plus	Safety Fencing		
Poly Overpacks And Salvage Drums	Caution Tapes	Contract Contract	
Poly Lab Pack Drums	Construction Vertical Soil Erosion Prevention 148	Safety Cans	
Poly Drums	Aspen Fiber Logs	& Safety	440
Poly And Steel Pails	Marine Spill Control149-144	Cabinets	110
IBC Totes	Containment Booms		
Steel Overpack Salvage Drums and	Boom Reels, Dispersant Sprayers & Pumps 149		
Carbon Steel Drums	Marine Skimmers & Turbidity Curtains	Drums &	
Fiber Drums & Fluorescent Lamp Containers 126	Boom Storage Box	Accessories	118
Drum Pumps	Industrial – Öil Skimmers		
Drum Accessories	Spill Accessories		
Grounding Wires & Cables	Emergency Response		
Pipe, Valve & Hose Containment	Equipment	Environment	
Dollies		Safety	135
Hand Trucks	Led Lights		
Drum Trays	Heavy Duty Lights		
Portable Lifts	Medium Duty Lights	Facility	
Poly-Tops	Watertight Protector Cases		141
Lift Truck Attachments	Decondecks	Salety	141
Funnels	Response Shovels		
Drum Accessories	Portable Decon Waste Pools		
Spill Kit Vacuum	Decon Containment Berms	Construction	
Drumvaporlocks	Enclosed Decon Waste Tank	Safety	145
Drumlifters	Decon-U-Shower		
	Decon Spray Hoops		
Wringers 133 Dust Cover 134	Quick Erect Decon/Emergency Shelter		
	Shelter Heater	Marine Spill	
Tanker Tourniquets	Portable High Pressure Soap Injector	Control	149
Drum Tourniquets	Dat Series Hazmat Decon Showers		
Environmental Safety 135-140	Standard Decontamination Shower System		
Sealants – Epoxy Pipe Repair	Portable Diaphragm Hand Pump	Emergency	
Haz-Mat Boxes	Aerosol Filler Crushers, Hydraulic Waste &	Response	
Lab Pack Boxes	Drum Compactors		151
Green Corrugated Drums	Aerosol Cans Depressurized		
Haz-Mat Containers	Poly Tanks & Bulk Totes		
Antiseptic Bio-Hand Cleaner	Haz Mat Trailers	How To	
Antimicrobial Wipe	Oil Tainers		161
Lens Cleaner	In-Line Multi Manifold	Oraci	.01
Antimicrobial Handwash	High Volume Pumps		
D'.: (. (. (. (. O) O D			
Disinfectant, Cleaner & Deodorizer	Positive Displacement Pumps		

ORANGE POWER PAD

Product Code

Description

CEP-OPP15

Universal Absorption Pads with Citrus Fragrance

15" x 15"

85/cs





Completely Safe! Orange Power™ is non-toxic, nonhazardous, and non-flammable. Real anti-static protection that leaves no residue and is low linting. These easily rinsed and reusable towels perform like cloth.

Tackles isopropyl alcohol, MEK and other tough solvents without falling apart due to its powerful solvent resistance.

Superior wet and dry cleaning performance.

High intrinsic surface per unit mass of fiber providing excellent dirt pickup.



Orange Power™ high capacity absorption pads effectively remove general dirt and grime, greases, some inks, tar, asphalt, oils, lubricants, water-based paints, industrial carbon and other heavy-duty soils. The formula leaves your hands smelling clean and fresh.

> This disposable, soft, high strength pad is ideal for cleaning hard, non-porous surfaces and can be used anywhere including, but not limited to, industrial manufacturing facilities, auto shops, aviation facilities, medical offices,

hospitals, hotels, schools, day care centers, restaurants, nursing homes, correctional facilities, etc.








WHITE OIL ONLY BONDED PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BP100	Heavy Weight	15" x 17"	100/cs	24 gal	36
CEP-BP50	Heavy Weight	30" x 30"	50/cs	44 gal	15
CEP-BEP100	Medium Weight	15" x 17"	100/cs	19 gal	42
CEP-BEP50	Medium Weight	30" x 30"	50/cs	39 gal	15
CEP-BP200	Light Weight	15" x 17"	200/cs	25.2 gal	36

- Sorbents are made of 100% polypropylene fibers creating the strongest pad in the industrial market.
- Hydrophopic
- · Bright white color helps pad stand out and see dangerous spills.
- These pads are easy to dispose of incinerating to less than 2 percent ash.

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION



WHITE OIL ONLY BONDED ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BR144	Heavy Weight	30" x 150'	1/cs	50 gal	18
CEP-BSR144	Heavy Weight	15" x 150'	2/cs	50 gal	18
CEP-BER144	Medium Weight	30" x 150'	1/cs	39 gal	18
CEP-BESR144	Medium Weight	15" x 150'	2/cs	39 gal	18
CEP-BR288	Light Weight	30" x 288'	1/cs	54 gal	18
CEP-BSR288	Light Weight	15" x 288'	2/cs	54 gal	18

- Sorbents are made of 100% polypropylene fibers creating the strongest roll in the industrial market.
- · Hydrophopic
- Bright white color helps roll stand out and see dangerous spills.
- These rolls are easy to dispose of incinerating to less than 2 percent ash.
- · Perforated for easy use and less waste

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



WHITE OIL ONLY MELTBLOWN PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-P100	Heavy Weight	15" x 17"	100/cs	24 gal	36
CEP-P50	Heavy Weight	30" x 30"	50/cs	44 gal	15
CEP-EP100	Medium Weight	15" x 17"	100/cs	19 gal	42
CEP-EP50	Medium Weight	30" x 30"	50/cs	34.8 gal	15
CEP-P200	Light Weight	15" x 17"	200/cs	24 gal	36
CEP-L100	Light Weight	15" x 17"	100/cs	13.5 gal	60

- Sorbents are made of 100% polypropylene fibers creating the strongest pad in the industrial market.
- Hydrophopic
- · Highly absorbent pads take on 25x their weight
- · Bright white color helps pad stand out and see dangerous spills.
- These pads are easy to dispose of incinerating to less than 2 percent ash.

NO PERFORATIONS ON MELTBLOWN PADS



WHITE OIL ONLY MELTBLOWN ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-R144	Heavy Weight	30" x 150'	1/cs	50 gal	18
CEP-SR144	Heavy Weight	15" x 150'	2/c	50 gal	18
CEP-ER144	Medium Weight	30" x 150'	2/cs	39 gal	18
CEP-ESR144	Medium Weight	15" x 150'	2/cs	39 gal	18
CEP-LR144	Light Weight	30" x 150'	1/cs	30 gal	24
CEP-SLR144	Light Weight	15" x 150'	2/cs	30 gal	24
CEP-R288	Light Weight	30" x 300'	1/cs	52 gal	18
CEP-SR288	Light Weight	15"x300'	2/cs	52 gal	18

- Sorbents are made of 100% polypropylene fibers creating the strongest pad in the industrial market.
- Hydrophopic
- · Highly absorbent rolls take on 25x their weight
- · Bright white color helps roll stand out and see dangerous spills.
- These rolls are easy to dispose of incinerating to less than 2 percent ash.

NO PERFORATIONS ON MELTBLOWN ROLLS



WHITE OIL ONLY LAMINATED PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-Q100SMS	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-QEP100SMS	Medium Weight	15"x17"	100/cs	19 gal	42
CEP-Q200SMS	Light Weight	15"x17"	200/cs	25 gal	36
CEP-Q50SMS	Heavy Weight	30"x30"	50/cs	44 gal	15
CEP-QEP50SMS	Medium Weight	30"x30"	50/cs	36 gal	15

- Hands down the toughest, most durable sorbents on the market today
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer inner layer.
- Laminated sorbents have zero linting offering fast and easy clean up without tearing or fraying.
- · Perfect for high traffic areas where strength and durability is needed.

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION





WHITE OIL ONLY LAMINATED ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-Q150SMS	Heavy Weight	30"x150'	1/cs	50 gal	18
CEP-QER150SMS	Medium Weight	30"x150'	1/cs	39 gal	18
CEP-QSR150SMS	Heavy Weight	15"x150'	2/cs	50 gal	18
CEP-QESR150SMS	Medium Weight	15"x150'	2/cs	39 gal	18

- Hands down the toughest, most durable sorbents on the market today
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer inner layer.
- Laminated sorbents have zero linting offering fast and easy clean up without tearing or fraying.
- Perfect for high traffic areas where strength and durability is needed.

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



Sorbent Technologies

WHITE OIL ONLY FINE FIBER PADS

Absorbs Up To	Skids
24 gal	36
20 gal	42
44 gal	15
25 gal	36
	24 gal 20 gal 44 gal

- · High End Industrial Grade
- Bonded Tri layered construction provides a no-lint, smooth finished product.
- Produced at heavier basis weights providing maximum absorbency and strength
- · Easy disposal, incinerating to less than 2 percent ash

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION



WHITE OIL ONLY FINE FIBER ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-Q150-FF	Heavy Weight	30"x150'	1/cs	50 gal	18
CEP-QER150-FF	Medium Weight	30"x150'	1/cs	39 gal	18
CEP-QSR150-FF	Heavy Weight	15"x150'	2/cs	50 gal	18
CEP-QESR150-FF	Medium Weight	15"x150'	2/cs	39 gal	18
CEP-Q288-FF	Light Weight	30"x 300'	1/cs	54 gal	18

- · High End Industrial Grade
- Bonded Tri layered construction provides a no-lint, smooth finished product.
- Produced at heavier basis weights providing maximum absorbency and strength
- · Easy disposal, incinerating to less than 2 percent ash

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



WHITE OIL ONLY ANTI-STATIC PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-P100-ASTAT	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-P50-25ASTAT	Heavy Weight	30"x30"	25/cs	20.6 gal	30
CEP-P50-ASTAT	Heavy Weight	30"x30"	50/cs	54 gal	15

Anti static properties, oil only, no perforations





WHITE OIL ONLY ANTI-STATIC ROLL

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-R144-ASTAT	Heavy Weight	30"x150'	1/cs	54 gal	18

Easily the most convenient and SAFEST roll on the market. When facing a no-spark environment, the CEP Anti-Static roll is the way to go!

ANTI STATIC PROPERTIES, OIL ONLY, NO PERFORATIONS



BLUE BONDED OIL ONLY PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BBP100	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-BBEP100	Medium Weight	15"x17"	100/cs	19 gal	42
CEP-BBP200	Light Weight	15"x17"	200/cs	25 gal	36
CEP-BBP50	Heavy Weight	30"x30"	50/cs	42 gal	15
CEP-BBEP50	Medium Weight	30"x30"	50/cs	34 gal	15

- · High Vis Blue for when distinguishing color is needed.
- Excellent in snow conditions so they can be spotted.
- Great for industrial applications like the paper pulp industry so the pads don't accidentally get mixed with product.
- Same great quality as the white bonded pads.





ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION

BLUE BONDED OIL ONLY ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BBR144	Heavy Weight	30"x150'	1/cs	50 gal	18
CEP-BBER144	Medium Weight	30"x150'	1/cs	39 gal	18
CEP-BBSR144	Heavy Weight	15"x150'	2/cs	50 gal	18
CEP-BBESR144	Medium Weight	15"x150'	2/cs	39 gal	18

- High Vis Blue for when distinguishing color is needed.
- Excellent in snow conditions so they can be spotted.
- Great for industrial applications like the paper pulp industry so the rolls don't accidentally get mixed with product.
- · Same great quality as our white bonded products.

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



BLUE OIL ONLY LAMINATED PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BBP100SMS	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-BBEP100SMS	Medium Weight	15"x17"	100/cs	19 gal	42
CEP-BBP50SMS	Heavy Weight	30"x30"	50/cs	44 gal	15

- · High Vis Blue for when distinguishing color is needed.
- Excellent in snow conditions so they can be spotted.
- · Hands down the toughest, most durable sorbents on the market today
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer inner layer.
- Laminated sorbents have zero linting offering fast and easy clean up without tearing or fraying.
- · Perfect for high traffic areas where strength and durability is needed.

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION





BLUE OIL ONLY LAMINATED ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BBR144SMS	Heavy Weight	30"x150'	1/cs	50 gal	18
CEP-BBER144SMS	Medium Weight	30"x150'	1/cs	39 gal	18
CEP-BBSR144SMS	Heavy Weight	15"x150'	2/cs	50 gal	18
CEP-BBESR144SMS	Medium Weight	15"x150'	2/cs	39 gal	18

- High Vis Blue for when distinguishing color is needed.
- Excellent in snow conditions so they can be spotted.
- Hands down the toughest, most durable sorbents on the market today
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer inner layer.
- Laminated sorbents have zero linting offering fast and easy clean up without tearing or fraying.
- Perfect for high traffic areas where strength and durability is needed.

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



BLUE OIL ONLY FINE FIBER PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BBP100-FF	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-BBEP100-FF	Medium Weight	15"x17"	100/cs	19 gal	42
CEP-BB200-FF	Light Weight	15"x17"	200/cs	28 gal	36
CEP-BBP50-FF	Heavy Weight	30"x30"	50/cs	44 gal	15
CEP-BBEP50-FF	Medium Weight	30"x30"	50/cs	36 gal	15

- High End Industrial Grade
- · High Vis Blue for when distinguishing color is needed.
- Excellent in snow conditions so they can be spotted.
- · Bonded Tri layered construction provides a no-lint, smooth finished product.
- Produced at heavier basis weights providing maximum absorbency and strength
- · Easy disposal, incinerating to less than 2 percent ash

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION





BLUE OIL ONLY FINE FIBER ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BBR150-FF	Heavy Weight	30"x150'	1/cs	52 gal	18
CEP-BBER150-FF	Medium Weight	30"x150'	1/cs	42 gal	18
CEP-BBSR150-FF	Heavy Weight	15"x150'	2/cs	52 gal	18
CEP-BBESR150-FF	Medium Weight	15"x150'	2/cs	42 gal	18

- · High End Industrial Grade
- High Vis Blue for when distinguishing color is needed.
- Excellent in snow conditions so they can be spotted.
- Bonded Tri layered construction provides a no-lint, smooth finished product.
- Produced at heavier basis weights providing maximum absorbency and strength
- · Easy disposal, incinerating to less than 2 percent ash

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.





GRAY UNIVERSAL BONDED PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UQ100	Heavy Weight	15"x17"	100/cs	25.2 gal	36
CEP-UQEP100	Medium Weight	15"x17"	100/cs	19.6 gal	42
CEP-UQ200	Light Weight	15"x17"	200/cs	25.2 gal	36
CEP-UQ50	Heavy Weight	30"x30"	50/cs	44 gal	15
CEP-UQEP50	Medium Weight	30"x30"	50/cs	39 gal	15

- Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water
- · Dark color hides any dirt or waste associated with the spill
- · Bonded sorbents are stronger and low linting







Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UQ150	Heavy Weight	30"x150'	1/cs	67 gal	18
CEP-UQER150	Medium Weight	30"x150'	1/cs	52 gal	18
CEP-UQ288	Light Weight	30"x288'	1/cs	67 gal	18
CEP-UQSR150	Heavy Weight	15"x150'	2/cs	50 gal	18
CEP-UQESR150	Medium Weight	15"x150'	2/cs	39 gal	18
CEP-UQSR288	Light Weight	15"x288'	2/cs	54 gal	18
CEP-UQR50	Medium Weight	19"x50'	1/cs	25 gal	36

- Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water
- Dark color hides any dirt or waste associated with the spill
- · Bonded sorbents are stronger and low linting

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



GRAY UNIVERSAL LAMINATED PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UQ100SMS	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-UQEP100SMS	Medium Weight	15"x17"	100/cs	19 gal	42
CEP-UQ200SMS	Light Weight	15"x17"	200/cs	28 gal	36
CEP-UQ50SMS	Heavy Weight	30"x30"	50/cs	44 gal	15
CEP-UQEP50SMS	Medium Weight	30"x30"	50/cs	36 gal	15

- Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water
- · Dark color hides any dirt or waste associated with the spill
- · Toughest most durable sorbent on the market
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer meltblown inner layer.
- · Zero linting

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION



GRAY UNIVERSAL LAMINATED ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UQ150SMS	Heavy Weight	30"x150'	1/cs	50 gal	18
CEP-UQER150SMS	Medium Weight	30"x150'	1/cs	39 gal	18
CEP-UQSR150SMS	Heavy Weight	15"x150'	2/cs	50 gal	18
CEP-UQESR150SMS	Medium Weight	15"x150'	2/cs	39 gal	18
CEP-UQ300SMS	Light Weight	30"x300'	1/cs	57 gal	12
CEP-UQSR300SMS	Light Weight	15"x300'	2/cs	57 gal	12

- · Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water
- · Dark color hides any dirt or waste associated with the spill
- Toughest most durable sorbent on the market
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer meltblown inner layer.
- · Zero linting

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UQ100-FF	Heavy Weight	15"x17"	100/cs	32 gal	36
CEP-UQEP100-FF	Medium Weight	15"x17"	100/cs	19 gal	42
CEP-UQ200-FF	Light Weight	15"x17"	200/cs	28 gal	36
CEP-UQ50-FF	Heavy Weight	30"x30"	50/cs	44 gal	15
CEP-UQEP50-FF	Medium Weight	30"x30"	50/cs	36 gal	15

- Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water
- · Dark color hides any dirt or waste associated with the spill
- Bonded tri layered construction provides a smooth finish.....Zero linting.
- · Maximum absorbency and strength

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION




GRAY UNIVERSAL FINE FIBER ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UQ150-FF	Heavy Weight	30"x150'	1/cs	52 gal	18
CEP-UQER150-FF	Medium Weight	30"x150'	1/cs	42 gal	18
CEP-UQSR150-FF	Heavy Weight	15"x150'	2/cs	52 gal	18
CEP-UQESR150-FF	Medium Weight	15"x150'	2/cs	42 gal	18
CEP-UQ300-FF	Light Weight	30"x300'	1/cs	57 gal	12
CEP-UQR300-FF	Light Weight	15"x300'	2/cs	57 gal	12

- Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water
- · Dark color hides any dirt or waste associated with the spill
- Bonded tri layered construction provides a smooth finish.....Zero linting.
- · Maximum absorbency and strength

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.




GREEN	HAZMAT	BONDED	PADS
-------	--------	---------------	-------------

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UP100	Heavy Weight	15"x17"	100/cs	25.2 gal	36
CEP-UEP100	Medium Weight	15"x17"	100/cs	19.6 gal	42
CEP-UP50	Heavy Weight	30"x30"	50/cs	44 gal	15
CEP-UEP50	Medium Weight	30"x30"	50/cs	39 gal	15
CEP-UP200	Light Weight	15"x17"	200/cs	25.2 gal	36

- The markets leading absorbent for soaking up aggressive acids, bases and chemicals.
- Highly visual safety green helps others identify the spill as potentially harmful liquids.
- · Bonded sorbents are stronger and low linting.

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION



G	R	<u> </u>	N	HA	ZMA1	T BONI	DED	RO	LLS	
_				_			_			

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UR150	Heavy Weight	30"x150'	1/cs	50 gal	18
CEP-UER150	Medium Weight	30"x150'	1/cs	42 gal	18
CEP-USR150	Heavy Weight	15"x150'	2/cs	50 gal	18
CEP-UESR150	Medium Weight	15"x150'	2/cs	42 gal	18
CEP-UR300	Light Weight	30"x300'	1/cs	57 gal	12
CEP-UR24	Heavy Weight	24"x150'	1/cs	39 gal	18
CEP-UR13	Heavy Weight	13"x144'	1/cs	21 gal	24

- The markets leading absorbent for soaking up aggressive acids, bases and chemicals.
- Highly visual safety green helps others identify the spill as potentially harmful liquids.
- · Bonded sorbents are stronger and low linting

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.



GREEN HAZMAT LAMINATED PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UP100SMS CEP-UEP100SMS CEP-UP200SMS CEP-UP50SMS	Heavy Weight Medium Weight Light Weight Heavy Weight	15"x17" 15"x17" 15"x17" 30"x30"	100/cs 100/cs 200/cs 50/cs	24 gal 19 gal 28 gal 44 gal	36 42 36 15
CEP-UPEP50SMS	Medium Weight	30"x30"	50/cs	36 gal	15

- The markets leading absorbent for soaking up aggressive acids, bases and chemicals.
- Highly visual safety green helps others identify the spill as potentially harmful liquids.
- Toughest most durable sorbent on the market
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer meltblown inner layer.
- · Zero linting







GREEN HAZMAT LAMINATED ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UR150SMS	Heavy Weight	30"x150'	1/cs	52 gal	18
CEP-UER150SMS	Medium Weight	30"x150'	1/cs	42 gal	18
CEP-USR150SMS	Heavy Weight	15"x150'	2/cs	52 gal	18
CEP-UESR150SMS	Medium Weight	15"x150'	2/cs	42 gal	18
CEP-UR300SMS	Light Weight	30"x300'	1/cs	57 gal	12
CEP-USR300SMS	Light Weight	15"x300'	2/cs	57 gal	12

- The markets leading absorbent for soaking up aggressive acids, bases and chemicals.
- Highly visual safety green helps others identify the spill as potentially harmful liquids.
- · Toughest most durable sorbent on the market
- Constructed by bonding extra strength polypropylene spunbond outer layer to a multilayer meltblown inner layer.
- Zero linting

ALL ROLLS PERFORATED MACHINE DIRECTION IN THE MIDDLE OF ROLL & CROSS DIRECTION EVERY 17 INCHES.





GREEN HAZMAT FINE FIBER PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UP100-FF	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-UEP100-FF	Medium Weight	15"x17"	100/cs	19 gal	42
CEP-UP200-FF	Light Weight	15"x17"	200/cs	28 gal	36
CEP-UP50-FF	Heavy Weight	30"x30"	50/cs	44 gal	15
CEP-UEP50-FF	Medium Weight	30"x30"	50/cs	36 gal	15

- High end industrial grade absorbent for soaking up aggressive acids, bases and chemicals.
- Highly visual safety green helps others identify the spill as potentially harmful liquids.
- · Maximum absorbency and strength
- · Bonded tri layered construction provides a smooth finished product.
- · Zero linting

ALL PADS PERFORATED ACROSS THE MIDDLE IN MACHINE DIRECTION





GREEN HAZMAT FINE FIBER ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UR150-FF	Heavy Weight	30"x150'	1/cs	52 gal	18
CEP-UER150-FF	Medium Weight	30"x150'	1/cs	42 gal	18
CEP-USR150-FF	Heavy Weight	15"x150'	2/cs	52 gal	18
CEP-UESR150-FF	Medium Weight	15"x150'	2/cs	42 gal	18
CEP-UR300-FF	Light Weight	30"x300'	1/cs	57 gal	12
CEP-URS300-FF	Light Weight	15"x300'	2/cs	57 gal	12

- High end industrial grade absorbent for soaking up aggressive acids, bases and chemicals.
- Highly visual safety green helps others identify the spill as potentially harmful liquids.
- · Maximum absorbency and strength
- Bonded tri layered construction provides a smooth finished product.
- Zero linting







UNIVERSAL MILITARY PADS AND ROLLS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-MM100	Heavy Weight	15"x17"	100/cs	24 gal	36
CEP-MM150	Heavy Weight	30"x100'	1/cs	50 gal	18
CEP-MM150S	Heavy Weight	15"x100'	2/cs	50 gal	18

- · Gray Camo
- Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water
- · Dark color hides any of dirt or waste associated with the spill
- Bonded sorbents are stronger and low linting
- · Perforated for easy use






DRUM TOP PADS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-ODTP25	Oil Only	22" od	25/bg	10 gal	10
CEP-UDTP25	Gen Purpose	22" od	25/ba	10 gal	10

Protect your 55-gallon drums with CEP's polypropylene oil only or general purpose drum top pads.





OIL ONLY BOOM

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-B510	Oil Only Boom	5"x10'	4/cs	32 gal	20
CEP-B520	Oil Only Boom	5"x20'	2/cs	32 gal	20
CEP-DB510	Oil Only Boom	5"x10'	2/cs	64 gal	10
CEP-B5200	Oil Only Boom	5"x200'	1/cs	110gal	1
CEP-B810	Oil Only Boom	8"x10'	4/cs	70 gal	16
CEP-B820	Oil Only Boom	8"x20'	2/cs	70 gal	16
CEP-B840	Oil Only Boom	8"x40'	2/cs	70 gal	15
CEP-B805	Oil Only Boom	8"x5'	8/cs	70 gal	16
CEP-B815	Oil Only Boom	8"x15'	4/cs	70 gal	16
CEP-B8100	Oil Only Boom	8"x100'	1/cs	238 gal	1
CEP-B8185	Oil Only Boom	8"x185'	1/cs	334 gal	1
CEP-B8200	Oil Only Boom	8"x200'	1/cs	356 gal	1
CEP-BB810 (blue)	Oil Only Boom	8"x10'	4/cs	70 gal	16



- Comprised of a durable spunbond sock and net filled with 100% polypropylene particulate.
- UV resistant for up to 12 months
- Rope and clips run through the boom allowing for easy handling and the ability to attach multiple lengths together.






UNIVERSAL BOOM

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-UB510	Universal boom	5"x10'	4/cs	32 gal	20
CEP-UB810	Universal boom	8"x10'	4/cs	70 gal	16

- The number one seller for marine spills.
- Comprised of a durable spunbond sock and net filled with 100% polypropylene particulate.
- · UV resistant for up to 12 months
- Rope and clips run through the boom allowing for easy handling and the ability to attach multiple lengths together.







PARTICULATE

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP- PART25	Oil Only	22"x11"x61"	1/bg	50 gal	15
CEP- UPART25	Universal	22"x11"x61"	1/ba	50 gal	15

Meltblown 25 lb. Bags




SPECIALTY PILLOWS-OIL ONLY

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-BPIL10	Boom Pillow	8"x18"	10/cs	42 gal	30
CEP-SAKPIL10	Sack Pillow	14"x25"	10/cs	42 gal	15









CEP-SAKPIL10

OIL ONLY SOCKS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-PS10	Oil Only	3"x10'	4/cs	18 gal	35
CEP-PS10-12	Oil Only	3"x12'	10/cs	49.5 gal	12
CEP-PS12	Oil Only	3"x48"	12/cs	22 gal	35
CEP-PS20	Oil Only	3"x20"	20/cs	15 gal	35
CEP-PS30	Oil Only	3"x48"	30/cs	58 gal	12
CEP-PS40	Oil Only	3"x48"	40/cs	66 gal	12
CEP-PS8	Oil Only	3"x8'	5/cs	18 gal	35
CEP-PS2	Oil Only	3"x2'	80/cs	28 gal	12

- 3
- CEP Socks help surround spills offering easy containment and clean up
- Sorbent socks are perfect for surrounding machine bases or drains
- · Tough polypropylene skin deters tearing and offers maximum flexibility
- Oil only Socks are 100% polypropylene



OIL ONLY PILLOWS

Description	Dims	Quantity	Absorbs Up To	Skids
Oil Only	18"x24"x3"	10/cs	40 gal	35
Oil Only	18"x18"x3"	16/cs	42 gal	35
Oil Only	12"x12"x3"	10/cs	26 gal	35
Oil Only	10"x10"x3"	24/cs	42 gal	35
Oil Only	18"x24"x3"	40/cs	36 gal	35
Oil Only	9"x 9"x2"	32/cs	24 gal	35
Oil Only	20"x20"x3"	20/cs	58 gal	35
Oil Only	9"x 9"x3"	32/cs	24 gal	35
Oil Only	17"x17"x3"	16/cs	40 gal	35
Oil Only	17"x17"x3"	12/cs	30 gal	35
	Oil Only	Oil Only 18"x24"x3" Oil Only 18"x18"x3" Oil Only 12"x12"x3" Oil Only 10"x10"x3" Oil Only 18"x24"x3" Oil Only 9"x 9"x2" Oil Only 20"x20"x3" Oil Only 9"x 9"x3" Oil Only 17"x17"x3"	Oil Only 18"x24"x3" 10/cs Oil Only 18"x18"x3" 16/cs Oil Only 12"x12"x3" 10/cs Oil Only 10"x10"x3" 24/cs Oil Only 18"x24"x3" 40/cs Oil Only 9"x 9"x2" 32/cs Oil Only 20"x20"x3" 20/cs Oil Only 9"x 9"x3" 32/cs Oil Only 17"x17"x3" 16/cs	Oil Only 18"x24"x3" 10/cs 40 gal Oil Only 18"x18"x3" 16/cs 42 gal Oil Only 12"x12"x3" 10/cs 26 gal Oil Only 10"x10"x3" 24/cs 42 gal Oil Only 18"x24"x3" 40/cs 36 gal Oil Only 9"x 9"x2" 32/cs 24 gal Oil Only 20"x20"x3" 20/cs 58 gal Oil Only 9"x 9"x3" 32/cs 24 gal Oil Only 17"x17"x3" 16/cs 40 gal



- CEP Sorbent pillows are the perfect product to trap drips and leaks.
- Pillows can slide underneath dispensing units and machines to help contain annoying drips.
- · Oil only pillows are 100% polypropylene



UNIVERSAL/GENERAL PURPOSE SOCKS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-GS12-12	Gen purpose	3"x12'	12/cs	49.5 gal	12
CEP-GS12-10	Gen purpose	3"x12'	10/cs	49.5 gal	12
CEP-GS16	Gen purpose	3"x16'	10/cs	66 gal	12
CEP-GS10	Gen purpose	3"x10'	15/cs	60 gal	12
CEP-GS20	Gen purpose	3"x20"	20/cs	14 gal	35
CEP-GS30	Gen purpose	3"x48"	30/cs	49.5 gal	12
CEP-GS204	Gen purpose	3"x20'	4/cs	40 gal	35
CEP-GS4	Gen purpose	3"x48"	40/cs	66 gal	12
CEP-GS4-12	Gen purpose	3"x48"	12/cs	19.8 gal	35
CEP-GS55	Gen purpose	3"x20"	55/cs	40 gal	12
CEP-GS6	Gen purpose	3"x6'	25/cs	62 gal	12
CEP-GS8-6	Gen purpose	3"x8'	6/cs	20 gal	35
CEP-GS8	Gen purpose	3"x8'	20/cs	66 gal	12

- - Made in the USA

- CEP Socks help surround spills offering easy containment and clean up
- · Sorbent socks are perfect for surrounding machine bases or drains
- · Tough polypropylene skin deters tearing and offers maximum flexibility
- · Many sizes available
- · Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water

UNIVERSAL/GENERAL PURPOSE PILLOWS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-GPIL9-32	Gen purpose	9"x 9"x2"	32/cs	24 gal	35
CEP-GPIL1816	Gen purpose	18"x18"x2"	16/cs	42 gal	35
CEP-GPIL16	Gen purpose	11"x13"x2"	16/cs	22 gal	35
CEP-GPIL16-20	Gen purpose	11"x13"x2"	20/cs	27.5 gal	35
CEP-GPIL18	Gen purpose	18"x18"x2"	10/cs	42 gal	35
CEP-GPIL40	Gen purpose	10"x10"x2"	40/cs	34 gal	35



- Pillows can slide underneath dispensing units and machines to help contain annoying drips.
- · Many sizes available
- · Universal sorbents absorb not only oil, but coolants, glycols, solvents and even water





HAZMAT SOCKS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-HAZSOC10	Hazmat	3"x10'	4/cs	18 gal	35
CEP-HAZSOC12	Hazmat	3"x48"	12/cs	20 gal	35
CEP-HAZSOC16	Hazmat	3"x16'	10/cs	66 gal	12
CEP-HAZSOC8	Hazmat	3"x8'	20/cs	66 gal	12
CEP-HAZSOC30	Hazmat	3"x48"	30/cs	49.5 gal	12
CEP-HAZSOC40	Hazmat	3"x48"	40/cs	66 gal	12



- HazMat socks are great for soaking up aggressive acids, bases and chemicals.
- CEP Socks help surround spills offering easy containment and clean up
- Sorbent socks are perfect for surrounding machine bases or drains
- · Tough polypropylene skin deters tearing and offers maximum flexibility
- Many sizes available.



HAZMAT PILLOWS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-HAZPIL10	Hazmat	18"x24"x3"	10/cs	40 gal	35
CEP-HAZPIL17	Hazmat	16"x18"X3"	17/cs	44 gal	35
CEP-HAZPIL1816	Hazmat	18"x18"x2"	16/cs	42 gal	35
CEP-HAZPIL1818	Hazmat	18"x18"x3"	16/cs	42 gal	35
CEP-HAZPIL36	Hazmat	18"x 8"x3"	36/cs	46 gal	35
CEP-HAZPIL24	Hazmat	10"x10"x3"	24/cs	40 gal	35
CEP-HAZPIL9-32	Hazmat	9"x 9"x2"	32/cs	24gal	35
CEP-HAZPIL10-24	Hazmat	18"x24"x3"	24/cs	40 gal	35
CEP-HAZPIL30	Hazmat	9"x 9"x3"	32/cs	12 gal	35



- HazMat pillows are great for soaking up aggressive acids, bases and chemicals.
- CEP Sorbent pillows are the perfect product to trap drips and leaks.
- Pillows can slide underneath dispensing units and machines to help contain annoying drips.
- Many sizes available



COTTON SOCKS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-COTGS10	Oil Only	3"x10'	15/cs	60 gal	12
CEP-UCOTGS10	Gen Purpose	3"x10'	15/cs	60 gal	12
CEP-COTGS4	Oil Only	3"x48"	40/cs	66 gal	12
CEP-UCOTGS4	Gen Purpose	3"x48"	40/cs	66 gal	12

- · All natural, non-toxic and recycled fibers
- Their natural biodegradable composition are environmentally friendly for disposal
- · CEP Socks help surround spills offering easy containment and clean up
- · Sorbent socks are perfect for surrounding machine bases or drains





COTTON PILLOWS

Product Code	Description	Dims	Quantity	Absorbs Up To	Skids
CEP-COTPIL16	Oil Only	11"x13"x3"	16/cs	22 gal	35
CEP-UCOTPIL16	Gen Purpose	11"x13"x3"	16/cs	22 gal	35
CEP-COTPIL40	Oil Only	10"x10"x3"	40/cs	34 gal	35
CEP-UCOTPIL40	Gen Purpose	10"x10"x3"	40/cs	34 gal	35



- · All natural, non-toxic and recycled fibers
- Their natural biodegradable composition are environmentally friendly for disposal
- CEP Sorbent pillows are the perfect product to trap drips and leaks.
- Pillows can slide underneath dispensing units and machines to help contain annoying drips.



CLAY SOCKS

Product Code	Description	Dimensions	Quantity	Skids
CEP-CLAYSOC12	Gen Purpose	3"x12'	12/cs	35
CEP-CLAYSOC10	Gen Purpose	3"x10'	4/cs	35

- · Filled with Fullers Earth-Montonmorillonite
- General Purpose acids, solvents, grease, syrup -- DO NOT USE ON HYDROFLORIC ACID
- Non-Biodegradable
- Highly Absorbent





PEAT PILLOW/PAD

Product Code	Description	Dimensions	Quantity	Skids
CEP-PEATPAD10	Oil Only	18"x18"	10/cs	35
CEP-PEATPAD15	Oil Only	18"x18"	15/cs	35

- Filled with 100% Sphagnum Peat
- · Oil only, hydrophobic
- · Highly Absorbent
- Biodegradeable





PEAT SOCKS

Product Code	Description	Dimensions	Quantity	Skids
CEP-PEATSOC120	Oil Only Sock	2"X10'	10/cs	12
CEP-PEATSOC44	Oil Only Sock	4"X48"	20/cs	12
CEP-PEATSOC8	Oil Only Sock	4"X8'	10/cs	12

- Filled with 100% Sphagnum Peat
- · Oil only, hydrophobic
- Highly Absorbent
- Biodegradeable







Sorbent Technologie

RAG RUGS

Product Code	Description	Quantity	Skid
RAGRUG150	Rag Rug 36"x150'	1/cs	10
SRAGRUG150	Split Rag Rug 18"x150'	2/cs	10
RAGPAD100	Rag Rug Pads 18"x18"	100/cs	30

- · Universal Cellulose rag rug is perfect for high traffic area application.
- · Provides Sure Footing
- Conceals dirt and absorbs spills in maintenance, repair and industrial environments.
- · Use to soak up oil, water-based and solvent-based liquids.





INDUSTRIAL RUGS

Product Code	Description	Quantity
IR300	Industrial Rug 36"x300', 8 Oz.	12 Rolls Per Pallet
IR150	Industrial Rug 36"x150', 8 Oz.	24 Rolls Per Pallet

- CEP Best Buy Series! A must for all Spill Contractors!
- · Provides an excellent non-slip surface for work areas
- · Absorbs 10 to 12 times its weight in oil, water, or chemicals
- · Needlepunched polypropylene fibers
- Ideal for busy aisles and walkways next to leaky machinery
- · Keeps floors dry and clean.





POLY BACK INDUSTRIAL RUGS

Product Code	Description	Quantity
PBIR300	Poly Backed Industrial Rug 36"x300', 8 Oz. Coated	12 Rolls Per Pallet
PBIR150	Poly Backed Industrial Rug 36"x150', 8 Oz Coated	24 Rolls Per Pallet

- · Great for High Traffic areas
- · Coated back keeps liquid from hitting floor surface
- · Provides an excellent non-slip surface for work areas
- · Needlepunched polypropylene fibers
- · Absorbs 10 to 12 times its weight in oil, water, or chemicals







GLOVES

Product Code	Description
CEP-GLOVENIT	Glove Nitrile, Green, 15 mil, 13"
CEP-GLOVEPVC	Glove PVC, Black, Smooth, 12"
CEP-GLOVENEO14	Glove Neoprene, Black, 14"
CEP-GLOVENIT-813	Glove Nitrile Powder Free, Disposable 100/Box
CEP-CEP-GLOVES-SS	Glove Silver Shield, 4H

CEP-GLOVE-DDOT-BLK Cotton Double Dot, Black Gloves



COTTON DOUBLE DOT



NITRILE



NEOPRENE

A favorite among package delivery professionals around the world, this industrial grip glove features our patented Diamondclad® silicone.

SOLD BY THE PAIR

IRONCLAD BOXHANDLER

Product Code	Description
CEP-BHG-S	Boxhandler Glove, Small
CEP-BHG-M	Boxhandler Glove, Medium
CEP-BHG-L	Boxhandler Glove, Large
CEP-BHG-XL	Boxhandler Glove, Xlarge
CEP-BHG-2XL	Boxhandler Glove, 2Xlarge

IRONCLAD VIBRATION IMPACT

This glove features gel padding in critical palm areas to minimize fatigue and the potential damage associated with power and impact tools.

SOLD BY THE PAIR

Product Code	Description
CEP-WWI2-M	Vibration Impact Glove, Medium
CEP-WWI2-L	Vibration Impact Glove, Large
CEP-WWI2-XL	Vibration Impact Glove, XLarge
CEP-WWI2-2X	Vibration Impact Glove, 2XLarge



IRONCLAD BOXHANDLER



IRONCLAD VIBRATION IMPACT

IRONCLAD CUT RESISTANT

Extreme cut resistance from a dual layer stainless steel core. Our Cut Resistant Max offers advanced cut protection without giving up dexterity and control.

SOLD BY THE PAIR

Product Code	Description
CEP-ICRM-M	Cut Resistant Maxicrm Glove, Medium
CEP-ICRM-L	Cut Resistant Maxicrm Glove, Large
CEP-ICRM-XL	Cut Resistant Maxicrm Glove, XLarge
CEP-ICRM-2X	Cut Resistant Maxicrm Glove, 2XLarge



IRONCLAD CUT RESISTANT MAXICRM



GLOVES (cont'd)

POWER-COR™

CE Cut Level 4 / Blue Crinkle Finish Latex Palm Coating SOLD BY THE DOZEN/ CASE PACK 12 DZ

Product Code	Description	
CEP-3050-S	Cut Resistant 10 Gauge, Kevlar®	Shell, Small
CEP-3050-M	Cut Resistant 10 Gauge, Kevlar®	Shell, Medium
CEP-3050-L	Cut Resistant 10 Gauge, Kevlar®	Shell, Large
CEP-3050-XL	Cut Resistant 10 Gauge, Kevlar®	Shell, XLarge
CEP-3050-2XL	Cut Resistant 10 Gauge, Kevlar®	Shell, 2XLarge



POWER-COR™

CORDOVA STD. GRAIN DRIVERS GLOVE

Standard Grain Cowhide Driver Glove

SOLD BY THE DOZEN/ CASE PACK 12 DZ

Product Code	Description
CEP-8210-S	Cordova Std. Grain Drivers Glove, Small
CEP-8210-M	Cordova Std. Grain Drivers Glove, Medium
CEP-8210-L	Cordova Std. Grain Drivers Glove, Large
CEP-8210-XL	Cordova Std. Grain Drivers Glove, XLarge
CEP-8210-2XL	Cordova Std. Grain Drivers Glove, 2XLarge
CEP-8210-3XL	Cordova Std. Grain Drivers Glove, 3XLarge



CORDOVA STD. GRAIN DRIVERS GLOVE

CORDOVA SHOULDER LEATHER PALM

Blue/Red Striped Fabric, Gunn Cut Pattern, 2 1/2" Rubberized Safety Cuff SOLD BY THE DOZEN/ CASE PACK 10 DZ

Product Code	Description
CEP-7200R-S	Cordova Shoulder Leather Palm, Small
CEP-7200R-M	Cordova Shoulder Leather Palm, Medium
CEP-7200R-L	Cordova Shoulder Leather Palm, Large
CEP-7200R-XL	Cordova Shoulder Leather Palm, XLarge
CEP-7200R-2XL	Cordova Shoulder Leather Palm, 2XLarge
CEP-7200R-3XL	Cordova Shoulder Leather Palm, 3XLarge



CORDOVA SHOULDER LEATHER PALM

CORDOVA JERSEY GLOVES

PVC Dotted (Micro Dots) Brown Jersey, Clute Cut, Knit Wrist SOLD BY THE DOZEN/ CASE PACK 10 DZ

Product Code	Description
CEP-1510	One Size Only - Large



CORDOVA JERSEY GLOVE

SHOWER, EYEWASH AND FACEWASH PRODUCTS

Product Code	Description	
CEP-01104050	Self Contained Gravity Fed Eyewash	High Vis Yellow Polyethylene
CEP-01050216	Combination Shower, Face Wash	30gpm shower, FW with ABS heads/WYE
CEP-01103002	10 Gallon Eyewash, Self Contained	Pressurized, socket style mount for eye & body drenching
CEP-01110787	Firstep Firstflush	32 oz. bottles, 12/cs

We carry a full line of the Showers, Eyewash and Facewash Products. Call CEP Customer Service for all your needs!!!









BOOTS

Product Code	Description
CEP-BOOTCVRXL	Yellow Latex Over the Shoe Boot,
CEP-BOOTSTLTOE-SIZE	12", Rough Sole, Hazmat, XL Black PVC Boot
BOOTPVC-W	Steel Toe, 16", Tread Sole, Sizes 6-13 White PVC Boot, 16"



SAFETY EYEWEAR

Product Code	Description
CEP-GOGGLES	Chemical Goggles
CEP-FACESHIELD CEP-FSHIELD	Clear Visor Headgear with Ratchet Adjustment







SAFETY GLASSES

Product Code	Description	
CEP-05328334	Nascar GT, Amber Temple, Amber Lens	Scratchcoat, sold in case packs of 12
CEP-05238514	Veratti Breeze, Black Frame, Blue Mirror Lens	Scratchcoat, sold in case packs of 12
Product Code	Description	



05328334

CEP-EL10S	Dane, Clear With Frosted Clear Frame	120 Pair Per Case
CEP-EL20S	Dane, Gray With Frosted Gray Frame	120 Pair Per Case
CEP-EL50S	Dane, Indoor-Outdoor With Frosted Clear Frame	120 Pair Per Case

Single Wrap Around Lens, Bayonet Temple Design, Scratch Resistant Polycarbonate Lens, Integrated Nose Piece, Meets Ansi Z87.1 + Standards



05238514

Product Code	Description
OED E05400	I I I - OI VA

CEP-EGF10S	Jackal, Clear With Frosted Clear Frame	120 Pair Per Case
CEP-EGF50S	Jackal, Indoor-Outdoor With Frosted Clear Frame	120 Pair Per Case
CEP-EGF10ST	Jackal, Clear/Anti-Fog With Frosted Clear Frame	120 Pair Per Case
CEP-EGF20S	Jackal, Gray With Frosted Gray Frame	120 Pair Per Case
CEP-EGF20ST		120 Pair Per Case

Single Wrap-Around Lens, Soft Gel Nose Piece & Temples, Light Weight, Durable Design, Scrtch Resistant Polycarbonate Lens, Meets Ansi Z87.1+ Standards



EL10S

Product Code Description

CEP-EKB10S	Boxer, Clear Lens, Black Frame	120 Pair Per Case
CEP-EKB10ST	Boxer, Clear/Anti-Fog Lens, Black Frame	120 Pair Per Case
CEP-EKB20S	Boxer, Gray Lens, Black Frame	120 Pair Per Case
CEP-EKB50S	Boxer, Indoor-Outdoor, Black Frame	120 Pair Per Case

Dual Wrap-Around Lens Design, Extendable Temples, Matte Black Nylon Frame, Scratch Resistant Polycarbonate Lens, Meets Ansi Z87.1+ Standards



EL20S

This is only a sample of styles available....... CALL CEP CUSTOMER SERVICE to inquire about all styles available.



EGF10ST



EL50S

7

EGF50S





EGF20ST



EKB10S

EKB10ST

EKB20S

EKB50S

SOIL TEST KIT

Product Code	Description	
CEP-SOIL TEST KIT	Hanby Soil Test Kit	

For over twenty years Hanby Soil Kit has led the way for field screening for Hydorcarbons and other aromatic compounds.

\sim		1 .		
()	nn	TΔ	nts	۰
v	υH	יטו	III	

- 15 Ampoules Extraction Reagent 15 Vials of Color Development Reagent
- 15 Screw Top Test Tubes w/ Scribed Measurement
- 6 Screw Top Test Tubes Wooden Test Tube Rack
- 10 Photo ID Cards Depicting Various Petroleum Concentrations
- Beakers
- Electronic Balance

- 1 Waste Bottle
- 1 **Graduated Cylinder**
- 3 Pairs of Safety Gloves
- Pair of Safety Glasses
- Safety Manual
- 1 Procedure Manual
- 1 Instructional Video
- 1 Case with Foam Inserts

REFILLS AVAILABLE



WATER TEST KIT

Product Code Description

CEP-WATER TEST KIT Hanby Water Test Kit

First, fast and accurate, non-instrument testing device for detecting TPH in water.

Contents:

- 15 Ampoules Extraction Reagent
- 15 Vials of Color Development Reagent
- 15 Screw Top Test Tubes w/ Scribed Measurement
- 6 Screw Top Test Tubes
- Wooden Test Tube Rack
- Photo Chart Depicting Various Petroleum Concentrations
- 500 ml Separatory Funnel w/ Ring Stand
- Waste Bottle

- 1 Graduated Cylinder
- 3 Pairs of Safety Gloves
- Pair of Safety Glasses 1
- Safety Manual
- 1 Procedure Manual
- Instructional Video
- 1 Case with Foam Inserts

REFILLS AVAILABLE





REFILL KIT

RESPIRATORS

Product Code	Description
CEP-6100	3M Reusable Respirator, Small, 24/Cs
CEP-6200	3M Reusable Respirator, Medium, 24/Cs
CEP-6300	3M Reusable Respirator, Large, 24/Cs
CEP-RESP-6800	Full Face Respirator


This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors

according to NIOSH approvals. **Benefits**

- Compatible and convenient respiratory protection
- Half facepiece reusable respirator



CEP-6000



NIOSH approved against certain organic vapors and acid gases. Use in a variety of applications, including pharmaceutical, petrochemical, utilities, aluminum reduction, chemical manufacturing, laboratories, and pulp and paper.

Benefits

- Disposable
- · Half facepiece respirator
- · Organic Vapor / Acid Gas respiratory protection
- Convenient
- · Ideal for intermittent use



CEP-5203



ROLL OFF BOX LINERS

Product Code Description

CEP-BOXLINER-6 22.6'L X 5.5'H X8'W

Form fitted liner for roll off box sizes 20-30 yards.

Other sizes available upon request.



6 mil Black



DRUM LINER	S AND POL	Y SHEE	TING	SAVES YOU
Product Code	Description	Size	Color	MONEY
CEP-DLIN55-6EQ	Drum Liner	38" X 60"	Clear	6 mil EQ, 50/rl
CEP-DLIN55-4	Drum Liner	38" X 63"	Clear	Industrial Std., 4 mil, 50/rl
CEP-DLIN55-6	Drum Liner	38" X 63"	Clear	Industrial Std., 6 mil, 50/rl
CEP-DLIN55-6-YEL	Hazmat Drum Liner	38" X 63"	Yellow Printed	6 mil, 50/rl
CEP-DLIN55-4-ABS	Asbestos Drum Liner	38" X 63"	Clear Printed	4 mil, 50/rl
CEP-POLSHT100-4	Poly Sheeting	20' X 100'	Clear	4 mil
CEP-POLSHT100-6	Poly Sheeting	20' X 100'	Clear	6 mil
CEP-POLSHT100-4BLK	Poly Sheeting	20' X 100'	Black	4 mil
CEP-POLSHT100-6BLK	Poly Sheeting	20' X 100'	Black	6 mil

CEP's line of poly bags and sheeting range from 4 mil. to 10 mil. CEP also offers a wide range of asbestos abatement bags and sheeting.





GENERAL PURPOSE PROTECTIVE CLOTHING

Product Code	Description	
CEP-MMNSEWA CEP-MMNSEWAHB	White Coverall, Elastic Wrist & Ankles White Coverall, Elastic Wrist, Ankles,	25/cs. 25/cs.
	Hood, And Booties	
CEP-MMNSCVR	White Standard Coverall	25/cs.

- Excellent abrasive resistance.
- · Light splash and dry particulate protection.
- · Scrim re-enforced for superior strength.
- · Serged seams.

CED CMV2CVD (CIZE)

Draduat Cada





Chem Max® PROTECTIVE GARMENTS LEVEL 1, 2 AND 3

ChemMax1 Entry level Chemical Protection garment, yellow garment, bound seams, set in sleeve, 25 /cs

CEP-CMX1PCZ-(SIZE)	Coverall, Open Wrist and Ankles
CEP-CMX1PCEWA (SÍZE)	Coverall, Elastic Wrist, Ankles
CEP-CMX1PCEWAH (SIZE)	Coverall, Elastic Wrist, Ankles and Hood
CEP-CMX1PCHB (SIZE)	Coverall, Elastic Wrist, Hood and Booties

ChemMax2 Second level of barrier protection with proven protection of Dow Saranex® 23P barrier film. White garment, bound seams, set in sleeve, 12/cs

Coverell Open Wrist and Ankles

CEP-CIVIAZOVK-(SIZE)	Coverall, Open wrist and Ankles
CEP-CMX2EWA-(SIZE)	Coverall, Elastic Wrist, Ankles
CEP-CMX2EWAH-(SIZE)	Coverall, Elastic Wrist, Ankles and Hood
CEP-CMX2EWHB-(SIZE)	Coverall, Elastic Wrist, Hood and Booties

ChemMax3 The highest level of ChemMax protection available. Provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminates. Gray garments, sealed seam and storm flap over zipper, 6/cs

CEP-CMX3CVR-(SIZE)	Coverall, Open Wrist and Ankles
CEP-CMX3EWA-(SIZE)	Coverall, Elastic Wrist, Ankles
CEP-CMX3EWAH-(SIZE)	Coverall, Elastic Wrist, Ankles and Hood
CEP-CMX3EWHB-(SIZE)	Coverall, Elastic Wrist, Hood and Booties

ALL SUITS ARE AVAILABLE IN SIZES SMALL - 5XL OTHER CONFIGURATIONS AVAILABLE UPON REQUEST

> WE OFFER FULL LINE OF LAKELAND PRODUCTS....CALL FOR QUOTE

FIRE RESISTANT COVERALLS

Product Code Description	1
--------------------------	---

CEP-PP2WA Blue Fire Resistant Coverall, Elastic Wrist & Ankles 25/cs

- · Exceeds NFPA 701 for flame resistance.
- · Meets ANSI/ISEA 101-1996 standards.

Available in 7 sizes! Please indicate size by adding one of these codes to the product code:

SM	Small	2X	Large
MD	Medium	3X	Large
LG	Large	4X	Large

XL Extra Large



ACCESSORIES

Product Code Description

CEP-TYVEKBOOTIES Tyvek Booties CEP-BOOTCVRXL Yellow Latex Boot Covers, XL **CEP-APRON-CHEMRESIS** Chemical Resistant Apron









GENERAL PURPOSE PROTECTIVE CLOTHING

Product Code	Description	
CEP-NC-(SIZE)	Non-Coated Microporous Elastic Wrist and Ankle, White	25/cs
CEP-NCH-(SIZE)	Non-Coated Microporous Elastic Wrist and Ankle with Hood, White Coverall	25/cs
CEP-NCHB-(SIZE)	Non-Coated Microporous Elastic Wrist, with Hood and Boots, White Coverall	25/cs
CEP-BOOTCVR(SIZE)	Yellow Latex Nuke Boots	
CEP-Hard Hat	Hard Hat Full Brim with Ratchet Suspension	

These are only a few of the PPE products we carry. CALL TODAY for a quote on your PPE needs!!!







5 GALLON SPILL KITS

Product Code	Description	EST. WGT	DIMS	UPS/ FED EX	ADD'L HDL
CEP-SK5	Oil Only Spill Kit 10 - white oil only pa goggles, gloves, dis		12"X12"X15" cks,	Y	Υ
CEP-HAZSK5	Hazmat Spill Kit 10 - green hazmat p goggles, gloves, dis		12"X12"X15" ocks,	Y	Υ
CEP-GPSK5-1	General purpose/ Universal Spill Kit 10 - grey universal p goggles, gloves, dis		24"X16"X13" ocks,	Υ	N



20 GALLON SPILL KITS

Product Code	Description	EST. WGT	DIMS	UPS/ FED EX	ADD'L HDL
CEP-SK20	Oil Only Spill Kit 50- white oil only pa 2-pillows, goggles, g			Y	Y
CEP-HAZSK20	Hazmat Spill Kit 50- green hazmat p 2-pillows, goggles, g			Y	Y
CEP-GPSK20-1	General purpose/ Universal Spill Kit 50 - grey universal 2-pillows, goggles,			Υ	Y



30 GALLON SPILL KITS

Product Code	Description	EST. WGT	DIMS	UPS/ FED EX	ADD'L HDL
CEP-SK30	Oil Only Spill Kit 50 - white oil only p 4-pillows, goggles,			Y	Υ
CEP-HAZSK30	Hazmat Spill Kit 50 - green hazmat 4-pillows, goggles,			Y	Υ
CEP-GPSK30	General purpose/ Universal Spill Kit 50 - grey universal 4-pillows, goggles,			Y	Y



55 GALLON SPILL KITS

JJ UMILU	m seine kils		
Product Code	Description	EST. WGT	LTL
CEP-SK55	Oil Only Spill Kit 100- white oil only pads, 2- booms, 5-pillows, goggles, gloves, disp. Bag.	47 lbs.	Υ
CEP-HAZSK55	Hazmat Spill Kit 100- green hazmat pads, 2- booms, 5-pillows, goggles, gloves, disp. Bag.	47 lbs.	Y
CEP-GPSK55	General purpose/ Universal Spill Kit 50 - grey universal pads, 12- socks 5-pillows, goggles, gloves, disp. Bag.	47 lbs.	Y



95 GALLON SPILL KITS

Product Code	Description	EST. WGT	LTL
CEP-SK95	Oil Only Spill Kit 100- white oil only pads, 4- booms, 10-pillows, goggles, gloves, disp. Bag.	101 lbs.	Υ
CEP-HAZSK95	Hazmat Spill Kit 100- green hazmat pads, 4- booms, 10-pillows, goggles, gloves, disp. Bag.	101 lbs.	Υ
CEP-GPSK95	General purpose/ Universal Spill Kit 100 - grey universal pads, 4-booms, 10-pillows, goggles, gloves, disp. Bag.	101 lbs.	Υ



TRANSPORT SPILL KITS

		EST.	QUALITY	UPS/	ADD'L
Product Code	Description	WGT	DIMS	FED EX	HDL
CEP-TRSK5	Oil Only Transport Spill Kit	9 lbs.	12"x12"x15"	Υ	Υ
CEP-UTRSK5	Universal Transport Spill Kit	9 lbs.	12"x12"x15"	Υ	Υ

Each kit contains:

10 - Sorbent pads 1 - Pair Goggles 2 - Sorbent Socks 1- Pair Nitrile Gloves 1 - Epoxy Stick 1 - 32oz Scoop

1 - 5.5 gal Lab Pack w/screw lid 2 - Drum Liners 55 gal.



HQ

VACPAK25

		EST.		UPS/	
Product Code	Description	WGT	DIMS	FED EX	HDL
CEP-VACPAK25	Oil Only Vacuum Sealed Spill Kit	5 lbs.	24"x16"x13"	Υ	N

Contains: 10 - Sorbent pads

2 - Sorbent Socks

1 - Case Wipes

1 - Plug Patty

1 - Pair Nitrile Gloves

1 - Pair Goggles

CEP-UVACPAK25 Universal Vacuum Sealed Spill Kit 5 lbs. 24"x16"x13" Y

Contains: 15 - Sorbent Pads

3 - Sorbent Socks

1 - Pair Goggles

1 - Pair Nitrile Gloves

1 - Drum Liner 55 gal.



SAFETY & INFECTION CONTROL KITS

Product Code	Description	WGT	UPS
1 CEP-UPCKIT-17102	Universal Precautions Compliance Kit 15" x 14" x 13" 12/cs	10 lbs	Υ
2 CEP-EZKIT-17121	Blood and Bodily Fluid Clean Up Kit 14" x 11" x 12" 24/cs	7 lbs.	Υ
3 CEP-FSP-48630	Formaldehyde Spill Response Kit 14" x 6" x 12" 1/cs	5 lbs.	Υ





HIGHEST



DECONKIT - PORTABLE DECON KIT

Product Code	Description		UPS
CEP-DCONKIT	Portable Decon Kit	Vacuum Pack	Υ

Includes:

- 3 Disposable Towels
- 1 Bottle Antibacterial Soap
- 1 Disposable Coverall
- 1 First Step Eyewash
- 1 Pair Tyvek Booties



BATTERY ACID SPILL KIT



UPS/ ADD'L FED EX HDL

FST. **Product Code** Description WGT DIMS CEP-CSK-SK-2BA 23"x23"x20" Battery Acid Spill Kit 47 lbs.

Includes:

- 1 20 Gal Overpack Drum
- 4 Acid Neutrilizers 2lb ea.
- 3 General Purpose Socks 3" x 4'
- 20 Sorbent Pads
- 2 Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 2 Pair Disposable Coveralls
- 3 Disposable Bag Liners




DUFFLEBAG SPILL KIT

Product Code	Description	EST. WGT	DIMS	UPS/ FED EX	ADD'L HDL
CEP-DBAGKIT	Duffle Bag Spill Kit	12 lbs.	24"x16"x13"	Υ	N

Includes:

- 2 Poly Socks 3" x 46"
- 10 White Oil Only Sorbent Pads
- 1 Pair Nitrile Gloves
- 1 Plug Patty
- 1 Emergency Response Guide
- 1 55 Gal Drum Liner
- 1 Water Resistant Bag





55 GALLON CONSTRUCTION SITE SPILL KITS

Product Code	Description	WGT	DIMS	FED EX	LTL
CEP-CSKU-F55	55 Gallon Construction Site Spill Kit	70 lbs.	23"x23"x37"	N	Υ

Kit Contains

50 Universal Sorbent Pads

- 3 Universal Sorbent Booms
- 5 Universal Sorbent Socks
- 20lb Bag Granular Sorbent
- 1 Neoprene Drain Cover
- 5 Disposable Bags
- Shovel
- 2 Pair of Safety Goggles
- 2 Pair of Nitrile Gloves
- 2 Pair Disposable Coveralls
- 1 55 gallon poly drum



GENERAL PURPOSE 64 GAL. MOBILE SPILL KIT

Product CodeDescriptionEST.
WGTLTLGPSK-MOBSpill Kit - 64 Gallon75 lbs.Y

Includes:

1 20lb. bag Granular Sorb

100 Universal Pads

- 4 General Socks 10'
- 4 Haz Mat Pillows
- 1 Neoprene Drain Cover 36"x36"
- 1 Epoxy Stick/Repair Putty
- 2 Pair of Nitrile Gloves
- 2 Goggles
- 3 Drum Liners 55gal. 38"x63"
- 1 Yellow 64 Gal Wheel Cart



DUFFLEBAG MULTI SPILL KIT

Product CodeDescriptionEST.
WGTUPS/
DIMSCEP-DBAG-MULTI KitDuffle Bag Multi Spill Kit25 lbs.22"x23"x25"Y

Includes:

- 3 Poly Socks 4'
 1 Sorbent Pillows
 4 General Socks 4'
 4 Gray Sorbent Pads
 3 Haz Mat Socks 4'
- 1 Haz Mat Pillow3 White Oil Only Sorbent Pads
- 3 Green Universal Sorbent Pads
- 1 Universal Drip Pan
- 2 Universal DrumTop Pads
 - 2 White DrumTop Pads w/Bung
- 3 Zorb Sheets
- 1 Water Resistant Bag

op Pads w/Bung 22" Dia. 12"x18" ant Bag

22" Dia.

3 IN 1 KIT OIL, UNIVERSAL, AND HAZMAT





CSK 75 OIL ONLY STACKABLE KIT

Product CodeDescriptionEST.
WGTLTLCEP-CSK75Oil Only Stackable Kit60 lbs.Y



1 Rubbermaid Brute Container 24" x24" x30

1 Lid For Brute Container

10 White Oil Only Sorbent Pads

2 White Poly Socks 3" x 46"

1 Pair Goggles

1 Pair of Nitrile Gloves

1 Drum Liner 55gal. 38"x63"

1 20Lb bag Granular Sorbent

1 Scoop, Small 32 oz.









HURRICANE SPILL KIT 95 GAL

Product Code	Description	WGT	LTL
CEP-STORMSK95	Hurricane Mobile Spill Kit 95 gal.	120 lbs.	Υ

Includes:

10 Universal pads

4 Universal Booms 5" x 10'

2 Gogales

Pair Nitrile Gloves

Disposable Coverall

1 AM/FM Radio

4 Batteries

1 Drum Liner 55 gal.

1 Tarp

1 20' rope

2 Lightsticks

1 20' x 100' PolySheeting 1 Emergency Response Guide

1 Flash Light w/ batteries

1 OverPack Wheeled 95 Gal.

HURRICANE



PREPAREDNESS



HURRICANE SPILL KIT 30 GAL

EST. UPS/ ADD'L **Product Code** Description WGT DIMS FED EX HDL CEP-STORMSK30 Hurricane Spill Kit 30 gal. 70 lbs. 18"x18"x32"

Includes:

50 Universal pads

1 Hazardous Sock

Goggle 1 Pair Nitrile Gloves

1 AM/FM Radio

4 Batteries

1 Drum Liner 55 gal.

1 Emergency Response Guide

1 Flash Light w/batteries

1 OverPack 30 Gal.

HURRICANE







UNIVERSAL ECONO KIT

EST.

UPS/ DIMS

Product Code Description **WGT** CEP-USK-ECONO Universal Econo Kit 5 lbs. 17"x14"x6"

Includes:

- 8 Universal Sorbent Pads
- 4 Sorbent Pillows
- 1 Goggle
- 1 Pair Nitrile Gloves
- 1 Drum Liner 55 gal.
- 1 Emergency Response Guide
- 1 Tow-N-Go or Wall Mount Box



MOBILE SPILL CARTS

HIGHES QUALIT

		E51.	O.C.	
Product Cod	е	WGT	LTL	
CEP-MOBSK	255	195 lbs.	Υ	
Contains: 200-Pads 15" x 17"		4-B510 Booms,		
	12-Socks 3" x 4'	10-Pillows 10" x 1	0",	

4-Disposable Bags 2-Goggles

2-Gloves 1-Transport Shovel

CEP-MOBHAZSK255 195 lbs.

Contains: 200-Pads 15" x 17" 4-B510 Booms

12-Socks 3" x 4" 10-Pillows 10" x 10" 4-Disposable Bags 2-Goggles

1-Glove 1-Transport Shovel

For fast responses! Cart is constructed of high density polyethylene that is chemical resistant.

All mobile kits are refillable.



MOBILE SPILL KIT TOOL KADDIE



Product Code	Description	EST. WGT	DIMS	FED EX
CEP-MOBSKTOOL-GS	Tool Kaddie	70 lbs.	20"x20"x48"	Υ

Contains: 40-Pads 5-Socks 3" x 4', 2-Socks 3" x 10' 8-Pillows

2-Nitrile Gloves 1-Pair Goggles
4-Epoxy Sticks 2-Disposable Bags

50-Wipes 1-Emergency Response Guide

The Mobile Spill Kit Tool Kaddie is comprised of spill control and safety products for general purpose applications. Its easy out-opening doors and push cart mobility make this kit the most desirable spill kit for industrial applications. Also available in oil only version.

Customize your spill kits, add any safety products desired.



DRUM REPAIR SPILL KITS



CEP-DRUMPATCHKIT

Our Drum Repair Kit contains components to repair punctures, cracks, gashes or surface rotting of containers. Restrain leaks resulting from damage or deterioration in drums and tanks.



UPS

MERCURY SPILL KITS



Product CodeDescriptionFED EXCEP-MERCSK25Mercsorb Powder (250 mg.)1 Hg Absorb Jar 2 Hg Absorb Sponges 1 500g. Amalgamation Powder

MOBILE 95 GALLON OVERPACK SPILL KITS

Product Code	Description	EST. WGT	LTL
CEP-990M	Oil Only Mobile 95 gallon Spill Kit	96 lbs.	Y
CEP-988M	Universal Mobile 95 Gallon Spill Kit	96 lbs.	Y
CEP-988MH	Hazmat Mobile 95 gallon Spill Kit	96 lbs.	Y

Oil Only Contains

4	Oil Only Sorbent Booms
100	Oil Only Sorbent Pads
1	Neoprene Drain Cover

Caution Tape

Repair Putty 2 Pair Nitrile Gloves

Pair Safety Goggles Pair Disposable Coveralls

Disposabale Liners

Universal/Hazmat Contains

General Purpose Sorbent Socks General Purpose Pillows

100 General Purpose Sorbent pads

Neoprene Drain Cover Caution Tape

Pair Nitrile Gloves

Pair Safety Goggles Pair Disposable Coveralls

Disposable Liners







MOBILE 50 GALLON OVERPACK SPILL KITS

		EST.	
Product Code	Description	WGT	LTL
CEP-590M	Oil Only Mobile 50 Gallon Spill Kit	71 lbs.	Υ
CEP-588M	Universal Mobile 50 Gallon Spill Kit	71 lbs.	Υ
CEP-588MH	Hazmat Mobile 50 Gallon Spill Kit	71 lbs.	Υ

Oil Only Contains

Oil Only Sorbent Booms Oil Only Sorbent Pads Neoprene Drain Cover

Caution Tape Repair Putty

Pair Nitrile Gloves 2 Pair Safety Goggles

2 Pair Disposable Coveralls

Disposabale Liners

Universal/Hazmat Contains

General Purpose Sorbent Socks 4'

EST.

General Purpose Pillows

General Purpose Sorbent pads

Neoprene Drain Cover

Caution Tape Pair Nitrile Gloves

Pair Safety Goggles

Pair Disposable Coveralls Disposable Liners

GO MOBILE



GPSK95 WHEELED

Product Code	Description	WGT	LTL	
GPSK95Wheeled	General Purpose/Universal	82 lbs.	Υ	
	Spill Kit 95 Gal Wheeled Available in Oil-Only and Hazmat	MOVE	YOUR	KIT



OP95-Wheeled

10 General Purpose Pillows

Universal Boom 5" x 10'

100 Universal Green Bonded Pads

Pair Goggles

Pair Nitrile Gloves 1

55 Gal Drum Liner



GPSK50 WHEELED

		ESI.	
Product Code	Description	WGT	LTL
GPSK50-WH	General Purpose/Universal Spill Kit 50 Gal Wheeled Available in Oil-Only and Hazmat	71 lbs.	Υ

Includes:

4 General Purpose Pillows 1 OP50-Wheeled 50 Wipes General Socks 3" x 4' 1 **Emergency Response Guide** 5 General Socks 3" x 10' 5 55 Gal Drum Liner

50 Universal Pads



Houston • Atlanta • Los Angeles • New York • Indianapolis • New Orleans Vancouver • Calgary • Toronto • Montreal • Newfoundland • Nova Scotia Phone toll-free 800.444.4237 Fax toll-free 866.922.1690

LAB SPILL KIT

Product Code	Description	EST. WGT	DIMS	FED EX
CEP-ABK001	Lab Spill Kit	7 lbs.	16"x14"x6"	Υ

Includes:

- 1 Plastic Carry Case
- 4 Universal Sorbent Pads
- 1 Acid Neutralizer
- 1 Base Neutralizer
- 1 Pair Safety Goggles
- 1 Pair Nitrile Gloves
- 1 Disposable Bag

HANDLES ALL CHEMICALS AND LABORATORY LIQUIDS.



Hospitals · Schools · Doctor/Dental Office

LEAK CONTROL PATCH KITS

Product Code	Description	UPS/FED EX
KIT-A-1	Offset T Patch Kit	Υ
surface rotting of all some holes that prev	containers. Additionally, this riously were more difficult, sand cracks that toggle wind	pair punctures, cracks, gashes or s new kit will allow you to patch such as cracks close to the edge ds will not fit into. All necessary

KIT-WPS Wedges, Putty & Stop-it kit Y
Leak patch kit includes, lead wool, plug rug, premix putty, wooden wedges and dowels, fix stix and stop it pipe repair system.

At last a functional collection of the most proven and commonly used components for emergency and temporary leak stoppage of liquid or bulk hazardous materials due to puncture, gashes, cracks or surface rotting in most of the common containers- drums, cans, tank trucks and cars, automobile gasoline tanks and storage tanks.

These kits are designed for temporary control until the container can be disposed of properly.





MERCURY SPILL KIT

		EST.	QUALITY	UPS/
Product Code	Description	WGT	DIMS	FED EX
CEP-MERCAU	MercurySpill Kit	9 lbs.	16"x14"x6"	Υ

Includes:

- 1 MercSorb Powder
- 1 Mercury Vapour Suppressant
- 2 Universal Sorbent Pads
- 1 Dust Mask
- 1 Pair Disposable Booties
- 2 Pair Nitrile Gloves
- 1 Dust Pan with Brush
- 1 Aspirator
- 3 Disposable bags



HQ

SHOP SPILL KITS

(EP
ONLY

			EST.	
Product C	ode	Description	WGT	LTL
CEP-CSKU205 CEP-CSK205		Universal/Chemical Oil Only	52 lbs. 52 lbs.	Y Y
Includes:	50 4 2 1 1 1 2 2	Sorbent Pads Sorbent Socks Sorbent Booms Safety Sorb Neoprene Drain Cover Disposal Bag Pairs Nitrile Gloves Pairs Safety Goggles	3": 5": 2.5	' x 17" x 48" x 10' i lbs. ' x 36"

Spill contents are stored in a 55 gallon poly drum.



SPILL KITS

2

Product Code	Description	EST. WGT	DIMS	UPS/ FED EX	ADD'L HDL
CEP-ASK-20-U	Universal/Chemical, Poly Zipper E	Bag 7 lbs.	24"x16"x12"	Υ	N
CEP-ASK-20-U	, , , , , ,	•	24"x16"x12"	Υ	N
CEP-ASK-20-U	P Universal/Chemical, 14 Gal. Pail	20 lbs.	15"x15"x26"	Υ	Υ
CEP-ASK-20-C	Oil Only, Poly Zipper Bag	7 lbs.	24"x16"x12"	Υ	N
CEP-ASK-20-C	N Oil Only, Nylon Bag	15 lbs.	24"x16"x12"	Υ	N
CEP-ASK-20-C	P Oil Only, 14 Gal. Pail	20 lbs.	15"x15"x26"	Υ	Υ
Includes: 20	Sorbent Pads 15" x 1	7"			
3	Sorbent Socks 3" x 48"	"			

8" x 18"

2.5 lbs.



Your choice... poly bag, nylon bag or 14 gallon pail.

Disposal BagsPair Nitrile GlovesPair Safety Goggles

Sorbent Pillows

Safety Sorb

FIRST RESPONDER KITS

Product C	ode	Description	EST. WGT	DIMS	UPS/ FED EX
CEP-CSK		Universal/Chemical Oil Only	5 lbs. 5 lbs.	16"x14"x6" 16"x14"x6"	Y Y
Includes:	1 4 1 1 1 1	Plastic Carrying Cas Sorbent Pads Sorbent Sock Disposal Bag Epoxy Stick/Repair Pair Nitrile Gloves Pair Safety Goggles	Putty		

Contents are stored in a durable plastic case for protection against rough handling.



VEHICLE SPILL KITS

Product C	ode	Description	EST. WGT	DIMS	UPS/ FED EX
CEP-CSKL		Universal/Chemical Oil Only	23 lbs. 23 lbs.	24"x16"x13" 24"x16"x13"	Y
Includes:	1 10 4 1 1 1 1	Nylon Bag Sorbent Pads Sorbent Socks Neoprene Drain Cov Disposal Bag Epoxy Stick/Repair I Pair Nitrile Gloves Pair Safety Goggles	3 ver 3 Putty	5" x 17" " x 48" 6" x 36"	

Durable nylon carry bag requires minimal storage space on operating equipment.



TRUCK SPILL KITS

Product C	ode	Description	EST. WGT	DIMS	UPS/ FED EX
CEP-CSKL		Universal Oil Only	8 lbs. 8 lbs.	24"x16"x12' 24"x16"x12'	-
Includes:	20 1 1 1 1 1 1	Sorbent Pads Sorbent Sock Sorbent Sock Disposal Bag Pair Nitrile Glove Pair Safety Gogg Clear Vinyl Zippe	gles		



PLASTIC WALL CABINET

* Cabinet has two doors and two shelves.

			EST.	
Product Code	Description		WGT	LTL
CEP-CSKU115	Universal/Che	emical	40 lbs.	Υ
CEP-CSK115	Oil Only		40 lbs.	Υ
	5/8 15" x 17" 3" x 48"	4 - Disp 2 - Pair 2 - Pair	pent Pillows posable Bags Nitrile Glove Safety Gogg posable Suits	es gles
1 - Plastic wall cabinet 25 5/8x18 7/8x 35 5 50 - Sorbent Pads 6 - Sorbent Socks		1 - Pair	pent Pillows Nitrile glove of Goggles t Pan	S



Wall-mountable.

BATTERY ACID SPILL STATION

Product C	ode	Description	EST. WGT	DIMS	UPS/ FED EX	ADD'L HDL
CEP-CSKI	J23	Universal	45 lbs.	18"x18"x32"	Υ	Υ
Includes:	25 3 1 1 2 1 1	Sorbent Pad Chemical So Chemical So Neoprene Dr Disposal Bag Epoxy Stick/ Pair Nitrile G Pair Safety (orbent Socks orbent Roll rain Cover gs Repair Putty Gloves Goggles	19" x 14 36" x 36	14′	
	1 1	Disposable S Respirator	Suit			



All contents are in a 30 gallon poly drum.

SPILL STATION - YELLOW

Product C	ode	Description	EST. WGT	LTL
CEP-CSKI		Universal	100 lbs.	Y
CEP-CSK2	25	Oil Only	100 lbs.	Y
Includes:	1	Sorbent Boom	5" x 1	20"
	50	Sorbent Pads	15" x	17"
	5	Sorbent Socks	3" x 4	8"
	1	Neoprene Drain Cover	36" x	36"
	3	Disposal Bags	24" x	36"
	1	Epoxy Stick/Repair Put	tty	
	1	Bag Absorbent	20 lbs	3.
	1	Pair Safety Goggles		
	1	Pair Nitrile Gloves		



Lockable, sloped lid to shed rain. Optional wheels upon request.

Also available in Orange or Forest Green

SPILL STATION - 95 GALLON

Product C	ode	Description	EST. WGT	LTL
CEP-CSK		Universal Oil Only	92 lbs. 92 lbs.	Y
Includes:	100 5 5 4	Sorbent Pads Sorbent Socks Sorbent Socks Sorbent Booms	3" 3"	5" x 17" x 48" x 120" x 120"
	1 3 2	Neoprene Drain (Disposal Bags Epoxy Sticks/Rep		6" x 36"
	1 1 1	Bag Absorbent Pair Safety Goggl Pair Nitrile Gloves Disposable Suit	1 les	cu. ft.



CHEETAH SORB

Product Code Description

CEP-TS20 Cheetah Sorb Absorbent 20 lb. bag


Give your oil absorbent "Cheetah Power!"

Many new oil absorbent technologies have come and gone. The #1 reason for market failure is simple: Price! Traditional clay based absorbents are dusty, dirty, absorb very little, and have respiratory drawbacks for the low price of the bag.

Introducing CHEETAH SORB! The first new oil absorbent that is dust free, highly absorbent, incinerable, and... priced like floor dry! Cheetah Sorb even looks like floor absorbent, without the harmful silica. Don't make price be the reason you handle the most cost consuming absorbent in the market. Lower your handling costs and get the "Power of the Cheetah", at kitty litter prices!



Cheetah Sorb — the only industrial floor oil absorbent you'll need!



SPHAGNUM PEAT MOSS ABSORBENTS

Product Code Description

CEP-PEAT2-P Peat Moss 3 cu. ft. bags

The CEP organic heat treated peat moss is a hydrophobic, biodegradable granular that absorbs 15 times its weight in hydrocarbons. It contains less than 5% moisture, making this one of the best absorbents on fine sheens or concrete stains.

Peat moss is non-toxic and all natural.





ANTI-SLIP ABSORBENTS

Product Code Description

CEP-SAFETYSORB25 Safety Sorbent 25 lbs. bag 60/pallet CEP-SAFETYSORB Safety Sorbent 2 1/2 lb. carton 12/cs

This safety sorbent maintains the highest anti-slip or non-skid characteristics of all sorbents. The volcanic ash rock creates a natural surface to plant floors. The product is also ideal for vapor supression. Packaging is in a 25 lb. bag and in 2 1/2 lb. cartons.

Volcanic ash rock creates a natural surface to plant floors. Don't slip and fall, use this line of CEP sorbents!



OPTISORB

Product Code Description Oil Absorbent Granulars 25 lb. OS25 80/pallet

Optisorb Premium Oil Absorbent is an all purpose absorbent designed for the guick clean up of water, oil and grease. Made from diatomaceous earth, a naturally occurring mineral with superior absorption ability, this high quality product delivers 50% more absorbency per pound than clay alternatives. Optisorb Premium Oil absorbent is available in a leak-resistant, moisture proof poly bag. Medium granulars.

100% Natural Mineral ·100% Moisture Free Environmentally Friendly · Provides more absorption for your money Easy to use and transport · Soaks up messy Spills



DIATOMACEOUS EARTH

Product Code Description

CEP-SOLID-A-SORB Diatomaceous Earth 25 lb. plastic bag 60/pallet

Diatomeaceous earth passes TCLP and LRT test. Ideal for high viscosity liquids, bioremediation, waste solidification and much more.



CLAY FLOOR SWEEP

Product Code Description

CEP-FLAB50 Absorb N Dry Clay Floor Sweep 50 lb. bag 50/pallet

These traditional clay based absorbents are still very cost-effective absorbents for industrial plant every day spills. The granular mesh size creates a safe non-slip work area. 50 bags per pallet.



1bsorbents & Neutralizer

CLEAN B SORBENTS

Product Code

CEP-Clean B Sorbents 30 lb. Plastic Bag

66/pallets

Made entirely of organic materials and naturally occurring microbes. Absorb up to 6 times in weight. Will not leach hydrocarbons to saturation. Contains naturally occurring microbes. Effective on soil and water spills.

- · Biodegradable
- Vapor Suppressant
- Hydrophobic
- · Not for use on acids





Clean B-tracks



CLEAN B TRACKS

Product Code Description

CEP-CleanB-Tracks Floor sweep 30 lb. Plastic Bag 66/pallets

- · Quickly absorbs
- Virtually dust free
- Neutralize dangerous or obnoxious odors, and is not harmful to the environment.
- · Not for use on acids

ENSORB SUPER ABSORBENT

Product Code Description

CEP-ENSORB Super Absorbent 1.5 Cubic Ft. Bag

1 Gallon Jug Dispensers 6/case1 Quart Zip Seal Bags 12/case

ENSORB Super Absorbent™ has virtually unlimited uses. It immediately absorbs liquids of any viscosity, leaving surfaces clean and dry. Turns the spilled liquid into a solid that can be disposed of easily. Cannot be used with Hydrofluoric Acid (HF).



ENSORB SUPER CLEANER/DEGREASER

Product Code Description

CEP-ENSORBCLNR Liquid cleaner/degreaser concentrate 1 Gallon Bottles 4/case 55 Gallon Drum

ENSORB Super Cleaner/Degreaser™is a versatile multiple use concentrate. Although water-based and environmentally friendly, it's a powerful cleaner that leaves surfaces clean and free of residue.





M.A.X. DRI

Product Code	Description	Skids
CEP-MAXDRI-40	40 lb bag	50/pallet
CEP-MAXDRI-50	50 lb bg	40/pallet

Low density high performance clay absorbents, absorption rate 76%, smaller particle size creates more surface area for absorption. Heated over 900 degrees creating very hard product that will not mud on spill. 100% FULLERS EARTH



XTRASORR

AIRASURD				
Product Code	Description			
CEP-XSPLUS	15 Lb Jug Clay Fine Granulation For Rapid Absorption	122/Pallet		
CEP-XSDE	10 Lb Jug Blended Diatomaceous Earth(DE) All Purpose Absorbent	122/Pallet		





GATOR ABSORBENT

Product Code	Description		
CEP-GATOR30	Oil Gator	30 lbs. bag	50/pallet

- Gator absorbent has an absorbent powder match for any liquid.
- · Oil Gator is ideal for hydrocarbons.



KENAF ABSORBENTS

Product Code	Description		
CEP-KENAF2	Bio-Sorb	2 cubic ft. bag	50/pallet
CEP-KENAF3	Bio-Sorb	3 cubic ft. bag	40/pallet

The Kenaf Bio-Sorb granular absorbent has indigenous oil eating microbes that solve many long-term spill disposal solutions. The product is all natural, non-toxic, and completely biodegradable.







DRY BIO REMEDIATED

CELLULOSE & VERMICULITE



50/pallet


Product Code Description

CEP-CELU18 Cellulose 20 lbs. bag 70/pallet (see CHEETAH SORB on page 41)

CEP-VERM4 Vermiculite 4 cubic ft. bag 27/pallet

These recycled fiber sorbents are ideal for solidification, packaging, and incineration. The high BTU and low ash content of cellulose and cob fibers are excellent for fuel blending which can save in disposal costs.

Corn Cob







CEP-VERM4

FR RATED

20 lb. bag

NEUTRALIZERS & GELS

Product Code Description

CEP-NEUTA1 45 Lb Pail

CEP-COB20

CEP-NEUTA1 45 Lb Pail
Effectively neutralizes & adsorbs: alkaline & caustic spills including potassium hydroxide, sodium hydroxide and other alkaline industrial

CEP-NEUT-BASE-2 2.5 Lb Shaker, 12/cs

CEP-NEUTB1 45 lb. PAIL

Effectively neutralizes & adsorbs: sulfuric hydrochloric, phosphoric & nitric acids spills. NOT RECOMMENDED FOR HYDROFLOURIC ACID!

CEP-NEUT-ACID-2 2 Lb Shaker, 12/cs

CEP-CHEMCLASS Chemical Classifier Chart

CEP-PH50 PH Paper 0-13 Range 1/2" x 50' roll











SOLIDIFIERS & INFECTIOUS CONTROL



FSC 1

Product Code	Description	Case Qty	Case Wt.
CEP-47101	11 oz shaker bottle	12	15 lb.

Reduces exposure to FORMALDEHYDE Gas



GREEN-Z

Product Code	Description	Case Qty	Case Wt.
CEP-42012	15 oz. shaker bottle	12	15 lb.
CEP-42016	3.5 lb bucket	1	4 lb.
CEP-42016	17.5 lb bucket	1	21 lb.
CEP-42220	50 lb drum	1	55 lb.

- Spill Control Solidifier
- · Fast acting, super absorbent polymers
- Chlorine Free safe to use on chemotherapy, glutaraldehyde and mercury spills
- Eliminates splashing by solidifying and turning spills into semi-solid (gel) mass
- Cost effective cleanup solution



ZORB SHEETS

Product Code	Description
CEP-ZORB3	3"x6", 2500/cs
CEP-ZORB6	6"x6", 2500/cs
CEP-ZORB12	12"x12", 500/cs
CEP-ZORB33	3"x3", 20,000/cs

Tissue based papers impregnated with super absorbent polymers.



BIOHAZARD / INFECTION CONTROL RED Z

Product Code	Description	
CEP-RZ-41101	Red-Z 5oz Shaker Top Bottle	24/cs
CEP-RZ-41102	Red-Z 11oz Shaker Top Bottle	12/cs
CEP-RZ-41103	Red-Z 15oz Shaker Top Bottle	12/cs
CEP-RZ-41115	Red-Z 3.5lb Bulk Bucket	
CEP-RZ-41116	Red-Z 17.5lb Bulk Bucket	
CEP-RZ-41220	Red-Z 50lb Bulk Drum	

SPILL CONTROL SOLIDIFIER

Solidify potentially infectious blood & body fluids spilled.



Granular Absorbents & Neutralizer

MULTI PURPOSE SPILL CONTROL KIT

Product Code Description Case Qtv Case Wt. CEP-15201 11 lb. Multi purpose kit

- Multi Purpose Spill Control Kit
- · A great kit to have around for small clean ups.
- Contains a neutralizer for low pH spills, high pH spills and an absorbent for petroleum based spills.



NEUTRALIZING GRANULARS

Product Code	Description	
CEP-SODAASH50	Soda Ash	50 lbs. bag
CEP-SODBIC50	Sodium Bicarbonate	50 lbs. bag

· These neutralizing powders perform on low ph acids.





PORTA-SORB GRANULAR DISPENSER



CEP-PORTASORBCART Porta-Sorb Dispenser

Complete with non-sparking broom, shovel and recycle screen.

Easiest and most convenient way to dispense granular absorbents. Very mobile and allows for consistent flow of all CEP granulars. Durable for continued use.






BLACK DIAMOND ECO SOLUTIONS DRUM DECK

			Spili	
Product Code	Description	Dimensions	Capacity	Weight
CEP-5141-BD	1-Drum Drum Deck	30.5"X29.5"X6"	17 gal.	4 lbs.
CEP-5142-BD	2-Drum Drum Deck	30.5"X57"X6"	33 gal.	8 lbs.

Lock the one drum and two drum to create the perfect corner unit. Completely Nestable





BLACK DIAMOND ECO SOLUTIONS SPILL PALLETS 2-DRUM

			Spili		Load
Product Code	Description	Dimensions	Capacity	Weight	Capacity
CEP-5222-BD	2-Drum Spill Pallet No Drain	51"X26"X21"	66 gal.	47 lb.	1,000 lb.
CEP-5222-BD-D	2-Drum Spill Pallet W/Drain	51"X26"X21"	66 gal.	47 lb.	1,000 lb.

Nestable and Forkliftable

Provides chemical, UV, rust and corrosion resistance while the textured removable grates keeps drums from sliding and provides an unrestricted, hassle free sump. Sidewall groves allow you to link units together for customization and security.

Meets EPA 40 CFR 264.175, SPCC, NPDES AND UIFC regulations.



BLACK DIAMOND ECO SOLUTIONS SPILL PALLETS 4-DRUM

			Spili		Luau
Product Code	Description	Dimensions	Capacity	Weight	Capacity
CEP-5400-BD	4-Drum Spill Pallet No Drain	54"X54"X10.5"	66 gal.	67 lb.	2,000 lb.
CEP-5400-BD-D	4-Drum Spill Pallet W/Drain	54"X54"X10.5"	66 gal.	67 lb.	2,000 lb.
CEP-5039-BD	Ramp	68"X30.75"X12.5"		65 lb.	1,000 lb.

- Nestable and Forkliftable
- · Holds (4) 55 gallon drums
- · Molded from chemically compatible polyethylene
- Grates lift out for easy access to the sump and provide a slip resistance surface.

REGULATIONS: EPA 40 CFR 264.175, SPCC,NPDES AND UFC



BLACK DIAMOND ECO SOLUTIONS LOW PROFILE SPILL PALLETS

.oad
pacity
000 lb.
000 lb.
000 lb.
000 lb.
00 lb.

- Forkliftable
- · Won't Rust Or Corrode
- Removable Grates For Easy Cleaning & Sump Access
- Easy Use Ramp Availabe
- Common Regulations: 29 CFT 1910.22 (Workplace Housekeeping)
- UFC 79.406 (Uniform Fire Code-UFC: 8 drum unit







BLACK DIAMOND ECO SOLUTIONS SHEDS

			Spili		Load
Product Code	Description	Dimensions	Capacity	Weight	Capacity
CEP-4062-BD	2- Drum Containment Shed	61"X37.25"X72.75"	66 gal	170 lb.	1,000 lb.
CEP-4062-BD-D	2-Drum Containment Shed W/Drain	61"X37.25"X72.75"	66 gal	170 lb.	1,000 lb.
CEP-4064-BD	4-Drum Containment Shed	65"X58"X69"	66 gal	235 lb.	2,000 lb.
CEP-4064-BD-D	4-Drum Containment Shed W/Drain	65"X58"X69"	66 gal	235 lb.	2,000 lb.
CEP-5038-BD	Extenders	8.5"X29.5"X5.5"	N/A	6 lb.	1,000 lb.
CEP-5039-BD	Ramp	68"X30.75"X12.5"	N/A	65 lb.	1,000 lb.

- Won't rust or corrode
- Can withstand high winds and extreme weather
- Roll-top doors for accesss from either side
- Removable grates for convenient cleaning & sump access
- Non slip ramp available for use with a hand truck
- Ramp Extenders required for ramp use with 2-drum conatinment shed

Meets EPA 40 CFR 264.175 and UFC











BLACK DIAMOND ECO SOLUTIONS IBC CONTAINMENT PALLLET

			Spill		Load
Product Code	Description	Dimensions	Capacity	Weight	Capacity
CEP-5469-BD	IBC Unit	73"X80.5"X29.5"	385 gal	176 lb	3,000 lb
CEP-5469-BD-D	IBC Unit W/Drain	73"X80.5"X29.5"	385 gal	176 lb	3,000 lb

- Featuring an integrated 5-gallon pail holder
- The most economical, one-piece polyethylene IBC pallet on the market
- Forkliftable
- Nestable
- · Removable grates for cleaning & sump access

Meets EPA 40 CFR 264.175



BLACK DIAMOND ECO SOLUTIONS POLY SPILLPAKS

		Opin	
Description	Dimensions	Capacity	Weight
95 GAL Overpack	31.5"X 31.5"X41.5"	95 gal	43 lb
50 GAL Wheeled Overpack	24"X24"X45.5"	50 gal	41 lb
95 GAL Wheeled Overpack	31"X31"X47.5"	95 gal	56 lb
	95 GAL Overpack 50 GAL Wheeled Overpack	95 GAL Overpack 31.5"X 31.5"X41.5" 50 GAL Wheeled Overpack 24"X24"X45.5"	DescriptionDimensionsCapacity95 GAL Overpack31.5"X 31.5"X41.5"95 gal50 GAL Wheeled Overpack24"X24"X45.5"50 gal

- NON UN RATED DRUMS
- · Great for spill kits when spill transportation is not a factor
- Ideal for on site drum storage and containment when a UN-rated drum is not necessary.
- Rugged, non-corrosive, UV-resistant



1237-BD

BLACK DIAMOND ECO SOLUTIONS BUILD-A-TRAY

Product Code	Description	Dimensions	Capacity	Weight	Capacity
	Build-A -Tray (Case Of 5)		1 gal	5 lb	200 lb


Build-A-Tray offers a convenient and versatile solution for all of your small, yet important, spill containment needs. With a 200 lbs load capacity, light weight design and effortless assembly, the Build-A-Tray can handle it all from inside the lab to the manufacturing plant.

- Easy and Fast Assembly
- Strong interior grid lock support system created a load capacity of up to 200 lb.
- Flat, sleek pre-assembly design allows for storage virtually anywhere.




SPILL CONTROL PLATFORMS - STEEL


Product Code	Description	Sump Capacity	Dimensions	Wt.	Load Capacity
LOW-PROFILE MOD	ELS				
CEP-SSB-5125	2-Drum	33 gal.	51"x26"x6.5"	125 lbs.	3000 lbs.
CEP-SSB-5125-66	2-Drum	66 gal.	51"x26"x12"	158 lbs.	3000 lbs.
CEP-SSB-5151	4-Drum	66 gal.	51"x51"x6.5"	233 lbs.	6000 lbs.
CEP-SSB-5176	6-Drum	99 gal.	76.5"x51"x6.5"	358 lbs.	9000 lbs.
CEP-SSB-RAMP	Ramp*		33"x36"x6.5"	70 lbs.	1500 lbs.
CEP-DCC	Drip Channels		25-1/2" L	2 lbs.	
*Ramp not for use with	n SSB-5125-66				
FORKLIFTABLE MOI	DELS				
CEP-SST-5125	2-Drum	33 gal.	51"x26"x10.5"	138 lbs.	2000 lbs.
CEP-SST-5125-66	2-Drum	66 gal.	51"x26"x16"	171 lbs.	2000 lbs.
CEP-SST-5151	4-Drum	66 gal.	51"x51"x10.5"	259 lbs.	4000 lbs.
CEP-SST-5176	6-Drum	99 gal.	76.5"x51"x10.5"	381 lbs.	6000 lbs.
CEP-SST-RAMP	Ramp*		33"x42"x10.5"	95 lbs.	1500 lbs
CEP-DCC	Drip Channels		25-1/2" L	2 lbs.	
*Ramp not for use with	n SSB-5125-66				



Spill Control Platforms: Heavy-gauge steel construction holds up in applications where plastic units just won't do, either for durability reasons, or when materials being stored are not compatible with plastic. Welded steel bar grating is removable for easy clean-up. Drip Channels "hook" units of same heights together, help prevent drainage between units. Optional Ramps available in 2 heights. All models help you comply with EPA and OSHA requirements; models with 66 and 99 gallon capacity help you comply with Uniform Fire Code.










WORKSTATION SPILL PALLETS

Product Code	Description	Dimensions
CEP-5110-YE	8 - Drum Workstation™	100" x 53.25" x 6"
CEP-5115-YE	6 - Drum Workstation™	76.5" x 53" x 6"
CEP-5116-YE	4 - Drum Workstation™	52.5" x 53" x 6"
CEP-5117-YE	2 - Drum Workstation™	53" x 28.5" x 6"

- · Tough polyethylene construction, cannot rust or corrode.
- Low profile workstation actually becomes part of your factory floor.
- · Large sump capacity.
- · Removable heavy duty foam grates for easy cleaning.

Low Profile!
Dispensing station or customized work area.





MODULAR SPILL PLATFORM SYSTEMS®

Product Code	Description	Dimensions
CEP-1631	2 Drum Budget Basin	26 1/4" x 51 1/2 x 6 1/2"
CEP-1632	2 Drum Modular Platform	26 1/2" x 51 1/2 x 6 1/2"
CEP-1634	4 Drum Modular Platform	52 1/2" x 51 1/2 x 6 1/2"
CEP-1689	Poly Ramp for 1632, 1634	45 1/2" x 32" x 8"
CEP-1636	1 Drum Budget Basin	26 1/4" x 26 1/4" x 6 1/2"



Eagle has redesigned the 2 drum (1632) Modular Platform and 4 drum (1634) Modular Platform. New Features include

- Fork lift pockets
- Redesigned flat top grating
- New interlocking technology that eliminates the need for the U channel connectors.



Arrange in an endless number of configurations!



ULTRA SPILLDECKS®

Product Code	Description	Dimensions
CEP-1321	Ultra-SpillDeck P1	25 7/8" x 25 7/8" x 5 3/4"
CEP-1086	Ultra-SpillDeck P2	52" x 25 7/8" x 5 3/4"
CEP-1072	Ultra-SpillDeck P4	52" x 52" x 5 3/4"
CEP-1089	Ultra-SpillDeck	24" x 32" x 5 3/4"
	Loading Ramp	

• Bulkhead fittings not only lock connected modules together, but allow spilled liquid to flow from one to another.

Low Profile!

Connect these modules to custom-design your own system. Add on as needed.





ULTRA SAFETY CABINET BLADDER **SYSTEMS®**

Product Code	Description	Dimensions
CEP-2421	Ultra-Safety Cabinet Bladder System V2 2 Drum	63 1/2" x 37 3/4" x 6 1/4"
CEP-2420	(Does not include cabinet) Ultra-Safety Cabinet Bladder System V1 1 Drum (Does not include cabinet)	37 3/4" x 37 3/4" x 6 1/4"
• Low profile 6	1/4" off plant floor.	

- · Bladder unfurls as sump fills up.
- Convenient height allowing wastes to be poured into drum top funnels.

Out of sight, should not be out of mind...



4 DRUM SPILL PLATFORM

Product Code	Description	Dimensions	Wgt	Capacity
CEP 1635	4 Drum Modular Spill Platform	51 1/2" x 52 1/2" x 6 1/2"	65 lbs	60.5 Gal

Eagle introduces a new low profile 4 Drum Modular Spill Platform. The model 1635 has a sump capacity of 60.5 gallons, measuring only 6.5" high, and is compatible with the 1689 Poly Pallet Ramp for easier loading and unlodaing.





Meets EPS 40 CFR 264.175 and is SPCC Compliant

ULTRA SPILLDECKS® PLUS

Product Code	Description	
CEP-2222	Ultra-SpillDeck Plus P2 2 Drum	54 1/2" x 27 1/4" x 4 1/4"
CEP-2223	Ultra-SpillDeck Plus P4 4 Drum	54 1/2" x 54 1/2" x 4 1/4"

- · Extra rugged for heavy equipment and machinery.
- · Loads up to 10,000 lbs. per square foot.
- 4 1/4" low profile.
- · 2 and 4 drum models can be connected together with bulkhead fittings to increase overall sump capacity.

Extra rugged – low profile – 10,000 lbs. per square foot.







ULTRA SPILLDECK BLADDER SYSTEMS®

Product Code	Description	
CEP-1320	Ultra-SpillDeck P1	25 7/8" x 30 1/2" x 5 3/4"
	Bladder System	
CEP-2329	Ultra-Spill Deck P2	52" x 30 1/2" x 5 3/4"
	Bladder System	
CEP-2317	Bladder Attachment/ Fitting	25 1/8" x 4 5/8" x 4 5/8"
CEP-6340	Replacement Bladder/ Fitting	66" x 58"
	Unfurled	
CEP-2345	Bladder Pump	12" x 7" x 5 1/2"
CEP-1089	Loading Ramp	24" x 32" x 5 3/4"
CEP-2330	Ultra-SpillDeck P4	52" x 56 5/8" x 5 3/4"
	Bladder System	
	·	





ULTRA SPILLDECKS - IN-LINE

Product Code	Description	
CEP-2360	Ultra 3 Drum	77 7/8" x 25 7/8" x 5 3/4"
CEP-2361	Ultra 4 Drum	104" x 25 7/8" x 5 3/4"
CEP-2333	Ultra 5 Drum	129 7/8" x 25 7/8" x 5 3/4"
CEP-2334	Ultra 6 Drum	156" x 25 7/8" x 5 3/4"



- Narrow 25 7/8" depth allows drums to be stored along a wall.
- Additional spilldeck modules can easily be connected.







ULTRA SPILLKINGS®

Product Code	Description	
CEP-0801	Drum Pallet Model No Drain	51" x 51" x 17 1/2"
CEP-0802	Drum Pallet Model With Drain	51" x 51" x 17 1/2"
CEP-3000801	Drum Pallet Only	48 3/4" x 48 3/4" x 5 1/2"



Removable deck!

Drum Pallet Model

- 4-way forkliftable deck.
- Double stack drums to optimize valuable floor space.
- 100% polyethylene construction.
- 6,500 lbs. static load capacity.
- Removable heavy duty foam grates for easy cleaning.
 NOTE: Only 55 gallon steel drums with equal height on lower level.





IN-LINE PALLETS

Product Code	Description	
CEP-5102-YE	Low Profile In-Line Poly-Spillpallet™ 3000	98" x 25.25" x 12"
CEP-5102-YE-D	Low Profile In-Line Poly-Spillpallet™ 3000 With Drain	98" x 25.25" x 12"

Storing Drums in-line near the wall, between columns, and in all those spaces you thought were unusable. Holds up to (4) 55-Gallon Drums.







SPILL CONTAINMENT PALLETS®

Product Code	Description	
CEP-1612	Single Drum Unit	31" x 33"
CEP-1620	2 Drum Pallet Unit	51" x 26 1/4" x 15"
CEP-1640	4 Drum Pallet Unit	52.4" x 51 1/2" x 13 3/4"
CEP-1645	4 Drum Pallet Unit Low Profile	51 1/2" x 51.5" x 8"
CEP-1689	Poly Ramp for 1645	45 1/2" x 32" x 8"
CEP-1698	Single Drum Containment Dolly	26 1/2" x 7"






- Forkliftable design with 3/4" drain plug.
- · Polyethylene construction.
- Grating with 1 3/4" square opening that removes easily for cleaning.





SPILL CONTAINMENT PLATFORMS®

Product Code	Description	
CEP-1647	4 Drum In-Line Spill Platform	106" x 30 1/4" x 6 3/4"
CEP-1686	6 Drum Pallet Unit Low Profile	77" x 51 1/2" x 6 1/2"
CEP-1688	8 Drum Pallet Unit Low Profile	102" x 51 1/2" x 6 1/2"
CEP-1689	Poly Ramp for 1647, 1686, 1688	





- · Polyethylene construction for excellent chemical resistance.
- Grating with 1 3/4" square opening that removes easily for cleaning.







SPILL PALLETS

Product Code	Description	Dimensions	Weight	Load Capacity	Spill Capacity
i ioduci code	Description	סווווכווסוטווס	vveigni	Capacity	Capacity
CEP-5001-YE	4 - Drum Poly-Spillpallet™ 6000	50" x 50" x 17"	88 lb.	6,000 lb.	83 gal.
CEP-5001-YE-D	4 - Drum Poly-Spillpallet™ 6000 With Drain	50" x 50" x 17"	88 lb.	6,000 lb.	83 gal.
CEP-5253-YE	2 - Drum Poly-Spillpallet™ 2000	53.5" x 29" x 17"	62 lb.	2,000 lb.	66 gal.
CEP-5253-YE-D	2 - Drum Poly-Spillpallet™ 2000 With Drain	53.5" x 29" x 17"	62 lb.	2,000 lb.	66 gal.
CEP-5400-YE	4 - Drum Poly-Slim-Line™ 6000	54" x 54" x 12"	91 lb.	6,000 lb.	66 gal.
CEP-5400-YE-D	4 - Drum Poly-Slim-Line™ 6000 With Drain	54" x 54" x 12"	91 lb.	6,000 lb.	66 gal.
CEP-5222-YE	2 - Drum Nestable Poly-Spillpallet No Drain	26" x 51" x 21"	58 lb.	2,000 lb.	66 gal.
CEP-5222-YE-D	2 - Drum Nestable Poly-Spillpallet With Drain	26" x 51" x 21"	58 lb.	2,000 lb.	66 gal.

Heavy duty loads.
The most reliable pallets in the industry.

In stock for immediate delivery!



CEP-5222-YE





ULTRA SPILLPALLETS®

Product Code	Description	Dimensions
CEP-1000	Ultra-SpillPallet P4 No Drain, 4 Drum	53" x 53" x 11 3/4"
CEP-1001	Ultra-SpillPallet P4 With Drain, 4 Drum	53" x 53" x 11 3/4"
CEP-1010	Ultra-SpillPallet P2 No Drain, 2 Drum	53" x 29" x 16 1/2"
CEP-1011	Ultra-SpillPallet P2 With Drain, 2 Drum	53" x 29" x 16 1/2"

- 4 drum, 6,000 lbs. load capacity.
- 2 drum, 3,000 lbs. load capacity.
- 100% polyethylene construction.
- · Heavy loads and convenient handling.



FLOURINATED MODELS ALSO AVAILABLE!



ULTRA SPILLCOLLECTORS®

Product Code	Description	
CEP-1040 CEP-1041	Flat Bottom Model Pallet Jack Model	34" x 24 1/4" x 27 1/4" 32 1/2" x 24 1/4" x 28 5/8"
CEP-1045	Drum Tray® No Grate	32" x 27 1/8" x 8 1/8"
CEP-1046	Drum Tray® With Grate	32" x 27 1/8" x 8 1/8"

Flat Bottom and Pallet Models

- Applications: satellite waste collection, general storage of chemical drums, portable pumping stations.
- · 66 gallon capacity.

Drum Trays

• 55 and 30 gallon drums.





POLY COLLECTOR

Product Code	Description
CEP-8001-YE	Poly-Collector 66 w/Steel Drum
CEP-8002-YE	Poly-Collector 66 w/Poly Drum
CEP-8075-YE	Poly-Collector 66 Shell Only
CEP-8080-YE	Poly-Collector 110 w/Poly Drum
CEP-8081-YE	Poly-Collector 110 w/Steel Drum
CEP-8050-BU	Drum Dolly, Blue

The Poly-Collector™ Portable Hazardous Materials Collection Systems put mobility into containment so you can go where the waste is. These drum-dolly mounted containers are built tough from UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials.







CONTAINMENT SUMPS

Product Code	Description	Dimensions	Wgt
CEP-5275-BK	Poly-Tank	82.25" x 45" x 35.75"	98 lbs.
	Containment Unit/275™		
CEP-5275-TARP	Tarp for CEP-5275-BK		
CEP-5550-TARP	Tarp for CEP-5550-BK		
CEP-5550-BK	Poly-Tank Containment/550	113" x 71" x 32"	180 lbs.

- The incidental spill solution
- Designed for the widely used 275 gallon and 550 gallon above-ground tank.
- 275 gallon or 550 gallon sump which saves space and provides easy access to tanks and pumps.





ULTRA CONTAINMENT SUMPS

Product Code	Description	Dimensions
CEP-2800	275 Containment Sump No Drain	84 1/2" x 43 3/4" x 29"
CEP-2801	275 Containment Sump With Drain	84 1/2" x 43 3/4" x 29"
CEP-2820	550 Containment Sump With 3/4" Drain Fitting	87 x 62 1/4" x 32 3/4"
CEP-2810	Pull Over Cover	

- · Containment for 500 or 550 gallon oval tanks.
- · Indoors or outdoors.
- Rugged, all-polyethylene construction will not rust or corrode.

Indoors or outdoors... Eliminate costly spills while storing fuels, oils, etc.






ULTRA 1000 GALLON CONTAINMENT SUMP

Product Code	Outside Dimensions	Inside Dimensions	Weight	Containment Capacity
CFP-2830 No Drain	148" x 63" x 33"	130 1/2" x 45 1/2"	180lbs	1100 gallons

CEP-2831 with 1/2" Drain CEP-2832 with 2" Drain



- 1-piece molded polyethylene design will not rust or corrode.
- · Nestable design saves freight and minimizes storage space.
- Optional 1/2" drain fitting available allows use with Ultra-Self Bailer.
- 2" drain fitting also available.
- · Use with optional Ultra-Self bailer for outdoor containment.
- Self bailer allows clean stormwater to passively drain from sump while capturing hydrocarbons.

Meets StormWater, SPCC, and EPA containment regulations.



275 GALLON SPILL CONTAINMENT SUMP

Description	Dimensions	Weight	Spill Capacity
275 Gallon Spill Containment Sump	84" x 44" x 30"	86lbs.	373 gallons
275 Gallon Spill Containment Sump	84" x 44" x 30"	86lbs.	373 gallons
	275 Gallon Spill Containment Sump No Drain Plug 275 Gallon Spill Containment Sump	275 Gallon Spill Containment Sump 84" x 44" x 30" No Drain Plug 275 Gallon Spill Containment Sump 84" x 44" x 30"	275 Gallon Spill Containment Sump 84" x 44" x 30" 86lbs. No Drain Plug

Eagle introduces a new economical containment solution for up to 275 gallon

horizontal tanks. This one piece molded design is constructed of durable black High Density Polyethelene (HDPE) for maximum performance. The HDPE will not rust or corrode and provides superior chemical and weather resistance. Can be used for indoor or outdoor containment and includes a UV protection package.

Available with or without a 3/4" drain plug (must specify when ordering). Nestable design saves freight and minimizes storage space.



the USA



550 GALLON SPILL CONTAINMENT SUMP

Product Code	Description	Dimensions	Weight	Spill Capacity
CEP-16-550	550 Gallon Spill Containment Sump No Drain Plug	88" x 62" x 33"	118lbs.	635 gallons
CEP-16-550D	550 Gallon Spill Containment Sump W/ Drain Plug	88" x 62" x 33"	118lbs.	635 gallons

Eagle introduces a new economical containment solution for up to 550 gallon horizontal tanks. This one piece molded design is constructed of durable black High Density Polyethelene (HDPE) for maximum performance. The HDPE will not rust or corrode and provides superior chemical and weather resistance. Can be used for indoor or outdoor containment and includes a UV protection package.

Available with or without a 3/4" drain plug (must specify when ordering). Nestable design saves freight and minimizes storage space.







ULTRA OUTDOOR DRUM STORAGE

Product Code	Description	Dimensions
CEP-9640	Ultra-Hard Top P1 Plus No Drain	36" x 36" x 66"
CEP-9641	Ultra-Hard Top P1 Plus With Drain	36" x 36" x 66"
CEP-0417	Dolly	26 1/2" x 26 1/2" x 5"

- · Safe Handling can be moved by forklift under the "shoulder" area.
- Tall head space-25 3/4"- allows use with drum pumps and conical
- · Dolly-has a load capacity of 800 lbs., constructed of steel with four wheels.





ULTRA OUTDOOR DRUM STORAGE

Product Code	Description	Dimensions
CEP-1080	Ultra-Hard Top P4 No Drain, 4 Drum	57" x 54" x 60"
CEP-1081	Ultra-Hard Top P4 With Drain, 4 Drum	57" x 54" x 60"

- · Rugged steel lift brackets allow covers to be temporarily fixed in their position. Makes decanting of wastes safe and efficient.
- · Deck grates are removable for easy cleaning.

Stores 4 drums, allows convenient access. Completely user friendly and lockable for security.



ULTRA OUTDOOR DRUM STORAGE

Product Code	Description	Dimensions
CEP-1082	Ultra-Hard Top P2	57" x 30 1/2" x 64 1/2"
CEP-1083	No Drain, 2 Drum Ultra-Hard Top P2 With Drain, 2 Drum	57" x 30 1/2" x 64 1/2"
• UV inhibitor in	polyethylene resin resists	LOCKABLE

· UV inhibitor in polyethylene resin resists degrading effects of sunlight.

- Hinged covers are easily opened by one person.
- · 66 gallon capacity.

Stores 2 drums, allows convenient access. Completely user friendly and lockable for security.



OUTDOOR STORAGE-JOB HUTS

Product Code	Description	Dimensions
CEP-4010-YE CEP-5111-BK	Job Hut™ Multi-Purpose Work Ramp	90" x 62.5" x 93" 25.5" x 48" x 6.25"

- Stores up to eight 55 gallon drums right on their pallets.
- · Forkliftable from all sides.
- Tough polyethylene means it won't rust or corrode.
- · Large 75 gallon sump.
- · Foam grates for easy cleaning.
- Molded in vents help reduce fumes and condensation.

Substantial savings!

Compare to similar metal or concrete storage buildings.



ULTRA OUTDOOR DRUM STORAGE

Product Code	Description	Dimensions
CEP-9636	Ultra-Hard Top P4 Plus No Drain 75 Gallons	64.5" x 62" x 79"
CEP-9637	Ultra-Hard Top P4 Plus With Drain 75 Gallons	64.5" x 62" x 79"
CEP-0676	Loading Ramp	

- Unique "dual-closure."
- · Roll-top covers can be easily lifted from waist height.
- Low profile 8 3/4" containment pallet.
- · Forkliftable, lockable, all-polyethylene.



Safely store 4 drums outdoors!

ULTRA OUTDOOR DRUM STORAGE

Product Code	Description	Dimensions
CEP-9612	Ultra-Hard Top P2 Plus No Drain	67 1/4" x 41 1/4" x 7
CEP-9613	Ultra-Hard Top P2 Plus With Drain	67 1/4" x 41 1/4" x 7
CEP-0676	Loading Ramp	46" x 28" x 8 3/4"

- Tall 23 3/4" head space easily accommodates rotary drum pumps and large conical funnels.
- Low profile 8 3/4" containment pallet.
- 100% polyethylene construction will not rust or corrode.

ALLOWS FOR PUMP SPACE

Store 2 drums safely outdoors with pumps and funnels in place!



OUTDOOR STORAGE -POLY SAFETY PACKS

Product Code	Description	Dimensions
CEP-2038-YE	Poly-Safety Pack®	60.25" x 36.5" x 45.75"
CEP-2038-YE-D	Poly-Safety Pack® with Drain	
CEP-2077-YE	Poly-Safety Pack® Plus	60.25" x 36.5" x 63.25"
CEP-2077-YE-D	Poly-Safety Pack® Plus with Drain	

- · Outdoor or indoor.
- · Holds two 55 gallon drums.
- 35 gallon sump for the 2038-YE only.
- · Drum access easy with our unique gull-wing covers.
- · Security lock included.
- "Plus" unit has inside height of 54.25" that allows the lid to be closed with pumps in place.

Safe, secure two drum storage. Ideal for marine spill kit.







OUTDOOR DRUM STORAGE BUILDINGS & WORKSTATIONS®

Product Code	Description	Dimensions
CEP-1626	2 Drum Workstation (Low)	60" x 34" x 46"
CEP-1628	2 Drum Workstation (High)	60" x 34" x 64"
CEP-1629	Workstation Dolly	6" x 60" x 34"
CEP-1649	4 Drum Poly Storage Building	57 1/2"x 57 1/2"x 72"

Storage Buildings

- · Four-way forklift sockets.
- · Vented door louvers.
- · 62 gallon spill capacity.









OUTDOOR STORAGE-HAZARD HUTS

Product Code Description **Dimensions** CEP-4000-YE Hazard Hut® 63.38" x 67" x 71.38"

- One piece molded 100% polyethylene construction means no joints or seams to leak.
- · Molded inside vents reduce fumes.
- · Removable grates make it easy to clean.
- 72 gallon sump capacity.
- · Double doors provide easy access for up to four-55 gallon drums.
- · Four-way forkliftable, easy to handle.

Indoor storage problem? Go outside!





HARDCOVER SPILL PALLETS

Product Code	Description	Dimensions
CEP-4062-YE	2 - Drum Hardcover	62.5" x 34.6" x 69"
CEP-4064-YE	4 - Drum Hardcover	63" x 56.5" x 69"

2 & 4 Drum Hardcover/Spill Pallet

- · Lockable.
- · Indoor or outdoor.
- · Ramp optional.
- Roll top design where swing-open doors are a problem.









ROTARY TOP CONTAINMENT

Product Code	Description	Dimensions	Capacity	Wgt
CEP-1646RTC	Rotary Top Containment Unit	59.5" x 73.5" x 68"	60 gal.	290 lbs.

Protect up to four 55-gallon drums from the elements with this rotary style hard cover pallet that features easy-lift pivot-point-axis design. Height of protective cover allows storage with the drum pumps in place. The cover secures to the low-profile pallet (7 3/4"H) at four points, two of which are lockable. 100% polyethylene construction resists corrosion, weathering, UV rays and is compatible with most aggressive chemicals. Patented support grating is removable for easy cleaning of the 60-gallon sump. The pallet has a UDL load rating of 6000 lbs. and fits optional ramp Model 1689. Ships fully assembled.



Compliance: EPA 40 CFR 264.175





5393-BK-SUMP 5394-BK-SUMP



SUPER SHIPPER IBC UNITS

Product Code	Description	Dimensions	Weight	Spill Capacity	Load Capacity
CEP-5390-BK	Super Shipper Steel Fram IBC	76" x 76" x 20"	172 lbs.	385 gal.	8,000 lbs.
CEP-5391-BK	Super Shipper Poly-Grate Frame IBC	76" x 76" x 20"	85 lbs.	385 gal.	6,000 lbs.



the USA

Excellent containment for top-loading totes, IBCs can be placed directly onto removable steel or poly-containment stand for instant use! These ship-friendly and 2-way forklift entry units provide maximum durability with ultimate chemical compatibility. The movable, easy-to-assemble stand can be lifted for quick access to the spill sump for maintenance, cleaning and decontamination.

Unique engineered design allows sumps to nest within 2" of each other for optimal, economical storage & shipping results. Ship more product in less space! Platform options include:

Steel - Compact frame construction gives superior load support with reliable compatibility.

Poly-Grate - Link & lock layout allows platform breakdown for storage and shipment with minimal space.



SUPER SHIPPER CROSS-CONTAIN PALLET

Product Code	Description	Dimensions	Weight	Spill Capacity	Load Capacity
CEP-5393-BK CEP-5394-BK	Super Shipper Cross-Contain Pallet Super Shipper Cross-Contain Pallet Deluxe	58" x 34.5" x 12" 56" x 56" x 10"	27 lbs. 48 lbs.	75 gal. 85 gal.	2,000 lbs. 4,000 lbs.
STIMP ONLY:				•	

The Super Shipper Cross-Contain spill pallets offer the lowest platform, highest containment structure available for up to 4-drums. Dynamic low profile designs allow for easy dispensing, filling and pumping.

The open sump grate configurations promote easy inspection and direct access to spills without needing to move the drums. Placing

weight on the internal platform and not the sump walls allows the units to store 6,000 lbs with a spill capacity of up to 85 gallons. Maintain productivity while satisfying government regulations with these compact and economical units!

2-Drum - Low profile design keeps drums 6" off the floor for efficient access and use of drums.

4-Drum - Wooden transport pallets become 'removable platforms' and help to reduce drum and product handling.



Product Code	Description	Dimensions	Weight	Spill Capacity	Load Capacity
CEP-5460-YE	IBC Super-Saver 275	57" x 57" x 47"	245 lbs.	275 gal.	3.000 lbs.

Small footprint takes up minimal floor space! Floor-space efficient alternative for storing, dispensing and containing IBC totes up to 275-gallons. With features like a solid polyethylene construction for high chemical compatibility and a rugged, easily-removable integrated platform; drips leaks and spills don't stand a chance!





Made in the USA

DOUBLE IBC LOW-TOP 350

Product Code	Description	Dimensions	Weight	Capacity	Capacity
CEP-5482-YE	Double IBC Low-Top 350	100" x 55" x 20"	254 lbs.	385 gal.	8,000 lbs.

Containment for up to (2), IBC totes, there is no comparison! With a load capacity of 8,000 lbs, the Low-Top 350 is also useful for storage of other containers like drums and carboys.

Durable design with polyethylene construction assures long life.





IBC SPILL PALLETS

Product Code	Description	Dimensions
CEP-5469-YE	IBC Spill Pal™	73" L x 29.5" W x 56.75" H
CEP-5469-YE-D	IBC Spill Pal™ w/ Drain	

- 100% Polyethylene
- · 385 gal. sump capacity
- Unit also comes with an integrated 5 gallon pail holder for quick and easy dispensing.
- 8000 lb. handling capacity
- Ship wt. 310 lbs.
- · Forkliftable and nestable





ULTRA IBC SPILLPALLETS® PLUS

Product Code	Description	Dimensions
CEP-1157	Ultra-IBC Spill Pallet Plus No Drain	62" x 62" x 28"
CEP-1158	Ultra-IBC Spill Pallet Plus With Drain	62" x 62" x 28"
CEP-1160	Bucket Shelf	19 1/2" x 16" x 14 1/2"

- Low profile, 28" overall height.
- All polyethylene construction.
- · Forkliftable.
- 52" x 52" deck.
- 62" x 62" footprint.
- · 360 gallon sump.







ULTRA IBC SPILLPALLETS®

OLINA IL	JC JFIEEFREE!		HIGHEST
Product Code	Description	Dimensions	QUALITY
CEP-1057	Ultra-IBC Spill Pallet No Drain	58 3/4" x 58 3/	4" x 33"
CEP-1058	Ultra-IBC Spill Pallet With Drain	58 3/4" x 58 3/	4" x 33"

- · Double stack IBC tanks.
- 16,000 lb. weight capacity.
- 100% polyethylene construction has no metal parts.
- 400 gallon sump.

Accommodates up to two full IBCs.



HQ



ULTRA IBC SPILLPALLETS®

Product Code	Description	Dimensions
CEP-9630	Ultra-Spill Pallet P4 Plus No Drain	62" x 62" x 8 3/4"
CEP-9631	Ultra-Spill Pallet P4 Plus With Drain	62" x 62" x 8 3/4"
CEP-9610	Ultra-Spill Pallet P2 Plus No Drain	65 1/2" x 40" x 8 3/4"
CEP-9611	Ultra-Spill Pallet P2 Plus With Drain	65 1/2" x 40" x 8 3/4"

- Only low profile polyethylene spill pallet strong enough to handle full IBCs.
- · Translucent side walls offer convenient visual leak detection.
- 52" x 52" deck.
- · 4-way forkliftable entry.
- · Versatile units can be used for drum containment also.





IBC SPILL UNIT

Product Code	Description	Dimensions
CEP-1680	IBC Spill Unit Tub & Platform 400 Gallon (does not include IBC Tank)	67" x 67" x 26"

- 400 gal. sump capacity
- 270 lb. ship wt.
- 10,000 lb. load capacity
- · No fork pockets





ULTRA TWIN IBC SPILLPALLET

Product Code	Description	Dimensions
CEP-1140	No Drain	124 1/2" x 61 5/8" x 22"
CEP-1144	With Drain	124 1/2" x 61 5/8" x 22"
CEP-1160	Bucket Shelf	19 1/2" x 16" x 14 1/2"

- Available with optional Bucket Shelf for either or both sides catches small leaks or spills during dispensing.
- Grates are easily removed for quick clean-up.

Meets EPA Containment and SPCC Regulations for Two IBC Tanks.



ULTRA TWIN IBC HARDTOP

Product Code	Description	Dimensions
CEP-1148	No Drain	128" x 67" x 96"
CEP-1149	With Drain	128" x 67" x 96"

- Unique, lockable, dual-closure allows quick access to tanks.
- Roll-top covers can be easily lifted for routine visual inspection
- · Swing-out doors provide safety and convenience for loading/unloading tanks.
- · Safely stores IBC tanks, with maximum dimensions of 52" x 52" x 61"





Upper roll-top door and lower swing-out doors combine to allow easy and convenient access to IBC.

ULTRA IBC HARD TOP

Product Code	Description	Dimensions
CEP-1162	Hard Top No Drain 360 Gallons	64.5" x 62" x 96"
CEP-1161	Hard Top With Drain 360 Gallons	64.5" x 62" x 96"

- · Upper roll-top door and lower swing-out doors combine to allow easy access to IBC.
- Safely store IBC tank with maximum dimensions 52" x 52" x 61".
- · Low profile 28" height, 360 gallon containment sump.
- · Forkliftable, lockable, all polyethylene.

Comply with regulations while storing IBC tanks outdoors.





ULTRA-MODULAR IBC SPILL PALLETS

In Door Pallets	Description	Dimensions:	Capacity	Weight
CEP-1125	2-Tank Model	186" x 62" x 8 1/2"	280 gal.	310 lbs.
CEP-1126	3-Tank Model	248" x 62" x 8 1/2"	355 gal.	435 lbs.
CEP-1127	4-Tank Model	279" x 62" x 8 1/2"	365 gal.	531 lbs
CEP-1128	5-Tank Model	310" x 62" x 8 1/2"	375 gal.	625 lbs.



Weight Capacity: 9,000 lbs. UDL per Pallet

Required accessory: CEP-1118 - Assembly Kit (Includes hole saw, arbor and set of (2) Tightening Tools

Option for Indoor Models:

CEP-9630 Spill Pallet Only

Outdoor Models	Description	Dimensions:	Capacity	Weight
CEP-1165	2-Tank Model	126" x 93" x 79"	280 gal.	881 lbs.
CEP-1166	3-Tank Model	188" x 93" x 79"	355 gal.	1258 lbs.
CEP-1167	4-Tank Model	250" x 93" x 79"	365 gal.	1603 lbs
CEP-1168	5-Tank Model	312" x 62" x 79"	375 gal.	1948 lbs.

Weight Capacity: 9,000 lbs. UDL per Pallet

Required accessory: CEP-1118 - Assembly Kit (Includes hole saw, arbor and set of (2) Tightening Tools

Option for Outdoor Model:
CEP-9658 Extender Kit
Options for Indoor & Outdoor Models:

CEP-1117 2" Bulkhead Fittings (Set of 2)

CEP-1124 Expansion Tank Only, 61" x 31" x 12 1/2", Capacity: 65 gallons, 30 lbs

- New Ultra-Modular IBC Spill Pallets provide low cost spill containment for multiple IBC tanks. Standard offerings include: 2-tank, 3-tank, 4-tank and 5-tank indoor and outdoor models. In addition, components may be purchased separately to allow users to "build-your-own" configurations for indoor models.
- Each IBC tank sits on a heavy-duty spill pallet that offers a Uniformly Distributed Load Capacity of 9,000 lbs. Each of the low profile spill pallets has a containment capacity of 75-gallons and measures 62" x 62" x 8.75"H.
- To increase containment capacity, a 65-gallon capacity Expansion Tank is available. "Flow-through" bulkhead fittings (1.25-inch diameter) are used to connect spill pallets and Expansion Tanks together. This patented feature allows spills to be channeled throughout the

containment system, thereby "borrowing" containment capacity from adjacent spill pallets and Expansion Tanks.

Any number of the

 Any number of the modular spill pallets can be connected together with the bulkhead fittings. Two
 (2) bulkhead fittings are used to connect one pallet to the next.

- Connecting an Expansion Tank to a spill pallet also requires two (2) bulkhead fittings. Bulkhead fittings are included with each 2-, 3-, 4-, or 5-tank model. Once five (5) or more spill pallets are connected together, the total containment capacity is 375 gallons minimum and does not require use of an Expansion Tank to meet the spill containment regulations.
- Optional Extender Kits (Part# 9658) provide for the addition of another compartment to Outdoor Models. (1 tank per Extender Kit).
- Ultra-Modular IBC Spill Pallets are constructed of 100% polyethylene, eliminating the potential for rust and corrosion. They offer excellent chemical resistance to a broad range of chemicals including acids, solvents and oils.











FLEXPALTM

Product Code	Description	Dimensions	Weight	Sump Capacity
CEP-4401-BD	1 Drum Flexpal - No Drain	25" x 25" x 12"	30 lbs.	38 gal.
CEP-4402-BD	2 Drum Flexpal - No Drain	58" x 25" x 12"	42 lbs.	68 gal.
CEP-4404-BD	4 Drum Flexpal - No Drain	58" x 58" x 12"	77 lbs.	130 gal.
CEP-4406-BD	6 Drum Flexpal - No Drain	82" x 58" x 12"	110 lbs.	195 gal.
CEP-4408-BD	8 Drum Flexpal - No Drain	107" x 58" x 12"	140 lbs.	260 gal.

The simplest, easiest way to maintain compliance—and valuable factory floor space.

The versatility of Black Diamond's flexible portable containment meets the durability of our world-known classic spill pallet with the all-new Flexpal™. Our patented designs of the 1- through 8-Drum Flexpal™ units marry a flexible industrial fabric shell with a rigid plastic core. This allows for the most innovative, compliant spill containment on the market. With setup in seconds and pedestal platform support

for ample strength, the unique design keeps drums out of the spill and allows easy access to the sump for quick clean-up. Unlike traditional rigid plastic spill pallets, Flexpal™ can be broken down, stacked or stored when not in use to save on floor and storage space. This same feature gives Flexpal™ the ability to ship in a manageable box that can be shipped small package; saving on freight and transit time!

Available with a drain and perfect for use with the Poly-Ramp™ (5039-BK) to make movement of drums hassle free!



IBC BERM, FLEXIBLE IBC TOTE


Product Code Description		Dimensions	Weight	Spill Capacity
CEP-48-452-YE-SS	Stinger Berm L Bracket	4'L x 5'W x 2'H	84 lbs.	299 gal.
CEP-48-462-YE-SS	Stinger Berm L Bracket	4'L x 6'W x 2'H	100 lbs.	359 gal.
CEP-48-552-YE-SS	Stinger Berm L Bracket	5'L x 5'W x 2'H	102 lbs.	374 gal.

IBC Berm uses a unique L-Bracket sidewall support system mounted on the exterior leaving the interior free from interference. Removable L-Brackets allow sidewalls to lay flat for entry and exit. Made from rugged resistant PVC and replaceable L-Brackets, this berm is convenient for containing IBC units or any application that requires a durable, long lasting portable containment unit.



STINGER SPILLPAL

				Sump			
Product Code	Description	Dimensions	Weight	Capacity	Ground Pad	TracMat	
4901-YE	12' x 15' - Economy	12' x 15' x 4.5"	47 lbs.	505 gal.	4901-GP	4901-TM	
4901-BK	12' x 15' - Standard	12' x 15' x 4.5"	58 lbs.	505 gal.	4901-GP	4901-TM	
4901-TN	12' x 15' - Heavy Duty	12' x 13' x 4.5"	61 lbs.	438 gal.	4901-GP	4901-TM	
4902-YE	12' x 20' - Economy	12' x 21' x 4.5"	56 lbs.	707 gal.	4902-GP	4902-TM	
4902-BK	12' x 20' - Standard	12' x 21' x 4.5"	70 lbs.	707 gal.	4902-GP	4902-TM	
4902-TN	12' x 20' - Heavy Duty	12' x 19' x 4.5"	75 lbs.	640 gal.	4902-GP	4902-TM	
4903-YE	12' x 30' - Economy	12' x 33' x 4.5"	84 lbs.	1,110 gal.	4903-GP	4903-TM	
4903-BK	12' x 30' - Standard	12' x 33' x 4.5"	105 lbs.	1,110 gal.	4903-GP	4903-TM	
4903-TN	12' x 30' - Heavy Duty	12' x 30' x 4.5"	112 lbs.	1,010 gal.	4903-GP	4903-TM	
4904-YE	12' x 40' - Economy	12' x 39' x 4.5"	112 lbs.	1,310 gal.	4904-GP	4904-TM	
4904-BK	12' x 40' - Standard	12' x 39' x 4.5"	140 lbs.	1,310 gal.	4904-GP	4904-TM	
4904-TN	12' x 40' - Heavy Duty	12' x 41' x 4.5"	150 lbs.	1,380 gal.	4904-GP	4904-TM	
4905-YE	12' x 50' - Economy	12' x 51' x 4.5"	140 lbs.	1,715 gal.	4905-GP	4905-TM	
4905-BK	12' x 50' - Standard	12' x 51' x 4.5"	175 lbs.	1,715 gal.	4905-GP	4905-TM	
4905-TN	12' x 50' - Heavy Duty	12' x 52' x 4.5"	185 lbs.	1,750 gal.	4905-GP	4905-TM	
4906-YE	12' x 60' - Economy	12' x 63' x 4.5"	168 lbs.	2,121 gal.	4906-GP	4906-TM	
4906-BK	12' x 60' - Standard	12' x 63' x 4.5"	210 lbs.	2,121 gal.	4906-GP	4906-TM	
4906-TN	12' x 60' - Heavy Duty	12' x 63' x 4.5"	223 lbs.	2,121 gal.	4906-GP	4906-TM	
4907-YE	24' x 40' - Economy	24' x 39' x 4.5"	235 lbs.	2,626 gal.	4907-GP	4907-TM	
4907-BK	24' x 40' - Standard	24' x 39' x 4.5"	310 lbs.	2,626 gal.	4907-GP	4907-TM	
4907-TN	24' x 40' - Heavy Duty	24' x 41' x 4.5"	330 lbs.	2,760 gal.	4907-GP	4907-TM	
4908-YE	24' x 50' - Economy	24' x 51' x 4.5"	285 lbs.	3,434 gal.	4908-GP	4908-TM	
4908-BK	24' x 50' - Standard	24' x 51' x 4.5"	390 lbs.	3,434 gal.	4908-GP	4908-TM	
4908-TN	24' x 50' - Heavy Duty	24' x 52' x 4.5"	410 lbs.	3,501 gal.	4908-GP	4908-TM	
4909-YE	24' x 60' - Economy	24' x 63' x 4.5"	345 lbs.	4,241 gal.	4909-GP	4909-TM	
4909-BK	24' x 60' - Standard	24' x 63' x 4.5"	470 lbs.	4,241 gal.	4909-GP	4909-TM	
4909-TN	36' x 40' - Heavy Duty	24' x 63' x 4.5"	485 lbs.	4,241 gal.	4909-GP	4909-TM	
4910-YE	36' x 40' - Economy	36' x 39' x 4.5"	290 lbs.	3,939 gal.	4910-GP	4910-TM	
4910-BK 4910-TN	36' x 40' - Standard	36' x 39' x 4.5"	410 lbs. 435 lbs.	3,939 gal.	4910-GP 4910-GP	4910-TM 4910-TM	
	36' x 40' - Heavy Duty	36' x 41' x 4.5"		4,140 gal.			
4911-YE 4911-BK	36' x 50' - Economy 36' x 50' - Standard	36' x 51' x 4.5"	390 lbs.	5,150 gal.	4911-GP	4911-TM 4911-TM	
4911-DN 4911-TN		36' x 51' x 4.5"	530 lbs.	5,150 gal.	4911-GP 4911-GP	4911-1M 4911-TM	
	36' x 50' - Heavy Duty	36' x 52' x 4.5" 36' x 63' x 4.5"	555 lbs.	5,251 gal.			
4912-YE 4912-BK	36' x 60' - Economy 36' x 60' - Standard	36' x 63' x 4.5"	500 lbs. 650 lbs.	6,362 gal. 6,362 gal.	4912-GP 4912-GP	4912-TM 4912-TM	
4912-BN 4912-TN	36' x 60' - Standard	36' x 63' x 4.5"	670 lbs.	6,362 gal.	4912-GP 4912-GP	4912-1M 4912-TM	
4913-YE	48' x 60' - Economy	48' x 63' x 4.5"	640 lbs.	8,483 gal.	4913-GP	4912-11VI 4913-TM	
4913-YE 4913-BK	48' x 60' - Economy 48' x 60' - Standard	48' x 63' x 4.5"	831 lbs.	8,483 gal. 8,483 gal.	4913-GP 4913-GP	4913-1M 4913-TM	
4913-BK 4913-TN	48' x 60' - Standard 48' x 60' - Heavy Duty	46 x 63 x 4.5 48' x 63' x 4.5"	855 lbs.	o,4o3 gal. 8,483 gal.	4913-GP	4913-1M 4913-TM	
TO 10-11N	TO A GO - Heavy Duty	TU A UU A 4.U	ooo iba.	0, 1 00 yai.	7313-01	TO 10-11VI	



ECONOMY



STANDARD



HEAVY DUTY

Because time and space are always important to on-the-job containment, ENPAC® has designed the Stinger Spillpal™ series to save the day with on-site leaks and spills!

Rated #1 in oil, gas, drilling & fracking containment, available in (13) standard sizes and (3) material variations (Economy-YE, Standard-BK, Heavy Duty-TN), ENPAC® provides the right product for your need, every time. The sturdy, user-friendly 4.5" sidewall construction design incorporates high strength connectors and a two-way air relief system that facilitates automatic entry & exit capabilities at any angle.












STINGER POLYBERM CONTAINMENT SYSTEMS

			Liner	Spill
Product Code	Description	Wgt.	Wgt.	Capacity
48-1212-PB-L	12'X12'X3'	480 lbs.	150 lbs.	3231 gal.
45-1616-PB-L	16'X16'X3'	640 lbs.	175 lbs.	5744 gal.
45-1620-PB-L	16'X20'X3	720 lbs.	195 lbs.	7180 gal.
45-2020-PB-L	20'X20'X3'	800 lbs.	225 lbs.	8976 gal.
45-2028-PB-L	20'X28'X3'	960 lbs.	275 lbs.	12,565 gal.
45-2032-PB-L	20'X32'X3'	1040 lbs.	305 lbs.	14,360 gal.
45-2040-PB-L	20'X40'X3'	1200 lbs.	365 lbs.	17,952 gal.
45-2060-PB-L	20'X60'X3'	1600 lbs.	500 lbs.	26,928 gal.
45-2424-PB-L	24'X24'X3'	880 lbs.	285 lbs.	12,925 gal.
45-2836-PB-L	28'X36'X3'	1120 lbs.	415 lbs.	22,619 gal.
45-4848-PB-L	48'X48'X3'	1760 lbs.	775 lbs.	51,701 gal.
45-100100-PB-L	100'X100'X3'	3680 lbs.	2700 lbs	224,400 gal.







Link & Latch Your Way To Custom Containment

The Polyberm™ System is a heavy duty reusable secondary containment unit with an innovative modular design and ENPAC® approved sump liner.

Renefits:

- 4' long by 3' high straight walls, 8' long by 3' high corner walls
- Rugged, low cost secondary containment system for storage tanks,
- · Ideal for paved areas, no loose parts
- Ideal for construction zones as movable barricades and safety barriers
- Portable plastic stacks when not in use
- · Use in cold, hot or wet environments
- Removable sump liner for easy decontamination



HOSE BRIDGE

Product Code	Description
CEP-48-8-AL-BR	Hose Bridge, For Use With Flexible Berms

Connect your containment sumps without damaging the berm sidewalls with the NEW convenient Hose Bridge







THE THROW-N-GO BERM

Product Code	Description	Wgt.	Capacity
CEP-TG-1010	10' x 10' x 12"	70 lbs	588 Gallons
CEP-TG-1236	12' x 36' x 12"	207 lbs	3001 Gallons
CEP-TG-1454	14' x 54' x 12"	400 lbs	5341 Gallons

- Easy to deploy in all situations, including emergencies
- Berm contains no working parts to malfunction
- Conforms to Federal, State, and Military environmental containment regulation
- Can be utilized with fuel and chemicals
- · Custom Sizes available
- No assembly is required. Walls lay flat and setup takes less than 30 seconds.
- Berm can be driven on at any angle
- · Walls rise automatically when fluid is spilled.
- · Built in track mats prevent damage to Berm.








40MIL L BRACKET ECONO-BERM

	MI IOONO DI
Product Code	Description
CEP-BERM-6x6x1	6' x 6' x 1'
CEP-BERM-8x8x1	8' x 8' x 1'
CEP-BERM-10x10x1	10' x 10' x 1'
CEP-BERM-12x25x1	12' x 25' x 1'
CEP-BERM-12x50x1	12' x 50' x 1'
Most Common Ctook Cines	Custom Circo Available

Most Common Stock Sizes - Custom Sizes Available

Manufactured with your choice of bracketed sidewalls, pop-up sidewalls or drive thru endwalls, the versatile Econo-Berm can be customized for the most taxing of containment applications, including: roll-off containers, tanker trucks, frac tanks, decon wash pads, emergency response, drum storage and portable pumps. Its easy-to-install, pop-up design is ready to use in minutes, UV- and chemical-resistant, flexible, lightweight and dependably durable. Optional accessories-like a protective ground cover, track guard and hose support bridge-ensure complete investment protection.












ECONO SPILL SHELL

Product Code	Description
CEP-5002-BK	2-Drum Econo Spill Shell
CEP-5004-BK	4-Drum Econo Spill Shell

Economical Spill Containment. Engineered drainage channels facilitate the

flow of spilled liquids away from containers for safe and effective clean-up.





ECONOMY L-BRACKET CONTAINMENT BERMS

		Spill	
Product Code	Description	Capacity	Wt.
CEP-BD-44-AL-L	4'X4'X1'	119 gal	12 Lb.
CEP-BD-55-AL-L	5'X5'X1'	187 gal	18 Lb.
CEP-BD-68-AL-L	8'X6'X1'	359 gal	29 Lb.
CEP-BD-1010-AL-L	10'X10'X1'	748 gal	50 Lb.
CEP-BD-1020-AL-L	10'X20'X1'	1,496 gal	80 Lb.
CEP-BD-1030-AL-L	10'X30'X1'	2,244 gal	91 Lb.
CEP-BD-10601-AL-L	10'X60'X1'	4,488 gal	160 Lb.

Black Diamond Economy Containment Berms are simple, rugged, quick, inexpensive. First Class chemical, rip, tear, and puncture resistance. Easy, fast set-up

Compact storage and transport

Tested welds ensure maximum performance, every time.

Black Diamond Ground Pads and TracMats available





SNAP-UP CONTAINMENT BERMS

		Spill	
Product Code	Description	Capacity	Wt.
CEP-BD-44	4'x4'x1'	119 gal	18 lb
CEP-BD-55	5'x5'x1'	187 gal	29 lb
CEP-BD-66	6'x6'x1'	269 gal	37 lb
CEP-BD-88	8'x8'x1'	479 gal	52 lb
CEP-BD-1010	10'x10'x1'	748 gal	60 lb
CEP-BD-1212	12'x12'x1	1,077 gal	80 lb
CEP-BD-1616	16'x16'x1'	1,915 gal	110 lb
CEP-BD-1220	12'x20'x1'	1,795 gal	130 lb
CEP-BD-1230	12'x30'x1'	2,693 gal	140 lb
CEP-BD-1240	12'x40'x1'	3,591 gal	200 lb
CEP-BD-1250	12'x50'x1'	4,488 gal	250 lb
CEP-BD-1260	12'x60'x1'	5,385 gal	275 lb



Black Diamond Snap-Up Containment berms are a snap to set up. Simply remove the triangular stays on the sidewall where necessary and snap them back in place for ultimate containment.

Tested welds ensure maximum performance, every time.

Resist to a wide array of chemicals • Easy to assemble for fast response • Compact and portable




FRAC TANK BERM

		Spill	
Product Code	Description	Capacity	Wt.
CEP-BD-10501-FT	10'X50'X1'	3,740 gal	133 lb

Black Diamond Frac Tank Berm is specifically engineered to offer secondary containment in the oil field for storage tanks and drilling fluids.

DRILL SMART, DRILL SAFE, DRILL ON!!



ISO TANK BERM

		Spill	
Product Code	Description	Capacity	Wt.
CEP-BD-10242-SS-P	Single, 10'X24'X2'	3,590 gal	380 lb.
CEP-BD-20242-SS-P	Double, 20'X24'X2'	7,180 gal	760 lb.


Black Diamond ISO tank berms are specifically designed to house either single or double ISO tanks. This berm offers secondary containment in the field or during transport. Ideal tank containment at an ideal price.



FLEXSTATION

	Spill	
Description	Capacity	Wt.
1-Drum, 24"X23"X2"	2 gal	9 lb.
2-Drum, 48"X23"X2"	4 gal	18 lb.
4-Drum, 48"X46"X2"	8 gal	36 lb.
6-Drum, 48"X69"X2"	12 gal	54 lb.
8-Drum, 48"X92"X2"	16 gal	72 lb.
	1-Drum, 24"X23"X2" 2-Drum, 48"X23"X2" 4-Drum, 48"X46"X2" 6-Drum, 48"X69"X2"	Description Capacity 1-Drum, 24"X23"X2" 2 gal 2-Drum, 48"X23"X2" 4 gal 4-Drum, 48"X46"X2" 8 gal 6-Drum, 48"X69"X2" 12 gal

Black Diamond Flexstation series introduces the lowest platform, highest versatility of any unit. Flexible shell construction provides spill protection with the benefit of quick and easy assembly. A removable grate core allows for hassle free clean-up and convenient mobility.



PORTABLE SPILL CONTAINMENT

Product Code	Description	Dimensions
CEP-5750-YE CEP-5755-YE CEP-5760-YE	1 Drum Spillpal™ 2 Drum Spillpal™ 4 Drum Spillpal™	2′ x 2′ x 3" 2′ x 4′ x 3" 4′ x 4′ x 3"
CEP-5765-YE CEP-5770-YE CEP-5775-YE CEP-7006-BK	4 Drum In-Line Spillpal™ 6 Drum Spillpal™ 8 Drum Spillpal™ Deck Grates	2' x 8' x 3" 4' x 6' x 3" 4' x 8' x 3" 48" x 23" x 1.75"

- · Reusable! Just fold and place on shelf.
- Alternative to hard plastic pallets that need to be moved by a forklift.
- · Foam sidewalls that spring back into place.
- · Order with or without grates.



Chill



DUCK PONDS

Product Code	Description	Dimensions	Wgt.	Spill Capacity
CEP-5622-YE	2 x 2 Duck Pond	2′ x 2′ x 3"	1 lbs.	10 gal.
CEP-5623-YE	2 x 3 Duck Pond	2′ x 3′ x 4"	3 lbs.	15 gal.
CEP-5624-YE	2 x 4 Duck Pond	2′ x 4′ x 4"	4 lbs.	20 gal.
CEP-5633-YE	3 x 3 Duck Pond	3′ x 3′ x 4"	5 lbs.	22.5 gal.
CEP-5634-YE	3 x 4 Duck Pond	3′ x 4′ x 4"	12 lbs.	29 gal.
CEP-5635-YE	3 x 5 Duck Pond	3′ x 5′ x 4"	14 lbs.	37 gal.
CEP-5644-YE	4 x 4 Duck Pond	4′ x 4′ x 4"	5.5 lbs.	40 gal.
CEP-5645-YE	4 x 5 Duck Pond	4′ x 5′ x 4"	16 lbs.	49 gal.
CEP-5646-YE	4 x 6 Duck Pond	4′ x 6′ x 4"	7 lbs.	60 gal.
CEP-5648-YE	4 x 8 Duck Pond	4′ x 8′ x 4"	26 lbs.	79 gal.
CEP-5655-YE	5 x 5 Duck Pond	5′ x 5′ x 4"	18 lbs.	62 gal.
CEP-5656-YE	5 x 6 Duck Pond	5′ x 6′ x 4"	22 lbs.	74 gal.
CEP-5666-YE	6 x 6 Duck Pond	6′ x 6′ x 4"	26 lbs.	89 gal.





Regulation: EPA, SPCC and NPDES

Duck ponds are perfect for projects where storage space is limited. Small enough to fit in a cabinet or store on a shelf, a Duck Pond can hold various drum sizes with ease and affordability. Providing both reliable and reusable secondary containment for oils, fluids, and gasolines; ponds are easy to maneuver and can withstand extreme cold temperatures to -55°F/-48°C.

The uses are endless! For quick response to leaking machines, preventative maintenance, and emergency drips, ponds are the perfect quick-grab item that is rugged and ideal for small areas for rapid deployment.

Duck Ponds are available in various sizes, contain a 4" low-profile sidewall, and are leak tested with an unbeatable ENPAC warranty.

FOLDING DUCK PONDS

Product Code	Description	Dimensions	Wgt.	Spill Capacity
CEP-5622-YE-F	2 x 2 Folding Duck Pond	2' x 2' x 6"	5 lbs.	15 gal.
CEP-5623-YE-F	2 x 3 Folding Duck Pond	2' x 3' x 6"	6 lbs.	22 gal.
CEP-5624-YE-F	2 x 4 Folding Duck Pond	2' x 4' x 6"	8 lbs.	30 gal.
CEP-5633-YE-F	3 x 3 Folding Duck Pond	3' x 3' x 6"	7 lbs.	34 gal.
CEP-5644-YE-F	4 x 4 Folding Duck Pond	4' x 4' x 6"	9 lbs.	60 gal.
CEP-5646-YE-F	4 x 6 Folding Duck Pond	4' x 6' x 6"	14 lbs.	74 gal.
CEP-5648-YE-F	4 x 8 Folding Duck Pond	4' x 8' x 6"	18 lbs.	98 gal.
CEP-5656-YE-F	5 x 6 Folding Duck Pond	5' x 6' x 6"	16 lbs.	92 gal.

Made with the same durable, quality as the standard Duck Pond™, the new Folding Duck Ponds™ feature a thinner, 2" sidewall with a safety-secure strap for easy folding and compact storage to create ample travel space.

The extended 6" sidewall height allows for up to 30% more spill capacity and 100% peace of mind.



PORTA-PALLETS

Product Code	Description	Dimensions
CEP-5700-YE	Poly-Porta-Pallet™	48" x 48" x 8"
CEP-5710-YE	Poly-Porta-Pallet™	48" x 72" x 8"
CEP-7006-BK	Replacement Grate	48" x 23" x 1.75"
	Fits CEP-5710-YE	

- · Lightweight
- · Vinyl coated polyester
- Chemical resistant and stands up to corrosive battery acid.
- · Other sizes available.





Made in the USA

PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-4804-BK-SU	Stinger Berm™-4	4' x 6' x 1'
CEP-4806-BK-SU	Stinger Berm™-6	6' x 6' x 1'
CEP-4810-BK-SU	Stinger Berm™-10	10' x 10' x 1'
CEP-4860-BK-SU	Stinger Berm™-60	12' x 60' x 1'
CEP-4850-BK-SU	Stinger Berm™-50	15' x 50' x 11'
CEP-4866-BK-SU	Stinger Berm™-66	15' x 66' x 1'
CEP-4820-BK-SF	SNAP FOAM-Stinger™	10' x 26' x 1'
CEP-4836-BK-SF	SNAP FOAM-Stinger™	12' x 36' x 1'
CEP-4860-BK-SF	SNAP FOAM-Stinger™	12' x 60' x 1'
CEP-4854-BK-SF	SNAP FOAM-Stinger™	14' x 54' x 1'
CEP-4885-BK-SF	SNAP FOAM-Stinger™	14' x 85' x 1'
100000000000000000000000000000000000000		The State of

Stinger Berm™

Industrial, government, construction, transportation and emergency response applications.

- · Side walls fold down for easy drive-in and drive-out.
- Excellent rip, tear and puncture resistance.
- · Chemical and abuse resistance.
- · Custom sizes available

Snap Foam™ Stinger

- Foam ends allow for continuous drive-in and out capabilities without sacrificing the integrity of the berm. One time only set up required
- Custom sizes available

BERM REPAIR KITS

Product Code Description

CEP-48-BRK BERM REPAIR KIT

Contains: (5) 8"x11" peel and stick sheets.

Ship wt. 1/2lbs.

CEP-48-BRK-DLX DELUXE BERM REPAIR KIT Contains: XR Material 1 sq.yd.(black), PVC material 1 sq.yd. (yellow), (4) replacement berm stays, (5) peel and stick berm patches, (1) hand held heat gun, (1) rubber brayer roller, (1) cutting knife, and (1) locking tool box. Ship wt. 15 lbs.





CEP

BERM ACCESSORIES

STORAGE AND TRANSPORT BAG


Product Code	Description
CEP-4810-BAG	Storage & Transport Bag for 4810-BK-SU
CEP-4816-BAG	Storage & Transport Bag for 4816-BK-SU
CEP-4820-BAG	Storage & Transport Bag for 4820-BK-SU or SF
CEP-4836-BAG	Storage & Transport Bag for 4836-BK-SU or SF
CEP-4854-BAG	Storage & Transport Bag for 4854-BK-SU or SF
CEP-4885-BAG	Storage & Transport Bag for 4885-BK-SU or SF





GROUND PAD

Product Code	Description
CEP-4804-GP	Ground Pad for 4'x6' Berm
CEP-4806-GP	Ground Pad for 6'x6' Berm
CEP-4808-GP	Ground Pad for 8'x10' Berm
CEP-4810-GP	Ground Pad for 10'x10' Berm
CEP-4812-GP	Ground Pad for 12'x12' Berm
CEP-4816-GP	Ground Pad for 16'x16' Berm
CEP-4820-GP	Ground Pad for 10'x26' Berm
CEP-4836-GP	Ground Pad for 12'x36' Berm
CEP-4850-GP	Ground Pad for 15'x50' Berm
CEP-4854-GP	Ground Pad for 14'x54' Berm
CEP-4860-GP	Ground Pad for 12'x60' Berm
CEP-4866-GP	Ground Pad for 15'x66' Berm
CEP-4885-GP	Ground Pad for 14'x85' Berm





TRAC MAT

Product Code	Description
CEP-4806-TM	Trac Mat for 6' Berm ((2) 3'x6')
CEP-4808-TM	Trac Mat for 10' Berm ((2) 3'x10')
CEP-4810-TM	Trac Mat for 10' Berm ((2) 3'x10')
CEP-4812-TM	Trac Mat for 12' Berm ((2) 3'x12')
CEP-4816-TM	Trac Mat for 16' Berm ((2) 3'x16')
CEP-4820-TM	Trac Mat for 26' Berm ((2) 3'x26')
CEP-4836-TM	Trac Mat for 36' Berm ((2) 3'x36')
CEP-4850-TM	Trac Mat for 50' Berm ((2) 3'x50')
CEP-4854-TM	Trac Mat for 54' Berm ((2) 3'x54')
CEP-4860-TM	Trac Mat for 60' Berm ((2) 3'x60')
CEP-4866-TM	Trac Mat for 66' Berm ((2) 3'x66')
CEP-4885-TM	Trac Mat for 85' Berm ((2) 3'x85')







ULTRA CONTAINMENT BERMS-STAKE WALL®

Product Code	Description	
CEP-8308	Stake Wall Model 179 Gallons	4′ x 6′ x 1′
CEP-8309	Stake Wall Model 269 Gallons	6′ x 6′ x 1′
CEP-8310	Stake Wall Model 748 Gallons	10′ x 10′ x 1′
CEP-8337	Stake Wall Model 5610 Gallons	15′ x 50′ x 1′
CEP-8332	Stake Wall Model 7405 Gallons	15′ x 66′ x 1′

The only containment berm design that does not rely on inflation, hinged straps or cumbersome frames to keep sidewalls up.





ULTRA CONTAINMENT BERMS-COMPACT®

Product Code	Description	
CEP-8609	Compact Model 179 Gallons	4′ x 6′ x 1′
CEP-8610	Compact Model 269 Gallons	6′ x 6′ x 1′
CEP-8611	Compact Model 748 Gallons	10' x 10' x 1'
CEP-8612	Compact Model 5385 Gallons	12′ x 60′ x 1′
CEP-8613	Compact Model 5610 Gallons	15′ x 50′ x 1′
CEP-8614	Compact Model 7405 Gallons	15′ x 66′ x 1′

Folds into a tight package, store onboard trucks and haz mat response vehicles.





ULTRA CONTAINMENT BERMS-ULTIMATE

Product Code	Description	
CEP-8505	Ultimate Model 5385 Gallons	12′ x 60′ x 1′
CEP-8506	Ultimate Model 5610 Gallons	15′ x 50′ x 1′
CEP-8507	Ultimate Model 7405 Gallons	15′ x 66′ x 1′

- Entry and exit walls are supported every 12" with a patented "living hinge."
- · Hands free drive-in/drive-out.
- Materials are Copolymer 2000™, XR5, polyurethane and others available.
- Walls automatically spring back once a vehicle has entered.
- · PVC sidewall assemblies.







condary Containment.

ULTRA RAPID RISE BERM

				Product		
Dimensions	Capacity	Material	Wt.	Code	Material	Wt.
4'x6'x1'	179 gal.	Copolymer 2000™	31 lb.	CEP-8654	PVC 22 oz.	24 lb.
6'x6'x1'	269 gal.	Copolymer 2000™	37 lb.	CEP-8630	PVC 22 oz.	30 lb.
10'x10'x1	748 gal.	Copolymer 2000™	69 lb.	CEP-8631	PVC 22 oz.	54 lb.
12'x12'x1	1077 gal.	Copolymer 2000™	85 lb.	CEP-8655	PVC 22 oz.	66 lb.
12'x26'x1	2333 gal.	Copolymer 2000™	151 lb.	CEP-8656	PVC 22 oz.	118 lb.
12'x30'x1'	2692 gal.	Copolymer 2000™	171 lb.	CEP-8632	PVC 22 oz.	134 lb.
12'x40'x1'	3590 gal.	Copolymer 2000™	218 lb.	CEP-8657	PVC 22 oz.	170 lb.
12'x50'x1'	4488 gal.	Copolymer 2000™	266 lb.	CEP-8633	PVC 22 oz.	207 lb.
12'x60'x1'	5385 gal.	Copolymer 2000™	313 lb.	CEP-8658	PVC 22 oz.	244 lb.
12'x72'x1'	6462 gal.	Copolymer 2000™	370 lb.	CEP-8659	PVC 22 oz.	288 lb.
15'x15'x1'	1683 gal.	Copolymer 2000™	115 lb.	CEP-8660	PVC 22 oz.	93 lb.
15'x20'x1'	2244 gal.	Copolymer 2000™	141 lb.	CEP-8661	PVC 22 oz.	114 lb.
15'x30'x1'	3366 gal.	Copolymer 2000™	195 lb.	CEP-8662	PVC 22 oz.	158 lb.
15'x40'x1'	4488 gal.	Copolymer 2000™	248 lb.	CEP-8663	PVC 22 oz.	201 lb.
15'x50'x1'	5610 gal.	Copolymer 2000™	302 lb.	CEP-8664	PVC 22 oz.	244 lb.
15'x60'x1'	6732 gal.	Copolymer 2000™	356 lb.	CEP-8665	PVC 22 oz.	286 lb.
15'x66'x1'	7405 gal.	Copolymer 2000™	388 lb.	CEP-8666	PVC 22 oz.	313 lb.
15'x72'x1'	8078 gal.	Copolymer 2000™	420 lb.	CEP-8667	PVC 22 oz.	338 lb.
	4'x6'x1' 6'x6'x1' 10'x10'x1 12'x12'x1 12'x26'x1 12'x30'x1' 12'x40'x1' 12'x50'x1' 12'x72'x1' 15'x15'x1' 15'x20'x1' 15'x40'x1' 15'x40'x1' 15'x50'x1' 15'x50'x1'	4'x6'x1' 179 gal. 6'x6'x1' 269 gal. 10'x10'x1 748 gal. 12'x12'x1 1077 gal. 12'x26'x1 2333 gal. 12'x30'x1' 2692 gal. 12'x40'x1' 3590 gal. 12'x50'x1' 4488 gal. 12'x60'x1' 5385 gal. 12'x72'x1' 6462 gal. 15'x15'x1' 1683 gal. 15'x20'x1' 2244 gal. 15'x30'x1' 3366 gal. 15'x40'x1' 4488 gal. 15'x50'x1' 5610 gal. 15'x50'x1' 6732 gal. 15'x60'x1' 7405 gal.	4'x6'x1' 179 gal. Copolymer 2000™ 6'x6'x1' 269 gal. Copolymer 2000™ 10'x10'x1 748 gal. Copolymer 2000™ 12'x12'x1 1077 gal. Copolymer 2000™ 12'x26'x1 2333 gal. Copolymer 2000™ 12'x30'x1' 2692 gal. Copolymer 2000™ 12'x40'x1' 3590 gal. Copolymer 2000™ 12'x50'x1' 4488 gal. Copolymer 2000™ 12'x60'x1' 5385 gal. Copolymer 2000™ 12'x72'x1' 6462 gal. Copolymer 2000™ 15'x15'x1' 1683 gal. Copolymer 2000™ 15'x15'x1' 2244 gal. Copolymer 2000™ 15'x30'x1' 3366 gal. Copolymer 2000™ 15'x40'x1' 4488 gal. Copolymer 2000™ 15'x50'x1' 5610 gal. Copolymer 2000™ 15'x50'x1' 5610 gal. Copolymer 2000™ 15'x60'x1' 6732 gal. Copolymer 2000™ 15'x66'x1' 7405 gal. Copolymer 2000™	4'x6'x1' 179 gal. Copolymer 2000™ 31 lb. 6'x6'x1' 269 gal. Copolymer 2000™ 37 lb. 10'x10'x1 748 gal. Copolymer 2000™ 69 lb. 12'x12'x1 1077 gal. Copolymer 2000™ 85 lb. 12'x26'x1 2333 gal. Copolymer 2000™ 151 lb. 12'x30'x1' 2692 gal. Copolymer 2000™ 171 lb. 12'x40'x1' 3590 gal. Copolymer 2000™ 218 lb. 12'x50'x1' 4488 gal. Copolymer 2000™ 313 lb. 12'x72'x1' 6462 gal. Copolymer 2000™ 370 lb. 15'x15'x1' 1683 gal. Copolymer 2000™ 115 lb. 15'x20'x1' 2244 gal. Copolymer 2000™ 141 lb. 15'x30'x1' 3366 gal. Copolymer 2000™ 141 lb. 15'x40'x1' 4488 gal. Copolymer 2000™ 248 lb. 15'x50'x1' 5610 gal. Copolymer 2000™ 302 lb. 15'x60'x1' 6732 gal. Copolymer 2000™ 356 lb. 15'x66'x1' 7405 gal. Copolymer 2000™ 388 lb.	Dimensions Capacity Material Wt. Code 4'x6'x1' 179 gal. Copolymer 2000™ 31 lb. CEP-8654 6'x6'x1' 269 gal. Copolymer 2000™ 37 lb. CEP-8630 10'x10'x1 748 gal. Copolymer 2000™ 69 lb. CEP-8631 12'x12'x1 1077 gal. Copolymer 2000™ 85 lb. CEP-8655 12'x26'x1 2333 gal. Copolymer 2000™ 151 lb. CEP-8656 12'x30'x1' 2692 gal. Copolymer 2000™ 171 lb. CEP-8632 12'x40'x1' 3590 gal. Copolymer 2000™ 218 lb. CEP-8657 12'x50'x1' 4488 gal. Copolymer 2000™ 266 lb. CEP-8633 12'x72'x1' 6462 gal. Copolymer 2000™ 313 lb. CEP-8658 12'x72'x1' 6462 gal. Copolymer 2000™ 370 lb. CEP-8659 15'x15'x1' 1683 gal. Copolymer 2000™ 115 lb. CEP-8660 15'x20'x1' 2244 gal. Copolymer 2000™ 141 lb. CEP-8661 <t< td=""><td>Dimensions Capacity Material Wt. Code Material 4'x6'x1' 179 gal. Copolymer 2000™ 31 lb. CEP-8654 PVC 22 oz. 6'x6'x1' 269 gal. Copolymer 2000™ 37 lb. CEP-8630 PVC 22 oz. 10'x10'x1 748 gal. Copolymer 2000™ 69 lb. CEP-8631 PVC 22 oz. 12'x12'x1 1077 gal. Copolymer 2000™ 85 lb. CEP-8655 PVC 22 oz. 12'x26'x1 2333 gal. Copolymer 2000™ 151 lb. CEP-8656 PVC 22 oz. 12'x30'x1' 2692 gal. Copolymer 2000™ 171 lb. CEP-8632 PVC 22 oz. 12'x40'x1' 3590 gal. Copolymer 2000™ 218 lb. CEP-8657 PVC 22 oz. 12'x50'x1' 4488 gal. Copolymer 2000™ 266 lb. CEP-8657 PVC 22 oz. 12'x72'x1' 6462 gal. Copolymer 2000™ 313 lb. CEP-8658 PVC 22 oz. 15'x15'x1' 1683 gal. Copolymer 2000™ 115 lb. CEP-8660 PVC 22 oz. 15'x20'x</td></t<>	Dimensions Capacity Material Wt. Code Material 4'x6'x1' 179 gal. Copolymer 2000™ 31 lb. CEP-8654 PVC 22 oz. 6'x6'x1' 269 gal. Copolymer 2000™ 37 lb. CEP-8630 PVC 22 oz. 10'x10'x1 748 gal. Copolymer 2000™ 69 lb. CEP-8631 PVC 22 oz. 12'x12'x1 1077 gal. Copolymer 2000™ 85 lb. CEP-8655 PVC 22 oz. 12'x26'x1 2333 gal. Copolymer 2000™ 151 lb. CEP-8656 PVC 22 oz. 12'x30'x1' 2692 gal. Copolymer 2000™ 171 lb. CEP-8632 PVC 22 oz. 12'x40'x1' 3590 gal. Copolymer 2000™ 218 lb. CEP-8657 PVC 22 oz. 12'x50'x1' 4488 gal. Copolymer 2000™ 266 lb. CEP-8657 PVC 22 oz. 12'x72'x1' 6462 gal. Copolymer 2000™ 313 lb. CEP-8658 PVC 22 oz. 15'x15'x1' 1683 gal. Copolymer 2000™ 115 lb. CEP-8660 PVC 22 oz. 15'x20'x

- Sidewalls stay lowered and out of the way until they are needed.
- No set up or take down required
- In case of spill, the foam ring around the top perimeter of the Containment Berm rises with the level of spill liquid.
- Built in handles help with transport and placement.
- Available in PVC and Copolymer 2000[™].
- · Custom sizes available.





ULTRA CONTAINMENT BERMS-COLLAPSIBLE WALL®

Product Code	Description	Dimensions
CEP-8405	Collapsible Wall Model 179 Gallons	4′ x 6′ x 1′
CEP-8403	Collapsible Wall Model 269 Gallons	6′ x 6′ x 1′
CEP-8400	Collapsible Wall Model 748 Gallons	10′ x 10′ x 1′
CEP-8404	Collapsible Wall Model 5385 Gallons	12′ x 60′ x 1′
CEP-8401	Collapsible Wall Model 5610 Gallons	15′ x 50′ x 1′
CEP-8402	Collapsible Wall Model 7405 Gallons	15′ x 66′ x 1′







ULTRA CONTAINMENT BERMS—FOAM WALL®

Product Code	Description	Dimensions
CEP-8385	Foam Wall Model	4′ x 2′ x 2"
CEP-8386	Foam Wall Model	6′ x 8′ x 2"
CEP-8387	Foam Wall Model	8′ x 10′ x 2"

- · Choose from 3 standard sizes.
- · Custom sizes available.
- · Low-2" sidewall.
- · Simply unfold for quick deployment.

ALSO AVAILABLE IN A 4" SIDEWALL CHOOSE FROM COPOLYMER 2000™ OR PVC 22 OZ. OVER 20 STANDARD SIZES CALL TODAY FOR QUOTE







ULTRA CONTAINMENT BERM® MINI FOAM WALL MODELS

Product Code	Dimensions	Capacity	Wt.
CEP-8850	2'x2'x6"	15 gal.	3 lb.
CEP-8852	4'x4'x6"	60 gal.	7 lb.
CEP-8854	4'x6'x6"	75 gal.	9 lb.





- Foldable mini berms are compact and easy to store but deploy in a moment's notice to respond to a spill.
- Foam sidewalls (6"H) provide support but can be driven over/ stepped on for easier equipment/vehicle placement.
- 18 oz PVC construction provides excellent chemical compatibility.



ULTRA-CONTAINMENT BERM® MODULAR MODEL (GORILLA BERM)

	No. of		
Dimensions	Modular Walls	Capacity	Wt.
6'x8'	6	175 gal.	98 lbs.
12'x12'	10	600 gal.	183 lbs.
12'x20'	12	875 gal.	226 lbs.
12'x30'	16	1400 gal.	300 lbs.
12'x40'	20	1950 gal.	397 lbs.
12'x50'	22	2200 gal.	439 lbs.
12'x60'	26	2750 gal.	505 lbs.
20'x50'	26	4300 gal.	583 lbs.
30'x50'	28	5600 gal.	683 lbs.
50'x50'	36	10000 gal.	1006 lbs.
	12'x12' 12'x20' 12'x30' 12'x40' 12'x50' 12'x60' 20'x50' 30'x50'	Dimensions Modular Walls 6'x8' 6 12'x12' 10 12'x20' 12 12'x30' 16 12'x40' 20 12'x50' 22 12'x60' 26 20'x50' 26 30'x50' 28	Dimensions Modular Walls Capacity 6'x8' 6 175 gal. 12'x12' 10 600 gal. 12'x20' 12 875 gal. 12'x30' 16 1400 gal. 12'x40' 20 1950 gal. 12'x50' 22 2200 gal. 12'x60' 26 2750 gal. 20'x50' 26 4300 gal. 30'x50' 28 5600 gal.



Rebar not included1" diameter recommended

Made in the USA

- Modular construction allows containment areas of any size to be configured.
- Polymer-coated foam support blocks (6' lengths) provide structure to sidewalls-can be driven over repeatedly without damage.
- Standard materials include 38 mil and 54 mil slip resistant PVC.
- Triangular-shaped, polymer-coated foam support blocks (72"L x 18" W x 6"H) are used with rebar (not included) to provide sidewall structure.
- Molded-in slots in top of foam blocks hold rebar secures material in place.
- No set-up required once Berm has been positioned in the field.
- EPA 40 CFR 264.175 Containment of Containers Containing Free Liquid.
- SPCC-Spill Prevention, Control and Countermeasure Act.

FIRE FIGHTING EQUIPMENT FOLDING FRAME TANKS



Use Part No. CEP-ALF-size for Alum. Or CEP-STF-size for steel

Tank Size	Open	Folded	Double Folded -Opt.	Steel	Aluminum
500 Gallon	5'8" x 5'8" x 30"	8" x 5'8" x 30"	16" x 2'11" x 30"	90 lbs	68 lbs
750 Gallon	7'0" x 7'0" x 30"	8" x 7'0" x 30"	16" x 3'7" x 30"	97 lbs	79 lbs
1000 Gallon	8'3" x 8'13" x 30"	8" x 8'13" x 30"	16" x 4'3" x 30"	116 lbs	96 lbs
1500 Gallon	10'3" x 10'3" x 30"	8" x 10'3" x 30"	16" x 5'3" x 30"	138 lbs	109 lbs
2100 Gallon	11'3" x 11'3" x 30"	8" x 11'3" x 30"	16" x 5'9" x 30"	154 lbs	124 lbs
2500 Gallon	12'3" x 12'3" x 30"	8" x 12'3" x 30"	16" x 6'3" x 30"	169 lbs	135 lbs
3000 Gallon	13'3" x 13'3" x 30"	8" x 13'3" x 30"	16" x 6'9" x 30"	185 lbs	149 lbs
3500 Gallon	14'3" x 14'3" x 30"	8" x 14'3" x 30"	16" x 7'3" x 30"	205 lbs	167 lbs
4000 Gallon	15'3" x 15'3" x 30"	8" x 15'3" x 30"	16" x 7'9" x 30"	223 lbs	178 lbs
5000 Gallon	17'3" x 17'3" x 30"	8" x 17'3" x 30"	16" x 8'9" x 30"	269 lbs	215 lbs

- Aluminum or Steel Frame (Steel frame folded width is 7")
- Vinyl Liner 22oz Std. Side and Heavy Duty 28oz Floor
- · Easy Lift Handles Mounted to Floor of Tank
- Two DrainTubes Std. on 2500 Gallon and up
- 10" Drain tube w/ Quick release for fast Draining or Mating w/ another Tank
- · Replacement Liners Available Call for Quote






CONCRETE WASHOUT BERM

Product Code	Description
CEP-3512	Concrete Washout Berm

- UV resistant, 10 mil polyethylene
- · Simple set-up
- · Compatible with mixer, pump trucks and wheel barrows
- · Built-in tie downs
- Dispose of after evaporation and job completion



PORTABLE SPILL CONTAINMENT













- Make this a part of your spill kit, 22 oz. vinyl-coated polyester.
- Made of 22 oz. vinyl-coated polyester.
- · Unique snap-up support strips create sturdy side walls.

PORTABLE SPILL CONTAINMENT

Product Code	Description	Capacity	Dimensions
CEP-5920-YE	Prowler Pool™	20 Gallon	28" x 13" x 18"
CEP-5966-YE	Prowler Pool™	66 Gallon	48" x 13" x 36"
CEP-5900-YE	Prowler Pool™	100 Gallon	48" x 18" x 32"
CEP-5950-YE	Prowler Pool™	150 Gallon	78" x 18" x 60"
CEP-1601-BK	$Poly\text{-}Edge^{TM},Black$		34.75" x 20" x 15"



 Puncture, abrasion and cold temperature resistant down to -65°F.



Lockable and weather resistant.








ULTRA ECONOMY & SPRUNG STEEL POPUP POOLS **Product**







CARMOUNT CONTAINERS

Product Code	Description	Dimensions
CEP-8155	PopUp Pool Storage (for economy models only)	28 1/4" x 13" x 10 3/4"



Made in

the USA

STANDARD & DRIP-GRIP DRIPILLOW BERMS

Product Code	Description	Dimensions	Weight	Spill Capacity	Qty
5650-YE	Small Dripillow Berm w/Pad	22"x22"	7 lbs.	1 gal.	1
5655-WH	Small Dripillow Berm Refill Pads				5/case
5660-YE	Medium Dripillow Berm w/Pad	24"x36"	8 lbs.	2 gal.	1
5665-WH	Medium Dripillow Berm Refill Pads				5/case
5670-YE	Large Dripillow Berm w/Pad	24"x54"	9 lbs.	3 gal.	1
5675-WH	Large Dripillow Berm Refill Pads				5/case
5680-YE	X-Large Dripillow Berm w/Pad	38"x42"	9 lbs.	4 gal.	1
5685-WH	X-Large Dripillow Berm Refill Pads				5/case

OFF-ROAD DRIPILLOW BERMS

se
se
se
se
66

Features:

Standard – Best-selling design and quality including grounding strap, weighted base and UV resistant removable pad.

Drip-Grip – Non-weighted base with sturdy and convenient carrying straps along product's perimeter provide effortless transport of leaking items. Features UV resistant pad and perfect for maintenance shops and virtually anything that could leak on the move!

Off-Road – Corner grommets and an additional weighted base allow for easy staking and added piece of mind in high-wind and rugged terrain applications.

- · No flipping or splashing
- · Folds for easy carrying
- Refill pads available
- · Additional colors & sizes available by request







OIL-ONLY DRIP SENTINEL DRIP PAD



Description


CEP-5650-YE [

Product Code

Drip Sentinal Drip Pad 22" x

22" x 22"

1/cs



- Great for oil changes, lawn, farm and garden equipment
- · Absorbs and retains up to 7 quarts of liquid
- · Non-slip barrier envelope that helps capture the spill
- Nominal size: 21" x 21"
- Drip catching surface: 13.5" x 13.5"
- Optional grommet and 3-foot nylon tether (not shown)






Simply throw down the Drip Sentinel Drip Pad under leaky equipment and watch as it absorbs and retains up to 7 quarts of liquid (oils and hydrocarbons).

DRIP SENTINEL MAINTENANCE BLANKETS

Product Code	Description	Dimensions
CEP-4720-BK CEP-4725-BK	Drip Sentinel Maintenance Blanket	3' x 12' x 120 mil
CEP-4725-BK CEP-4730-BK	Drip Sentinel Maintenance Blanket Drip Sentinel Maintenance Blanket	6' x 12' x 120 mil 9' x 12' x 120 mil
CEP-4735-BK	Drip Sentinel Maintenance Blanket	12' x 12' x 120 mil

Blanket is designed to be utilized under vehicles or leaking equipment. The blanket is made of 8 oz. non-woven geo-textile material, that is 100 mils thick, backed by 1 layer of 20-mil fuel/chemical resistant polyethylene. Custom Sizes Available.





ULTRA SPILLBERMS®





		SAV
Product Code	Description	Dimensions NO
CEP-2100	10' SpillBerm	10′ x 4" x 2 1/4"
CEP-2101	SpillBerm Black Connector	
CEP-2102	SpillBerm 90° Orange Corner	
CEP-2052	SpillBerm-Low Profile	10' x 2 1/4" x 1 3/8"

10' SpillBerm

- Flexible, will bend and turn to form almost any shape.
- · Can be cut to various lengths.
- · Non-absorbing, clean and reuse.

10' SpillBerm-Low Profile

- 1 3/8" tall berm.
- · Interlocking end joints.





ULTRA SPILLBERM PLUS


Product Code	Description
CEP-2054	5´ x 4" x 4 1/2"

- Taller SpillBerm helps contain or divert larger volume spills
- Flexible polyurethane
- Non-absorbent and chemical resistant
- · Easily cleans with soap and water
- Multiple units can be quickly and easily connected





BAZOOKA TRICKLE FILTER W/ AUTOMATIC SHUTOFF



Introducing an exciting new product, The Imbiber Bead Bazooka! It's an automated shut off system which allows water drainage of containment berm applications, but also utilizes an innovative system for detection of Class I & II organics such as diesel fuel. Water will continually drain through the filter. But, in case of a spill within a berm when an organic substance is detected, the Imbiber Bead Technology takes over , and the flow is completely shutoff. It's a virtually maintenance free design with very simple upkeep.

- Trickle filter allows water flow rate of 20 gallons per minute.
- Unique Imbiber Imbicator pre-filter signals presence of organic susbstance with a distinct color change.
- Imbiber Beads inside capture the organic substance, and by doing so, shut off flow through the filter.
- · Virtually maintenance free.

Bazooka Installation Kit. The kit contains all you need for an easy field installation of the Imbiber Bead bazooka, and can be completed in just minutes.





DISPENSING-POLY-RACKER SYSTEMS"

Product Code	Description	MACKER 5
CEP-6000-YE CEP-6002-YE	Poly-Racker™ Poly-Stacker™	49" x 52.5" x 22.5" 49" x 41" x 13"
CEP-6003-YE	Poly-Shelf™ Mini-Racker™	17" x 22" x 17.5" 31" x 29" x 15"
CEP-6010-YE CEP-6012-YE	Mini-Racker™ Mini-Stacker™	31.5" x 19.5" x 18"

Poly-Racker™

 The centerpiece of the system is a unique, one-piece polyethylene rack that holds two 55 gallon drums securely in place.

Poly-Stacker™

Combine a single Poly-Stacker with the Poly-Rackers to stack up to four drums. Add another Poly-Stacker and you have a storage system.

 Easily attaches to a Poly-Stacker and allows simultaneous dispensing from all drums. Mini-Racker™

• Mini-Racker holds (2) 5 - 6.5 gallon metal or plastic lidded pails or cans. The Mini-Stacker™ adds an extra level or storage.





In stock for immediate delivery!



DISPENSING-RACKER/STACKERS

Product Code	Description	
CEP-6004-YE	Multi-Purpose Racker/Stacker™	48.5" x 41" x 20"



- · One holds up to two 55 gallon drums.
- · Stackable so you can double up to provide storage for four 55 gallon drums.
- · Unit can be placed on floor (no sump) or on the Poly-Slim Line 6000 pallet.
- · Forkliftable.



POLY SLIM LINE 6000 PALLET – CODE 5400YE, SEE PAGE 56



DISPENSING-SINGLE DRUMS

Product Code	Description	
CEP-6006-YE CEP-6007-YE CEP-6005-BK	Single Poly-Racker™ Single Poly-Stacker™ Poly-Racker Well Liner™	31" x 53" x 32" 31" x 40.5" x 20" 12.75" x 15.5" x 2.5"

Single Poly-Rack System

- · Consists of separate single Poly-Racker, single Poly-Stacker, Poly Well Liner and Poly-Shelf.
- · Poly-Stacker allows for stacking of second 55 gallon drum.



This system holds 1,600 lbs.



THE MINI-RACKER SYSTEM

MINI-RACKER

Part No. CEP-6010-YE Dimensions: 31"Lx29"Wx15"H

124cmx133cmx57cm Weight :12.5lbs/454kg

Load Bearing Capacity: UDL: 200lbs/1350kg

Sump Capacity: 8gal./387.6 liters

Regulations: EPA 40 CFR 264.175, SPCC and NPDES.



Part No. CEP-6012-YE

Dimensions: 31.5"Lx19.5"Wx18"H

69" x 32.5" x 26.57"

124cmx133cmx57cm Weight: 10lbs/454kg

Load Bearing Capacity UDL:

100lbs./1350kg





The mini racker/stacker system is ideal for storage and dispensing of small containers with the added convenience of a built in sump. Holds 2. 5-6.5 us gallon metal or plastic lidded pails, cans or jerry cans. Available in two versions; "place and use" (CEP-6010-YE) or mobile (CEP-6011-YE-M)







the USA

DISPENSING-POLY-DOLLYS®

Product Code	Description	
CEP-5300-YE	Poly-Dolly®	
	70 Gallons	

CEP-5300-YE-A Poly-Dolly® 95 ATD 69" x 34.5" x 26.5"

70 Gallons

CEP-5300-TARP Poly-Dolly Cover





 Transports 55 gallon drums with ease, lifts to become an efficient self-dispensing station and acts as its own secondary containment unit.


3 in 1 products act as a dolly, dispenser and drip pan-all in one!





DISPENSING-CARTS

Product Code	Description	
CEP-5205-YE	Spill Scooter™	34.62" x 8.82"
CEP-5206-BK	Spill Scooter™ Handle	
CEP-5200-YE	Poly-Spillcart™	66.5" x 29" x 43.25"
CEP-5200-YE-A	Poly-Spillcart-A™	ALL Terrain Spillcart



- Transporting around the plant is no longer a problem.
- Easily rolls through 36" doorway.

Inexpensive mobile dispensing!





CEP

HORIZONTAL DRUM STACKING SYSTEM®

Product Code	Description	Dimensions
CEP-1605	Cradle*	29" x 26 1/2" x 22 1/2
CEP-1606	Single Stacker*	27" x 26 1/2" x 29"
CEP-1607	Double Stacker*	48" x 26 1/2" x 13"
CEP-1608	Shelf	19" x 23" x 19"









MOBILE SPILL CONTROL PLATFORMS®

Product Code	Description	Dimensions
CEP-1637	Mobile Spill Dolly	28" x 56" x 41"
CEP-1614	DrumTray	31" x 6"
CEP-1615	DrumTray	31" x 6"
	With Grating	
CEP-1618	DrumTray Dolly	31" x 7"

Safely transfer containers between stations.





DISPENSING

Product Code	Description	Dimensions
CEP-8091-YE	Drums-Up™ to 55 Gallons	7.25" x 34"
CEP-8200-YE	Drums-Up™ Jr. 5 Gallon - 16 Gallon Drums	

The incidental spill solution. Newly enhanced convenient pour spout.





ULTRA SPILLTRAYS®

Product Code	Description	Dimensions
CEP-1060	Spill Tray P2	17" x 12" x 4"
CEP-1061	Spill Tray P4	21" x 17" x 4"

Countertop spill collection tray.

Great for Labs, Medical and Industrial Facilities.

Features built-in pouring spout.





FILTER SPILLPADS

		Flow	
Product Code	Description	Rate	Wgt.
CEP-5603-YE	2'x2', Absorption 76 oz	8.5 gpm	8 lbs.
CEP-5605-YE	2'x4', Absorption 76 oz	8.5 gpm	10 lbs
CEP-5607-YE	4'x4', Absorption 76 oz	8.5 gpm	12 lbs.
CEP-56-38-SOCLOG	3"x8", Absorption 76 oz, 4/cs	8.5 gpm	1 lb.

Filter Spillpad offers the same great features as the classic Poly-Spillpad with the added convenience of built-in absorbent socks. The replaceable universal absorbents soak up any liquid spilled in the containment area for a quick, hassle free clean up.



SPILLPADSTM

Product Code	Description	Dimensions
CEP-5600-YE	Poly-Spillpad™	24" L x 24" W x 2" H
CEP-5610-YE	Poly-Spillpad™	24" L x 48" W x 2" H
CEP-5620-YE	Poly-Spillpad™	48" L x 48" W x 2" H

- Removable grate allows you to access the sump easily
- Grate is made of 100% polyethylene
- · Variety of sizes available


LABTRAYSTM

Product Code	Description	Dimensions
CEP-5248-YE	Polv-Labtrav™	25" x 21.5" x 3"

- Low-profile unit is only 3" high.
- Small 25" x 21.5" footprint.







UTILITY TRAYS

		
Product Code	Description	O/D
CEP-1031		12" x 48" x 4 3/4"ID
CEP-1032		24" x 48" x 4 3/4"IE
CEP-1033		30" x 48" x 4 3/4"IE
CEP-1034		24" x 36" x 4 3/4"IE
CEP-1035		36" x 36" x 4 3/4"IE
CEP-1036		40" x 48" x 3 1/2"IE
CEP-TRAY-10906	Utility Tray, 23 Gal, Black	34"X 37.5"X5"
CEP-TRAY-10907	Utility Tray, 20 Gal, Black	23.5"X48"X5"
CEP-TRAY-10911	Utility Tray, 12 Gal, Black	16"X46"X5"
CEP-TRAY-10915	Utility Tray, 29 Gal, Black	33"X48"X5"
CEP-TRAY-10919	Utility Tray, 20 Gal, Black	26"X38"X5"

- · Chemical Resistant
- · Durable And Rigid
- Withstand Temps From -40 Deg F To 150 Deg F

Ribbed bottom keeps cans, pails and other containers elevated above any spills or leaks.



FLEXIBLE RACK SUMP INSERT

Product Code	Dimensions
CEP-464248-RS	42"X 48"

Flexible Rack Sump is an innovative solution to your shelving storage containment needs. Durable yet portable design allows this unit to be easily moved where it is needed without any equipment. Simply secure it in place around the rack using the integral grommets for immediate spill containment.

Features: Drain, Sloping base to allow for easy draining.



ULTRA SPILLSHELVES

Product Code	Description	
CEP-2430	Ultra Stacking Shelf® Yellow	47 3/4" x 14 3/4" x 24"
CEP-2431	Ultra Stacking Shelf® Black	47 3/4" x 14 3/4" x 24"

- · Stack buckets, pails and small containers.
- · Stack up to three high.
- Contoured top surface channels spills or leaks into sump below.

 DOUBLE O

Fits on any spill pallet or deck!



CONTAINMENT UTILITY TRAY

Product Code	Description	Dimensions	Weight
CEP-1677-Y CEP-1677-B	Eagle Containment Utility Tray-Yellow Eagle Containment Utility Tray-Black	18" x 36" x 2" 18" x 36" x 2"	

This HDPE tray is an affordable way to contain small spills up to 5 gallons. Ideal for counter top use for the working storage of lab chemicals, as a drip pan under dispensers or as a floor tray under machinery. These trays are nestable and feature a ribbed bottom.





ULTRA CONTAINMENT TRAYS®

Product Code	Description	
CEP-2351	Ultra-Containment W/O Grating, Tray	54" x 29 3/4" x 3 1/2"
CEP-2352	Ultra-Containment With Grating, Yellow Tray	54" x 29 3/4" x 3 1/2"
CEP-2350	Ultra-Containment With Grating, Black Tray	54" x 29 3/4" x 3 1/2"



- Low profile, 16.5 gallon sump is perfect for containment of 5 gallon pails, batteries, safety cans, dry cleaning waste drums and leaky machine parts.
- Optional 2'x 4'grating elevates containers from spilled liquid.







ULTRA RACK CONTAINMENT TRAYS

Product Code	Description	Dimensions	Capacity	vveignt
CEP-2370	Single Tray	23 1/2" x 44" x 2 3/4"	8 gallons	8 lbs
CEP-2371	Two Tray System	48" x 44" x 2 3/4"	16 gallons	17 lbs.
	(Includes two trays and	one connector)		
CEP-2372			24 gallons	27 lbs.
Optional:	,	,		
CEP-2373	Connector			
	CEP-2370 CEP-2371 CEP-2372 Optional:	CEP-2370 Single Tray CEP-2371 Two Tray System (Includes two trays and CEP-2372 Three Tray System (Includes three trays and Optional:	CEP-2370 Single Tray 23 1/2" x 44" x 2 3/4" CEP-2371 Two Tray System 48" x 44" x 2 3/4" (Includes two trays and one connector) CEP-2372 Three Tray System 72" x 44" x 2 3/4" (Includes three trays and two connectors) Optional:	CEP-2370 Single Tray 23 1/2" x 44" x 2 3/4" 8 gallons CEP-2371 Two Tray System 48" x 44" x 2 3/4" 16 gallons (Includes two trays and one connector) CEP-2372 Three Tray System 72" x 44" x 2 3/4" 24 gallons (Includes three trays and two connectors) Optional:

- Low-profile (2 3/4") slides easily under pallet racking and shelving.
- Small leaks and spills from palletized contents above are captured keeping floors clean and free from slip hazards.
- Black, all-polyethylene construction provides excellent chemical compatibility and corrosion resistance.
- Multiple tray systems available to fit any size rack or shelf.
- Additional trays and/or connectors may be added for larger applications or revised configurations.







ULTRA UTILITY BOXES

Product Code	Description	Dimensions
CEP-0860	Utility Box - Forest Green No Wheels	48"L x 31"D x 31.5"H
CEP-0863	Utility Box - Forest Green 5" Solid Rubber Wheels	48"L x 31"D x 38"H



- · Other available colors include safety orange and yellow.
- Perfect for spill kit usage or storage bin for parts, etc.
- · Forkliftable and lockable.
- · Heavy-duty, double-walled lid is sloped to shed rain.





STORAGE TOTES

Product Code	Description	
CEP-1505-YE CEP-1525-YE	Large Tote Extra Large Tote	45" x 35.62" x 30.37" 51.62" x 47.5" x 32.5"
	ū	
CEP-1515	4" Polyurethane Whee	els
CFP-1535	8" Pneumatic Wheels	

- · Large and extra large.
- · Both offer a 500 lb. load bearing capacity.

The only nestable, stackable, forkliftable, water resistant, mobile tote on the market.





Product Code	Description	Capacity	Color	Wt
CEP-1696BLK	Wheeled Industrial Waste Container	65 gal	Black	32 lbs.
CEP-1696GN	Wheeled Industrial Waste Container	65 gal	Green	32 lbs.
CEP-1697BLK	Wheeled Industrial Waste Container	95 gal	Black	38 lbs.
CEP-1697GN	Wheeled Industrial Waste Container	95 gal	Green	38 lbs.

Constructed of durable HDPE Ergonomically designed handles HDPE wheels on a heavy duty steel axle Double-walled hinged lid with a hold-down tab. Rugged galvanized steel bar handles

Wear tabs on the bottom



the USA

ULTRA-HOSE CONNECTOR

Product Code Description

CEP-9739 Ultra Hose Connector

Connect and Disconnect Dewatering Bags and Pipe Socks, Fits 4" Dewatering Hoses








ULTRA-UNIVERSAL SAMPLER

Product Code Description

CEP-9247 Ultra-Universal Sampler Water Samples Pre and Post Treatment

- Collection cup at end of device fits through most drains and overflow ports in catch basin inserts and other treatment products.
- · Built-in pump draws collected water in cup and channels it through attached hose into jars or containers so water can be tested.
- Unit breaks down for easy storage and shipping.
- · All PVC unit will not rust or corrode.





HOSE CONTAINMENT


Product Code	Description	
CEP-4701-YE CEP-4702-YE CEP-4704-YE CEP-4706-YE CEP-4710-YE	Hose Bibb™ Hose Wrap™ Hose Wrap™ Hose Wrap™ Hose Wrap™	Fits 3/4" Hose Fits 1 1/2" – 3" Hose Fits 4" – 5" Hose Fits 6" – 8" Hose Fits 10" Hose



Hose Bibb™

- Safely wrap up to 3/4" quick-disconnect fittings or other hose attachment ends to absorb small leaks.
- Opening 2 1/2".







OILINATOR® PAVEMENT & GROUND PROTECTOR®

		Units	Absorbs	Pack	Open
Product Code	Description	Per Case	Per Unit	Measures	Measures
CEP-OPP1UNIT	Pavement & Ground Protector®	36	1/2 gal	13"x7"	15"x18"
CEP-XLP1UNIT	XL Pavement & Ground Protector®	21	2 gal	15"x18"	30"x36"
CEP-SXP1UNIT	SUPER XL Pavement & Ground Protector®	6	8 gal	32"x38"	60"x72"

The Ultra-High Capacity All Weather Mat absorbs all petroleum based fluids, repels water.

Fluids absorbed:

- Fuels (diesel, gasoline, jet & hydrocarbons)
- New and used motor oil.
- Hvdraulic fluid
- Transmission oil
- Paint (oil and water based)
- Cooking oil; Petroleum (crude & refined)
- Brake Fluid

MADE SPECIFICALLY FOR INDOOR/OUTDOOR USE UNDER VEHICLES AND HEAVY EQUIPMENT.

Packaged in compact storage.

The bottom of the protector is made from heavy duty plastic sheeting to stop any stray oil from staining floors, driveways or surrounding area. Designed with an opening at one end forming a pocket so that that any weighted material (gravel, sand etc.) can be placed inside to keep it in place in windy or rainy weather.



OILINATOR® UNIVERSAL SURFACE PROTECTOR MAT®

		Units	Absorbs	Pack	Open
Product Code	Description	Per Case	Per Unit	Measures	Measures
CEP-ULP1UNIT	Universal Surface Protector Mat®	36	1/2 gal	13"x7"	15"x18"
CEP-UXL1UNIT	XL Universal Surface Protector Mat®	21	2 gal	15"x18"	30"x36"
CEP-SXL1UNIT	SUPER XL Universal Surface Protector Mat®	B 6	8 gal	32"x38"	60"x72"

The Universal Surface Protector Mat® Absorb all Fluids Listed above Plus ALL WATER BASED FLUIDS including Radiator Fluid, Machining Fluids, Bleach, Bodily Fluids, Vinegar, Wine and More!

MADE SPECIFICALLY FOR INDOOR/OUTDOOR USE UNDER VEHICLES AND HEAVY EQUIPMENT.

Packaged in compact storage.

The bottom of the protector is made from heavy duty plastic sheeting to stop any stray oil from staining floors, driveways or surrounding area.

Designed with an opening at one end forming a pocket so that that any weighted material (gravel, sand etc.) can be placed inside to keep it in place in windy or rainy weather.



DRIP DAM

Product Code	Description	Dimensions	Weight
CEP-460303-YE	3' x 3'	36 x 36	2 lbs.
CEP-460306-YE	3' x 6'	36 x 72	3.5 lbs.
CEP-460310-YE	3' x 10'	36 x 120	5 lbs.
CEP-460505-YE	5' x 5'	60 x 60	4 lbs.
CEP-460606-YE	6' x 6'	72 x 72	5 lbs.
CEP-460610-YE	6' x 10'	72 x 120	7 lbs.
CEP-460612-YE	6' x 12'	72 x 144	9 lbs.
CEP-461012-YE	10' x 12'	120 x 144	9 lbs.
CEP-461212-YE	12' x 12'	144 x 144	10 lbs.
CEP-461220-YE	12' x 20'	144 x 240	13.5 lbs.
CEP-461818-YE	18' x 18'	216 x 216	14 lbs.
CEP-462424-YE	24' x 24'	576 x 576	15 lbs.

Get instant drip diversion with the new Drip Dam leak diverter. Available in various and custom sizes, this funnel-style fast response tool will channel away liquids minimizing the risk of slip-and-fall injuries and contamination. A flowrate of over three (3) gallons per minute and a convenient hose connector with cap make containing and redirecting drips, drops, and leaks a breeze!

· High chemical resistance

· Reusable & reliable

• Flow rate of over 3 gallons per minute

· Custom sizes & shapes available!

Key Features Include:

- Fast & efficient response to overhead leaks
- Lightweight
- · Easy to handle, use, & store









Made of durable and resistant PVC, the Drip Dam is resistant to water, most chemicals, and punctures allowing for reuse and dependability. *Fits 3/4" standard garden hose, not included.

ULTRA LEAK DIVERTERS®

Product Code	Description	Dimensions
CEP-1780	Pipe Leak Diverter	18" x 18"
CEP-1785	Roof Leak Diverter	5′ x 5′
CEP-1787	Roof Leak Diverter	10' x 10'
CEP-1790	Roof Leak Diverter	20' x 20'

- Keep fluid leaks off the floor eliminate slip hazards and chemical exposure.
- Large 18" diameter opening captures overhead leaks, big and small.
- Bottom fitting connects to a standard garden hose.
- Allows fluids to be collected in a drum or tank.
- Rugged coated vinyl construction.
- CEP-1780 Pipe Leak Diverter ships complete with bungee cords and hooks for quick installation.









GAS CYLINDER PRODUCTS

Product Code	Description	Dimensions
CEP-7212-YE	2 Cylinder Poly-Stand™	28" x 14" x 30"
CEP-7213-YE	4 Cylinder Poly-Stand™	41.75" x 29" x 46"
CEP-7202-YE	6 Pack Cylinder Rack™	48" x 31" x 41"
CEP-7203-BK	6 Pack Cylinder Ramp™	46" x 20" x 6"
CEP-7204-BK	Caster Frame	33.5" x 31.5" x 4.5"
CEP-7205-BK	Replacement Accessory Strap	



Transport industrial cylinders.

2 Cylinder Poly-Stand™

· Ideal for inexpensive wall mounted storage.

6-Pack Cylinder Rack™

- · Moves through standard doorways.
- · Maximize floor space and eliminate clutter.









GAS CYLINDER PRODUCTS

Description	Dimensions
Single Cylinder Dolly™ HD	22.5" x 24.75" x 46"
Single Cylinder Dolly w/ Pneun	natic Wheels
Dual Cylinder Dolly [™]	36.5" x 26.25" x 45.2"
	Single Cylinder Dolly™ HD Single Cylinder Dolly w/ Pneun

- Accommodates any two cylinders, each up to 12" in diameter, including Class 300 SCF industrial gas cylinder and No.5 acetylene cylinders.
- Light weight and easy maneuverability with tough 16.5" diameter pneumatic wheels.
- · Will not rust or corrode.



36" built-in tray holds tools, valves & torches.






GAS CYLINDER PRODUCTS

Product Code	Description	Dimensions
CEP-7216-YE	Universal Poly Cylinder Brackets	15.3"x6.3"x3.3"

New design can be used as a single, or can be multiplied and added up to "X" amount.







RAILROAD PETROLEUM SORBENTS

Product Code	Description	
CEP-PRRTB18	Track Blankets	19" x 100′
CEP-PRRT59	60 Gallons, 2 Rolls Track Blankets	59" x 100′
	90 Gallons, 1 Roll	

- · Three layer construction for durability.
- · Protects railroad ties, soil and rock ballast.
- Ultrasonic welded edge won't tear or shred, prevents delamination.
- Applications
- Locomotive refueling sites, ready track areas, maintenance/repair yards/ships, wayside track lubrication sites.









RAIL BERM

Product Code Description CEP-45-RSB-FS Rail Berm, Portable Spill Containment

This new light weight containment pad is designed to provide a temporary bermed containment area around the valves underneath a rail tank car during loading/unloading operations. Light weight (only 38 lbs) it can be easily lifted into place by two operators!

Function: The berm provides a 4'x4' x12" H bermed area that sits in the void between the tracks directly under the

valves; should a large release occur, captured product would begin to fill this berm; the spilled product would then be directed over the outside rail to a side compartment 4'x18"x12"H. This outside compartment is fitted with two 2" drains that include male CAM-LOC fittings for quick coupling of system to hoses that can transport the spilled materials to a nearby catchment area.















ULTRA RAILROAD TRACKPANS®

Product Code	Description
CEP-9595	9-Foot Ultra-TrackPan System, No Covers (Includes 4 Side and 2 Center Pans w/ Grates)
CEP-9596	9-Foot Ultra-TrackPan System with Covers (Includes components listed above, plus 4 Side and 2 Center Covers)

- Modular, 53.5" long polyethylene TrackPans can be easily assembled to any length desired. (see photo #1)
- Rugged grating is slip resistant, keeps personnel elevated from spills. (see photo #2)
- Optional covers keep rainwater out of the pans, providing effective stormwater management. (see photo #3)
- Prevent costly cleanup and regulatory fines.
- Flow-through channels allow spills to flow from one TrackPan to the next.



DANDY CURB BAGS®

Product Code	Description
CEP-DCBAG-2424	24 x 24
CEP-DCBAG-3618	36 x 18
CEP-DCBAG-3624	36 x 24
CEP-DCBAG-3620	36 x 20
CEP-DCBAG-40X18	40 x 18
CEP-DCBAG-40X24	40 x 24
CEP-DCBAG-4228	42 x 28
CEP-DCBAG-4824	48 x 24
CEP-DCBAG-30X17	30 x 17
CEP-DCBAG-2319	23 x 19

DANDY CURB BAG®. Patented and designed for use on curb and gutter inlets to filter out the most stubborn sediment-laden storm water.



DANDY CURB®

Product Code	Description
CEP-DCURB-4	4'
CEP-DCURB-6	6'
CEP-DCURB-8	8'
CEP-DCURB-10	10'
CEP-DCURB-12	12'
CEP-DCURB-14	14'
CEP-DCURB-16	16'

The DANDY CURB® is made especially for curb inlets and median inlets without grates. It's designed to handle the worst that sludge-filled rainwater has to offer, filtering off sediment laden storm waters.



DANDY CURB SACK®

Product Code	Description
CEP-DCURBSACK-4	4'X4'

DANDY CURB SACK® is extremely popular because it can handle jobs big and small and can be reused again and again. With an open top design it fits to any size curb and gutter inlet. It's unique design allows it to filter sediment-laden water with ease.



DANDY BAG®

CEP-DBAG-4824 CEP-DBAG-4836

Product Code	Description	Product Code	Description
CEP-DBAG-2319	23 X 19	CEP-DBAG-23	23 ROUND
CEP-DBAG-2424	24X24	CEP-DBAG-24	24 ROUND
CEP-DBAG-2626	26X26	CEP-DBAG-28	28 ROUND
CEP-DBAG-2828	28X28	CEP-DBAG-36	36 ROUND
CEP-DBAG-3030	30X30	CEP-DBAG-39	39 ROUND
CP-DBAG-3620	36X20	CEP-DBAG-26	26 BEEHIVE
CEP-DBAG-3624	36X24		
CEP-DBAG-3636	36X36		
CEP-DBAG-4024	40X24		
CFP-DBAG-4228	42X28		



DANDY BAG® patented flagship bag is and designed to take a lot of hard knocks. Use with flat grates (including round) and mountable curbs to filter out the sludgy sediment-laden storm water.

48X24

48X36

DANDY SACK®

Product Code	Description
CEP-DSACK-2424	24X24
CEP-DSACK-3624	36X24
CEP-DSACK-4824	48X24
CEP-DSACK-4836	48X36

DANDY SACK® This incredibly strong open-top bag is specially designed to hang underneath a storm grate to expertly filter the thickest sediment-laden storm water.



DANDY POP®

Product Code	Description
CEP-DANDYPOP-30	30X30
CEP-DANDYPOP-40	40X40
CEP-DANDYPOP-50	50X50

DANDY POP® Is designed for use with flat field grates to filter sediment-laden water and pops up in seconds. The DANDY POP® fully encloses the grate, eliminating sediment infiltration.






ULTRA STORMWATER DRAINGUARDS

Product Code	Description	
CEP-9217	Oil & Sediment Model	48" x 36" x 18"
CEP-9219	Oil & Sediment Plus	48" x 36" x 18"
CEP-9227	Trash & Debris Model	48" x 36" x 18"
CEP-9235	Grate Lifting Hook	

- Stormwater pollution is state and local government's top concern for the new millennium.
- Helps comply with NPDES, 40 CFR 122.26 (1999).

Our catch basin inserts keep sediment and hydrocarbons from entering the rivers, lakes and streams.



ULTRA STORMWATER DRAINGUARDS CURB-INSERT STYLE

Product Code	Description	
CEP-9230	Oil & Sediment Model	24" - 42"
CEP-9239	Oil & Sediment Plus	24" - 42"
CEP-9231	Oil & Sediment Model	42" - 60"
CEP-9240	Oil & Sediment Plus	42" - 60"

- Use with combination catch basins with street grate and curb opening.
- · Heavy-duty tension rod secures DrainGuard inside curb inlet.
- Helps comply with NPDES, 40 CFR 122.26 (1999).

Stop sediment, hydrocarbons and other debris from entering curb inlets and catch basins.



ULTRA STORMWATER GRATEGUARDS Product Code Description

Product Code	Description	
CEP-9272-SED	Sediment Only Model	18" x 24" x 4"
CEP-9272-O/S	Oil/Sediment Model	18" x 24" x 4"
CEP-9273-SED	Sediment Only Model	24" x 24" x 4"
CEP-9273-O/S	Oil/Sediment Model	24" x 24" x 4"
CEP-9274-SED	Sediment Only Model	28" x 28" x 4"
CEP-9274-O/S	Oil/Sediment Model	28" x 28" x 4"
CEP-9275-SED	Sediment Only Model	30" x 32" x 4"
CEP-9275-O/S	Oil/Sediment Model	30" x 32" x 4"
CEP-9276-SED	Sediment Only Model	24" x 36" x 4"
CEP-9276-O/S	Oil/Sediment Model	24" x 36" x 4"
CEP-9277-SED	Sediment Only Model	24" x 40" x 4"
CEP-9277-O/S	Oil/Sediment Model	24" x 40" x 4"
CEP-9278-SED	Sediment Only Model	24" x 48" x 4"
CEP-9278-O/S	Oil/Sediment Model	24" x 48" x 4"



ULTRA CURB GUARD PLUS

Product Code	Description	
CEP-9248	Ultra Curb Guard Plus	
OED 0054	Dimensions: 4" dia. x 36"L	
CEP-9251	Ultra Curb Guard Plus	
	Dimensions: 4" dia. x 48"L	

- · Quick and easy installation.

 Modular design — build to any length. • 3' long units can be guickly and easily connected to form longer lengths. · Wedge-shaped, heavy-duty foam secures unit in curb inlet. • Woven, polypropylene material provides high flow rate — will not cause ponding or flooding.

Protect Curb Inlets From Sediment-Laden Stormwater Runoff



ULTRA GRATE GUARD PLUS

Product Code	Description
CEP- 9130	Ultra-GrateGuard Plus, fits drains up to 48" x 59"

- · One size fits all.
- Installs quickly and easily with included hardware grate does not need to be moved or lifted.
- Rugged, polymer components will not rust or corrode.
- Built-in overflow port eliminates ponding and flooding during major rainfall events.
- · Woven polypropylene construction provides superior strength and durability.
- · Available for standard street drains and combination drains (street drains with curb inlets).







ULTRA UTILITY FILTER SOCK

Product Code	Description	Dimensions	Wt.
CEP-7152	Without Cam Fitting With Cam Fitting	4" Dia x 68" L	12 lbs.
CEP-7153		4" Dia x 68" L	14 lbs.

Filter oily water from utility vaults

The Ultra-Utility Filter Sock is designed to remove visible oils and oil-borne containments such as PCBs from water that is pumped from utility vaults, catch basins and other areas that may collect water.

Helps comply with NPDES, 40 CFR 122.26 (1999)



ULTRA DRAIN GUARD, RECYCLED MODEL

Product Code	Description	Dimensions	Weight	Performance
CEP-9378	1-Pack	48"L x 36"W x 18"H	1 lbs.	Oil - Up to 1.26 gallons Sediment - Up to 40 lbs.
CED 0270	10 Dook			'

- CEP-9379 10-Pack
- Made completely out of X-Tex material 100% recycled content.
- Superior water flow rate (151 gal/ft.2), together with built-in overflow ports prevents ponding and flooding.
- X-Tex material captures silt and sediment from runoff in addition to absorbing hydrocarbons.
- Quick and easy installation simply lift catch basin grate, lower DrainGuard in place, and replace the grate.
- Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements.







STORM SENTINEL ADJUSTABLE CATCH BASIN INSERT

Product Code	Description
CEP-4340	Sediment & Debris, round 27" to 29"
CEP-4340-IB	Sediment, Debris, Oils, Hydrocarbons, round 27" to 29"
CEP-4341	Sediment, Debris, rectangular 16"x20" to 28"x36"
CEP-4341-IB	Sediment, Debris, Oils, Hydrocarbons, rectangular 16"x20" to 28"x36"
CEP-4341-XL	Sediment & Debris, up to 25"x25" up to 42"x42"
CEP-4341-XL-IB	Sediment, & Debris, Oils, Hydrocarbons, extra large up to 25"x25" up to 42"x4

The Storm Sentinel Drain Protection Inserts help companies comply with Stormwater Pollution Prevention Plans and Stormwater Best Management Practices by protecting your storm drains and catch basins. It's the sure way to catch oil and sediment headed into your storm drains and sewers. Equipped with an oil absorbent media in a screened bag, the Storm Sentinel guards against any potential discharge.

- Up to 500 GPM overflow rate helps avoid ponding.
- · Requires no special tools to install.















FRAMELESS STORM SENTINEL

Product Code	Description	Dimensions
CEP-4320	Frameless Storm Sentinel Inlet Insert Sediment	36"x48"
CEP-4320-NO	Frameless Storm Sentinel Inlet Insert Sediment w/No Overflow	36"x48"
CEP-4320-IB	Frameless Storm Sentinel Inlet Insert Sediment & Oils	36"x 48"
CEP-4326	Frameless Storm Sentinel Inlet Insert - Sediment	60"x60"
CEP-4326-NO	Frameless Storm Sentinel Inlet Insert - Sediment w/No Overflow	60"x60"
CEP-4326-IB	Frameless Storm Sentinel Inlet Insert- Sediment & Oils	60"x60"

Frameless Storm Sentinel is an alternative to the original Storm Sentinel. With additional fabric added to each storm sentinel, custom sizes can be made right on the spot by simply cutting around the edges once the drain grate has been placed.

- Inexpensive and easy to use
- Comply with stringent NPDES & EPA standards (40 CFR 122.26)
- Vital element of any Stormwater Pollution Prevention Plan
- ODOT Approved
- Overflow outlets to allow excessive water from heavy rain showers to by pass the system.
- · No Overflow also available
- Custom sizes available.











ULTRA PASSIVESKIMMERS

Product Code	Description	
CEP-9260	Ultra-Passive Skimmer	2 per box
CEP-9261	Ultra-Passive Skimmer	5 per box

- · Floats on water surface, absorbs oil.
- · Fits most catch basins, sumps, vaults and holding tanks.

Helps comply with NPDES, 40 CFR 122.26 (1999)






DANDY SKIMMER®

Product Code	Description	
CEP-DSKIMMER	ONE SIZE-22x14x2	

DANDY SKIMMER® this uniquely designed screen pillow if filled with a plymer absorbent that has not on but two attached floation devises. The oil absorbent material inside the skimmer easily captures the oil-permanently and continuously.



ULTRA CURBGUARDS, INSERT-STYLE

Product Code	Description	
CEP-9760 CEP-9761	Insert-Style CurbGuard Insert-Style CurbGuard	Fits 22" – 35" Inlets Fits 36" – 60" Inlets

- Two heavy-duty tension rods keep unit secured inside inlet for a clean, flush-mounted installation.
- Filtering material is quickly and easily replaced.

Helps comply with NPDES 40 CFR 122.26. For use in drains with curb inlets only!



ULTRA PIPESOCKS

Product Code	Description	Dimensions
CEP-9705-O/S	Oil/Sediment Model	8" dia.
CEP-9706-O/S	Oil/Sediment Model	12" dia.
CEP-9707-O/S	Oil/Sediment Model	16" dia.

· Custom sizes available.





ULTRA-INLET GUARD

Product Code Description

INLET GUARD (no overflow port)

CEP-9170 24" x 24" (610 mm x 610 mm) CEP-9171 24" x 36" (610 mm x 915 mm) CEP-9172 24" x 48" (610 mm x 1220 mm)

Sediment Only Model, Curb-Style (for combination drains)

CEP-9173 24" x 24" (610 mm x 610 mm) CEP-9174 24" x 36" (610 mm x 915 mm) CEP-9175 24" x 48" (610 mm x 1,220 mm)

ULTRA-INLET GUARD PLUS (incl. built-in overflow port) Sediment Only Models

CEP-9160 24" x 24" (610 mm x 610 mm) CEP-9161 24" x 36" (610 mm x 915 mm) CEP-9162 24" x 48" (610 mm x 1,220 mm)

Sediment Only Model, Curb-Style (for combination drains)

CEP-9163 24" x 24" (610 mm x 610 mm) CEP-9164 24" x 36" (610 mm x 915 mm) CEP-9165 24" x 48" (610 mm x 1,220 mm)

- Keeps dirt, sand, sediment, trash and debris out of drains.
- Quick and easy installation using built-in magnets no more lifting of heavy catch basin grates.
- Available in several sizes for street drains and combination drains. Custom sizes also available.





Protect Drains and Inlets WITHOUT Lifting Any Grates





- Heavy-duty, reinforced material allows up to 192 gal/ft2/ min. through drains.
- Low maintenance simply remove unit, shake off excess dirt, silt and sediment and put back in place.
- Low-profile design can be driven over and is unobtrusive to traffic and personnel.

ULTRA DEWATERING BAGS

Product Code	Description	Dimensions
CEP-9724-O/S	Oil/Sediment Model	6′ x 6′
CEP-9725-O/S	Oil/Sediment Model	10′ x 15′
CEP-9727-O/S	Oil/Sediment Model	15′ x 15′
CEP-9729-O/S	Oil/Sediment Model	3′ x 4′

· Custom sizes available.





DANDY® DEWATERING BAGS

Product Code	Description
CEP-DWBAG-4	3'X4'
CEP-DWBAG-6	6'X6'
CEP-DWBAG-10	10'X15'
CEP-DWBAG-15	15'X15'

DANDY DEWATERING BAG® is designed to control sediment discharge in dewatering applications where water is being pumped.





ULTRA GUTTER GUARD PLUS

Product Code	Dimensions	Weight
CEP-9151	6"H x 6'L	10 lbs.
CEP-9158	6"H x 9'L	13 lbs.
CEP-9154	6"H x 12'L	16 lbs.
CEP-9159	6"H x 15'L	20 lbs.
CEP-9148 Counterweight*	14"L x 1 1/2" dia.	7 lbs.



Guard High-Flow Curb Inlets From Silt, Sediment And Other Contaminants



- * One counterweight pouch for 6' GutterGuard Plus. All other sizes have two pouches.
- · Designed for curb inlets with high-flow volumes.
- Unique, multi-dimensional outer filter combined with rigid inner frame maintains a low profile to prevent damage from vehicular traffic.
- Modular, 3-foot, inner frames allow for compact transport and storage.
- Counterweight inserts into inlet to keep unit upright and secure (Optional 7 lb. weight available)
- Tie-back straps on either end of unit can be used with sod pin or stake for additional anchoring.
- · Can be easily cleaned and reused.
- Helps comply with NPDES, 40 CFR 122.26 (1999).
- Sizing note: When ordering allow 12" overlap on each side of curb inlet.



STORM SENTINEL ADJUSTABLE CURB INLET INSERT

Product Code	Description
CEP-4346 CEP-4346-OH	Trash, Debris & Sediment Trash, Debris, Sediment, Oils & Hydrocarbons.

The Storm Sentinel[™] Adjustable Curb Inlet Insert was designed and engineered to perform to the same demanding test requirements as our award winning Catch Basin Inserts above. You can now have the same high quality inserts for Curb Inlet situations. Adjustable to fit curb inlet openings from 24" to 30" wide.



GREAT FOR USE IN:


- Industrial facilities
- Construction sites
- Parking lots
- Drive-up retail facilities

ULTRA OIL & DEBRIS BLOCKER

Product Code	Description	Dimensions	Weight
CEP-9380 CEP-9381 CEP-9382 CEP-9383 CEP-9384 CEP-9386	8" Center Opening 10" Right Opening 10" Center Opening 10" Left Opening 12" Center Opening 10" Adapter	4 1/2" x 12" x 14" 5 1/2" x 14" x 16" 5 1/2" x 14" x 16" 5 1/2" x 14" x 16" 5 1/2" x 14" x 16" 6 1/2" x 16 3/8" x 18" 9 1/2" x 10" x 12"	4 lbs. 6 lbs. 6 lbs. 6 lbs. 7 lbs. 2 lbs.
CEP-9387	12" Adapter	11" x 12" x 12"	3 lbs.

- Stormwater is forced to flow through bottom of unit — floating trash and hydrocarbons remain on the water's surface and out of the outflow.
- Installs quickly and easily in storm drain outflows.
- Low-profile allows vactor trucks to clean catch basin without removing the unit.
- Dual component, all-polyethylene unit will not rust or corrode.
- Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements.
- * One counterweight pouch for 6' GutterGuard Plus. All other sizes have two pouches.







ULTRA FILTER DECK

Product Code	Dimentions	Weight	Weight Capacity
CEP-9368	74 1/2"L x 50"W x 5 1/2"H	90 lbs.	9,000 lbs.
Option CEP-9369	Replacement Filter Media for	Ultra-Filter	Deck (Box of 3)

- Heavy-duty polyethylene units use X-TEX® material, a high performance oil absorbent, below removable grating to remove oil, grease and other hydrocarbons from stormwater runoff.
- · Ports are located in base of units to drain off clean stormwater.
- X-TEX® roll of absorbent is guickly and easily removed and replaced.
- · Excellent for use underneath dumpsters, grease collection tanks, outdoor machinery or equipment.
- All-polyethylene construction will not rust or corrode.
- Helps meet Stormwater Management Regulations.



Filter Grease and Oil From Stormwater Runoff

ULTRA FILTER SOCK

Product Code	DESCRIPTION	DIMENSIONS	WT.
CEP-9453	Activated Carbon	108" x7"x4"	40 lbs.
CEP-8455	Sorb 44	108" x 7"x4"	15 lbs.
CEP-8457	Sediment Removal	108"x7"x4"	40 lbs.
CEP-8456	Phos Filter	108"x7"x4"	66 lbs.
CEP-9454	Heavy Metal Removal	108"x7"x4"	35 lbs.

- Stop Harmful Substances from Entering The Stormwater System.
- · Woven polymer casing allows water to pass through quickly while filtration media inside removes pollutants.
- High UV rating allows extended life in sun and elements.
- · Also available in 9 foot lengths



ULTRA DRAINSEALS

		MONEY
Product Code	Description	Dimensions
CEP-2126	Drain Seal	18" x 18"
CEP-2127	Drain Seal	24" x 24"
CEP-2130	Drain Seal	36" x 36"
CEP-2132	Drain Seal	48" x 48"
CEP-2140	Drain Seal Wall Mount	Fits 18" x 24"
CEP-2142	Drain Seal Wall Mount	Fits 36" Drain Seal
CEP-2143	Drain Seal Wall Mount	Fits 48" Drain Seal
CEP-2134	Circular Drain Seal	12" dia. x 3/8"
CEP-2135	Circular Drain Seal	20" dia. x 3/8"
CEP-2136	Circular Drain Seal	30" dia. x 3/8"
CEP-2137	Circular Drain Seal	42" dia. x 3/8"
CEP-2124	Rectangular Drain Seal	18" x 58" x 3/8"
CEP-2125	Rectangular Drain Seal	36" x 58" x 3/8"

Drain Seal

- No specified top or bottom. Both sides will seal drains.
- · Reinforcing mesh between layers of polyurethane that increases durability and resistance to tearing.

Wall Mount

· Velcro straps. Just grab and go!



Made in

the USA





ULTRA DRAINSEALS® TRUCKMOUNT

Product Code	Description
CEP-2145	Fits 18" x 18", 24" x 24", 12" dia and
	20" dia. DrainSeals
CEP-2146	Fits 36" x 36", 30" dia. DrainSeals
CEP-2147	Fits 42" x 42", 48" x 48", 12" dia and
	42" dia. DrainSeals



Made in



DRAIN DAM

Product Code	Description
CEP-4345	Drain Dam, 15"x4"x4", 2/pkg



Redirect water into catch basin while absorbing some hydrocarbons.

DRAIN PROTECTOR II

Product Code	Description
DRAINPROTECT	OR II (RED)
CEP-DC-18A	18" x 18" 4 lbs
CEP-DC-24A	24" x 24" 7 lbs
CEP-DC-36A	36" x 36" 15 lbs
CEP-DC-42A	42" x 42" 20 lbs
CEP-DC-48A	48" x 48" 26 lbs
CEP-DC-54A	54" x 54" 34 lbs



INI INDIECTOR
12" 2 lbs
20" 5 lbs
30" 10 lbs
42" 17 lbs

The Economy Drain Seal

Product Code Description

RECTANGULAR
DRAINPROTECTOR II (RED)
CEP-DC-1860A 18" x 60" 13 lbs.

Drain protector II: The DrainProtector II is a NEW reversible product. The pad is

36" x 60" 26 lbs.

constructed of a solid tacky urethane product with no fillers that delivers a tough, durable seal using either side. Due to its lighter weight, it can be used quickly for emergency chemical spills.

CEP-DC-3660A









DRAIN PROTECTOR ORIGINAL

Product Code	Description	Made
CEP-DC-18YO	18X18, YELLOW/ORANGE Original DrainProtector® Safety Seal Prevents spills from entering grates, manholes and large drains.	the U
CEP-DC-24YO	24X24, YELLOW/ORANGE Quick deployment and removal	
CEP-DC-36YO	36X36, YELLOW/ORANGE Easily stored, transported and handled (store in protective film between uses). Custom sizes available. Cleans easily with soap and water	
CEP-DC-48YO CEP-DC-42YO	48X48, YELLOW/ORANGE 42X42, YELLOW ORANGE	



PLUG-IT

		Plug Size
Product Code	Fits Drain Sizes	(top diam/bottom diam)
CEP-PI-22	1.5 - 2.5 in.	3 inch/ 1 inch
CEP-PI-33	2.5 - 3.5 in.	4 inch/ 2 inch
CEP-PI-44	3.5 - 4.5 in.	5 inch/ 3 inch
CEP-PI-66	5.5 - 6.5 in.	7 inch/ 5 inch

Plug the drain as a safety precaution. The Plug-It can be used where there is almost no room between the top of the drain and the floor grate. Put PLUG-IT in the drain. cut to the height to fit and put the grate back on. Easy to remove, if the drain is needed. Very inexpensive.



ULTRA DRAINPLUGS®

Product Code	Description	Size
CEP-2113	Drain Plug Non-absorbing Material	2" dia.
CEP-2114	Drain Plug Cleans With Soap	3" dia.
CEP-2115	Drain Plug Safety Orange Color	4" dia.
CEP-2116	Plug Kit 3 Plugs & Carrying Case	2", 3", 4"





Also available in 6", 8", 10" and 12".

- Tapered design wedges securely into standard drains to stop any flow.
- Eye bolts are removable, allowing installation of grating with drain plug in place.

CONICAL PLUGS

Product Code	Description
CEP-CP-2	Conical Plug 2, Yellow
CEP-CP-3	Conical Plug 3, Yellow
CEP-CP-4	Conical Plug 4 Yellow
CEP-CP-5	Conical Plug Kit, 2, 3 And 4 Yellow
CEP-CP-6	Conical Plug Kit 6, Yellow





CEP-CP-5

RESPONSE PLUG

		Plug Size
Product Code	Fits Drain Sizes	(top diam/bottom diam)
CEP-RP-2	1.5 - 2.5 in.	3 inch/ 1 inch
CEP-RP-3	2.5 - 3.5 in.	4 inch/ 2 inch
CEP-RP-4	3.5 - 4.5 in.	5 inch/ 3 inch
CEP-RP-6	5.5 - 6.5 in.	7 inch/ 5 inch

Response Plug - for floor drains - allows normal drainage, yet immediately plug the drain if a hazardous spill occurs. Simply put the Response Plug into the drain and put the grate back on. It is designed to float up and allow routine wash water to flow through. If a hazardous spill occurs, just take the plastic push rod, or a screw driver or pencil or other handy tool and slide it through the grate to push the Response Plug down into the drain. Immediately seals off the drain. Works with fuels, oils and many chemicals. Neoprene blend and plastic – will not spark.



MODULAR QUIK-ASSEMBLY™ POLY CABINETS

Product Code	Description	O.S. Dimensions	I.S. Dimensions	Shelves	Wt
CEP-M04CRA	4-gal Bench Top	18"x18"x22"	14"x15"x15 3/4"	2	32 lbs.
CEP-M12CRA	12-gal Modular	18"x22"x36"	14"x19"x29 3/4"	2	45 lbs.
CEP-M24CRA	24-gal Space Saver	18"x22"x72"	14"x19"x29 3/4" (x2)	4	90 lbs.
CEP-M24CRA	24-gal Under the Counter	36"x22"x36"	14"x19"x29 3/4" (x2)	4	90 lbs.
CEP-M48CRA	48-gal Modular	36"x22"x72"	14"x19"x29 3/4" (x4)	8	180 lbs.

Modular Quik-Assembly™ Poly Cabinets ideal for lab or industrial settings. Made of HDPE (High Density Polyethylene), these models can be assembled in minutes without tools. The 4-gallon model is a stand-alone unit, while the 12, 24 and 48 gallon models can be linked and stacked to create additional vertical or horizontal units.

- Models can be assembled with the option of the lockable doors opening to the left or right.
- · Adjustable shelves, 38 lbs per shelf
- Sealed internal containment sump
- Two 2" poly vents with caps
- · Caution Corrosives label included
- Modular linkage brackets included
- Patent Pending
- Optional Colors available for 4 or 12 gal models, black, gray, beige, yellow and blue.

Models 24 and 48 gallons, blue only.







CEP-M04CRA



CEP-M12CRA-Y



CEP-M12CRA



CEP-M24CRA



CEP-M24CRA



CEP-M48CRA



CEP-M48CRA



CEP-M24CRA



SPECIALTY USE CABINETS



1947 TOP SELLER





Sliding Self-Closing	Manual Close	Self-Closing	Description HIGHEST QUALITY
- - - - - - CEP-1930* CEP-1945*	CEP-1904 CEP-1925 CEP-ADD-15 CEP-1906 CEP-1971 CEP-1923 CEP-1976 CEP-1932* CEP-1947* CEP-1962* CEP-1992	CEP-1903 CEP-1924 CEP-ADD-14 CEP-1905 CEP-1970 CEP-2310 CEP-1975 CEP-3010* CEP-4510* CEP-6010* CEP-9010	4 gal. 17 1/2" x 18" x 22 1/2" 12 gal. 23" x 18" x 35" 15 gal. 43" x 18" x 22 1/4" 16 gal. 23" x 18" x 44" 22 gal. 35" x 22" x 35" 24 gal. 23" x 18" x 65" 24 gal. 43" x 12" x 44" 30 gal. 43" x 18" x 44" 45 gal. 43" x 18" x 65" 60 gal. 31 1/4" x 31 1/4" x 65" 90 gal. 43" x 34" x 65"



CEP-1945

CEP-1923

*FM Approved

CEP-1976-WALL MOUNT



CEP-1970 ⁴

Wall Mount Safety Storage

- 12" deep.
- · Fits easily on the wall above work spaces.
- · Eye level storage.

Under The Counter Safety

- · Optimize work area.
- · Compact, fits under counters.
- 3" kick space design.
- Fume hood or under windows.

Space Saver Storage

- Only 23" wide.
- One door.
- · Self or Manual Closing.

Small Storage

• Used for counter tops, work benches, or floor.

Standard Size

- Supports 350 lbs.
- · Galvanized steel leveling legs.
- Internal and external welded construction.
- 18 gauge steel reinforced double wall panel construction with 1 1/2" air space.
- 2" raised leakproof sill.
- 2" vent with fire baffle and cap.
- · Ground connection.
- 3 point key lock doors.



CEP-1904

CEP-1925

CEP-1906

CEP-ADD-14



CEP has cabinets for all your needs. Please contact if specialty requirements are needed.

Introducing cabinets that mount on the wall, fit under counters and save space.

HAZARDOUS/FLAMMABLE DRUM STORAGE CABINETS

Bonding Wire W/C Clip

Brass Faucet

Brass Horizontal Drum Vent

Sliding	Manual Close	Self-Closing	Description	1
-	CEP-1926*	CEP-2610*	55 gal.	31 1/4" x 31 1/4" x 65"
-	CEP-1928	CEP-2810	55 gal.	31 1/4" x 48 1/4" x 50
-	CEP-1955	CEP-5510	110 gal.	58" x 31 1/2" x 65"
-	CEP-HAZ1926	CEP-HAZ2610*	55 gal.	31 1/4" x 31 1/4" x 65"
-	CEP-HAZ1955	CEP-HAZ5510	110 gal.	58" x 31 1/2" x 65"
-	CEP-HAZ1992	CEP-HAZ9010	60 gal.	43" x 34" x 65"
CEP-1918	Dolly for 1928		Ü	
CEP-1920	2" Rollers			24" x 24" x 2"
CEP-1957	Drum Cabinet Ramp		1000 lbs.	23 1/4" x 26 1/4" x 4 1/4"
CEP-1994	Roller Kit for			20" x 30" x 2"
	CEP-HAZ1992 & CEP	-HAZ9010		
CEP-1950	Ground Wire W/Alligat	tor Clips		



CEP-1926



CEP-1926



CEP-1951

CEP-1953

CEP-1974B

- · Horizontal or vertical drum storage.
- · Vertical cabinets feature a convenient half shelf.
- · Drum storage cabinets come with drum supports.
- · Haz-Drum cabinets come with drum rollers.
- · Cabinets come with large "Flammable-Keep Fire Away" labels.
- · Hazardous cabinets come with "Hazardous Waste" labels.



CEP-1928



CEP-HAZ9010



CEP-1957



COMBO CABINETS

Product Code	Description	Item	Weight
1932SC6	30 Gal Manual Close Safety Cabinet W/6 UI-50-FS	7	290 lb.S.
1947SC9	45 Gal Manual Close Safety Cabinet W/9 UI-50-FS	10	405 lb.S.
1962SC12	60 Gal Manual Close Safety Cabinet W/12 UI-50-FS	13	440 lb.S.

These Cantastic new combos bring you Eagle's best selling Safety Cabinets filled with Eagle 5 gallon, Type I Safety Cans with funnels! Now one easy purchase can meet your compliance needs.



MEET OSHA REQUIREMENTS

Self-Close doors also available.



PAINT AND INK CABINETS-RED

	Manual	MK CADI		HIGHEST
Sliding	Close	Self-Closing	Descript	ion
CEP-PI-30	CEP-PI-32	CEP-PI-3010	40 gal.	43" x 18" x 44"
CEP-PI-45	CEP-PI-47	CEP-PI-4510	60 gal.	43" x 18" x 65"
	CFP-PI-62	CFP-PI-6010	96 gal	31 1/4" x 31 1/4" x 65"

PAINT AND INK CABINETS-YELLOW

Sliding	Manual Close	Self-Closing	Descripti	on
		CEP-YPI-3010 CEP-YPI-4510	•	43" x 18" x 44" 43" x 18" x 65"
OLI -II I-43		CEP-YPI-6010	•	31 1/4" x 31 1/4" x 65"

*FM Approved

• Support 350 lbs.



Recommended for Print Shops and Auto Paint & Body Shops.

ACID & CORROSIVE CABINETS

Sliding	Manual Close	Self-Closing	HIGHEST QUALITY Description
-	CRA-1904	CRA-1903	4 gal. 17 1/2" x 18" x 22 1/2"
-	CRA-1925	CRA-1924	12 gal. 23" x 18" x 35"
-	ADD-CRA	ADD-CRA-14	15 gal. 43" x 18" x 221/4"
-	CRA-1906	CRA-1905	16 gal. 23" x 18" x 44"
-	CRA-71	CRA-70	22 gal. 35" x 22" x 35"
CRA-30*	CRA-32*	CRA-3010*	30 gal. 43" x 18" x 44"
CRA-45*	CRA-47*	CRA-4510*	45 gal. 43" x 18" x 65"
	CRA-62*	CRA-6010*	60 gal. 31 1/4" x 31 1/4" x 65"

*FM Approved



Blue epoxy powder coating for greater protection from chemical attack.



POLYETHYLENE ACID AND CORROSIVE CABINETS



Poly Finish White Finish Description CEP-CRA-PO4 CEP-CRA-PO4W 4 gal. 18" x 18" x 22" 35" x 22" x 36" CEP-CRA-P22 CEP-CRA-P22W 22 gal.

CEP-CRA-PO4

· For use on bench top.

CEP-CRA-P22

- · For use under the counter.
- · Both are available in Blue or White.



100 percent polyethylene construction for storage of aggressive acids such as nitric, sulfuric and hydrochloric. New 44 gallon size available!!

PESTICIDE CABINETS



Manual		QUALITY
Close	Self-Closing	Description
CEP-PEST 25 CEP-PEST 32* CEP-PEST 47* CEP-PEST 26* CEP-PEST 62*	CEP-PEST 24 CEP-PEST 3010* CEP-PEST 4510* CEP-PEST 2610* CEP-PEST 6010*	12 gal. 23" x 18" x 35" 30 gal. 43" x 18" x 44" 45 gal. 43" x 18" x 65" 55 gal. 31 1/4" x 31 1/4" x 65" 60 gal. 31 1/4" x 31 1/4" x 65"

*FM Approved

- · Lead free high gloss polyester hybrid powder baked on finish.
- · 3 point key lock doors.
- Large "Flammable Keep Fire Away and Pesticides" label.



Lawn care, golf course management and agricultural interests.

DISPOSABLE CANS

Stainless	Galvanized	Description	
CEP-1323	-	2 1/2 gal.	11 1/4" x 12"
CEP-1325	-	5 gal.	11 1/4" x 18"
-	CEP-1423*	2 1/2 gal.	12 1/2" x 12"
-	CEP-1425*	5 gal.	12 1/2" x 18"
* Calvanized F	Flama Arractor	•	

Galvanized Flame Arrestor.



Lab Cans



Plunger Cans



PLUNGER CANS

LAB CANS

Stainless

CEP-1301

White

CEP-1512

CEP-1513

POLYETHYLENE LAB CANS

*All are FM Approved and feature a 5 1/4" wide dasher.

Description

Description

Description

5 1/4" x 9 3/4" 6 1/2" x 11" 7 3/4" x 13"

1/2 gal.

1 gal.

1 gal. 6" x 8" x 13"

6" x 8 1/2" x 9 1/2"

6" x 8 1/2" x 13"

Metal Red

CEP-1401

CEP-1511

Poly

CEP-P-711

CEP-P-712

CEP-P-714

*FM Approved.

Red CEP-1510



Metal	Description	
CEP-P-701	1 quart	6 1/4" x 8"
CEP-P-702	2 quarts	8" x 8 1/2"
CEP-P-704	4 quarts	8" x 10 3/4"

Bench & Daub Cans



DOT Transpot Cans



CEP-1215Y



CEP-1215Y-SX5



BENCH & DAUB CANS

1 quart

2 quarts

4 quarts

Product Code	Description		
CEP-B-600-D	1/2 pint	4 1/4"	3 1/2"
CEP-B-601	1 quart	6 1/4"	3 5/8"
CEP-B-602*	2 quarts	8"	4 1/4"
CEP-B-604*	4 quarts	8"	6 1/2"
CEP-B-606	6 quarts	7 3/4"	9 1/2"
CEP-B-606-NL	6 quarts	7 3/4"	9 1/4"
CEP-B-608	8 quarts	11 1/4"	11 1/8"

*Parts cleaning basket available as necessary.

DOT TRANSPORT CANS



7/8" O.D. Spout 5/8" O.D. Spout Description CEP-1215-SX5 5 gal. 12 1/2" x 15 3/4" CEP-1215 CEP-1215Y CEP-1215Y-SX5 5 gal. 12 1/2" x 15 3/4" Yellow

Both cans feature brass flame arrestors and meet DOT requirements.

POLY DISPOSAL CANS

White Poly	Red Poly	Descrip	otion
CEP-1517	CEP-1519	3 gal.	12 1/2" x 14 1/2"
CEP-1523	CEP-1525	5 gal.	12 1/2" x 18 1/2"

POLY WASTE CANS



Red Poly	Yellow Poly	Bio-Haz	Descrip	tion
CEP-933-FL	CEP-933-FLY	CEP-943BIO	6 gal.	16
CEP-935-FL	CEP-935-FLY	CEP-945BIO	10 gal.	22"
CEP-937-FL	CEP-937-FLY	CEP-947BIO	14 gal.	22"

Poly (Red) **Disposal Cans**



Poly (White) **Disposal Cans**



Poly Waste Cans - Red



Poly Waste Cans - Yellow



Poly Waste Cans Bio-Haz



16 1/2" x 13 1/2" x 16"

22" x 18" x 18" 22" x 18" x 16"

TYPE I SAFETY CANS





W/Funnel	Description	YOU MON
CEP-UI-10-FS	1 gal.	9" x 10"
CEP-UI-20-FS	2 gal.	11 1/4" x 9 1/2"
CEP-UI-25-FS	2.5 gal	11 1/4" x 10"
CEP-UI-50-FS	5 gal.	12 1/2" x 13 1/2"

TYPE I SAFETY CANS

W/O Funnel	Description	
CEP-UI-2-S	1 quart	5 1/4 x 8"
CEP-UI-4-S	2 quarts	6 3/4 x 8 3/4"
CEP-UI-10-S	1 gal.	9" x 10"
CEP-UI-20-S	2 gal.	11 1/4" x 9 1/2"
CEP-UI-25-S	2.5 gal.	11 1/4" x 10"
CEP-UI-50-S	5 gal.	12 1/2" x 13 1/2"

- The above cans are available in Blue for the storage of kerosine, Yellow for storage of diesel and Green for storage of combustible liquids such as oils. When ordering, add "B or "Y" or "G" at the end of product code.
- Type I cans feature deep drawn, 2-piece, no weld construction with no top or side seams, non-sparking brass pour spout and flame arrestor and a spring-closing lid with neoprene gasket that safely relieves internal pressure at 5 psi.
- · Lead free technology that make our cans environmentally friendly.







CEP-UI-50-S







CEP-UI-50-S-B

Lead Free!

Constructed of 24-guage hot dipped galvanized steel. Other manufacturers' safety cans use lead coated steel.

CEP-UI-50-FS



CEP-UI-25-S



CEP-UI-4-S



CEP-UI-25-FS







TVPE II SAFETY CANS

Product Code	Descrip	otion		
5/8" Spout				
CEP-U2-26-SX5	2 gal.	11 1/4" x 9 1/2"		
CEP-U2-51-SX5	5 gal.	12 1/2" x 13 1/2"		
7/8" Spout				
CEP-U2-26-S	2 gal.	11 1/4" x 9 1/2"		
CEP-U2-51-S	5 gal.	12 1/2" x 13 1/2"		
*UL and FM Approved.				







CEP-U2-26-S

TYPE I STAINLESS SAFETY CANS

Model	Description	
CEP-1313	2 1/2 gal.	11 1/4" x 9 5/8"
CEP-1315	5 gal.	11 1/4" x 15 7/8"



CEP-U2-51-S

TYPE I POLY SAFETY CANS

Product Code	Descri	otion	
White			
CEP-1535	3 gal.	12 1/2" x 13"	
CEP-1541	5 gal.	12 1/2" x 17"	
Red			
CEP-1537	3 gal.	12 1/2" x 13"	0. 1
CEP-1543	5 gal.	12 1/2" x 17"	UL, ULC, & APPROVE



HDPE & Stainless Type I & Type II Polyethylene Safety Cans

- · Impervious to many liquid chemicals, acids, caustics, solvents, and corrosives.
- · Help reduce the danger of explosions.
- · Dent and puncture resistant.
- · Feature corrosion resistant stainles steel fittings and flame arrestors.
- · Brass grounding connectors.

Type I Stainless Steel Safety Cans

- 24-gauge Type 316 Stainless Steel construction.
- · Ideal when high solvent purity is essential.

Type II Galvanized Steel Safety Cans

- · Two openings, one with a pressure relief spring closing lid for filling, one with an actuated pour valve with flexible metal spout for safer controlled dispensing.
- · Filler spout and flame arrestor in both openings are non-sparking brass designed for flashback protection.



CEP-1313 CEP-1315



CEP-1537 CEP-1543




ENVIROSALV POLY SALVAGE DRUM PLUS

Part Number	Description	Ext Dimensions	Sump Capacity	Ship Wt
CEP-1295-YE	Salvage Drum	31.38" Dia X 25.75"Btm Dia X 41.5"H	95 Gal	48 Lb







Advanced sealing technology features, crush-resistant seal.



X-Base Technology



Easy, secure stacking.



4-Point Locking System

UN certified and DOT approved. Patents Pending - Globally

POLY OVERPACKS AND SALVAGE DRUMS 95 GALLON & LARGER SPECIALTY DRUMS

Product Code	Description	Ext Dims	Capacity	Ship Wt	Color
CEP-OP95EN	95 Gal Poly-Overpack® Salvage Drum Screw Lid	31.50"D x 25.88" Btm D x 40"H	95 Gal	47 Lbs.	Yellow
UN 1H2/X295/S	(ENPAC 1095-YE)				

Engineered with safety in mind, the innovative 1095-YE stacks, locks and transports more securely and efficiently than any other drum in the market. These drums are specifically designed to lock once stacked as a preventative measure for both your employees and product. With a double start thread, the 1095-YE only requires half a tum to tightly secure your leaking drums. Handling Capacity 650 lbs

CEP-OP95-1690 95 Gal Poly Overpack

> 31" D 26 1.16" Btm D x 41 1/4"H 95 Gal Drum Screw Lid 50 Lbs Yellow

UN1H2/X300/S (EAGLE 1690)

Eagle overpacks for use with larger non-damage containers cans and drums of non-leaking hazardous materials - if leaking must pack with sufficient sorbents for-NO FREE LIQUIDS. SPCC COMPLIANT, DOT 49 CFR 173.25. Handling Capacity 660 lbs

CEP-OP95EG 95 Gal Poly Salvage Drum

> W/Bolt Ring 31" D x 25 3/4" Btm D x 44 3/8" H 95 Gal 58 Lbs Yellow

UN1H2/X340/S (EAGLE 1695)

Eagle salvage drums for use with damaged or leaking containers of hazardous materials orused absorbent materials containinated with a hazardous substance. Require "Salvage Drum" labeling and must pass a 3-PSI pressure test. SPCC Compliant, DOT 49 CFR 173.3 Handling Capacity 748 lbs

CEP-OP110 110 Gal Poly-Overpack®

> 31.5" D x 25.75" Btm D x 45" H 110 Gal 51 lbs Yellow Salvage Drum

UN 1H2/X295/S (ENPAC 1240-YE)

Ideal for distorted or bowed drums with all the same specifications as the Enpac 1095-YE. Handling Capacity 650 lbs.

CEP-OP600 600 Gal Poly-Overpack®

> Overpack Drum 71" D x 49.25" Btm D x 69"H 600 Gal 225 lbs Yellow HUGE

Handling Capacity 5,000 lbs (ENPAC 1051-YE)

Designed specifically for the storage and transport of large transformers, the Poly-Overpack® 600 offers an easy, cost effective way

to keep larger quantities of hazardous fluids continueD

CEP-OP180EN 180 Gal Poly-Overpack®

> 40.25" D x 30" Btm D x 57"H 180 Gal Overpack Drum 116 lbs Yellow

Handling Capacity 2500 lbs

The Poly-Overpack® 180T offers a large 180-Gallon capacity to handle the big jobs, while its Tight Grip feature saves you time and money. Ideal for utilities in transporting and storing transformers.

31.38" D x 25.75" Btm D x 37" H 95 Gal CEP-1037-YE Poly-Overpack®95 51 lbs Meets Group 1 packaging standards and salvage drum regulations. Our Poly-Overpack® 95 safely contains a wide range of hazardous materials including:acids, corrosives and damage parts -- in 55 gallon drums. Tight, secure and leak free container Meets performance-oriented packaging requirements of U.S. Dot and UN regulations: UN 1H2/X227/S and DOT 49CFR 173.3 ©, EPA, SPCC & NPDES Closed cell gasket in lid seals closure. Castellations in lid allow for easy closing with pole or wooden 2x4. Double wall lid gives added strength. Molded area allows for easy gripping and lifting by material handling equipment. 100% UV-protected polyethylene provides protection over a wide range of chemicals.









OP95EN

OP600

OP180EN

1037YE



POLY OVERPACKS AND SALVAGE DRUMS 65 GALLON

Product Code	Description	Ext Dimensions	Capacity	Ship Wt	Color
CEP-OP65	65 Gal Poly Overpack				
	Salvage Drum Screw Lid	27.75" D X 23" Btm D X 37.5"H	65 Gal	47 Lbs	Yellow
1 10 1 4 1 10 10 (000 00 (EN)	DA O 400E \(\text{II}\)				

UN1H2/X200/S (ENPAC 1065-YE)

Enpac Poly- Overpack® 65 Salvage Drum meets Group I packaging standards, Salvage Drum regulations and is designed to fit 30 Gallon drums. This overpack nests for easy storage and has a lid gasket for secure containment. No wasted space!! Handling Capacity 440 lbs

CEP-OP65EG-1661 65 Gal Poly Overpack

Drum W/Screw Lid 31" D X 26 7/16" Btm D X 33 3/4"H 65 Gal 45 Lbs Yellow

UN1H2/X300/S (EAGLE 1661)

Eagle overpacks for use with larger non-damage containers, cans and drums of non-leaking hazardous materials - if leaking must pack with sufficient sorbents for-NO FREE LIQUIDS. SPCC COMPLIANT, DOT 49 CFR 173.25 Handling Capacity 660 lbs

CEP-OP65EG 65 Gal Poly Salvage Drum

W/Metal Band Bolt Ring 31" D X 26" Btm D X 38 7/8"H 65 Gal 53 Lbs Yellow

UN1H2/X200/S (EAGLE 1665)

Eagle salvage drums for use with damaged or leaking containers of hazardous materials or used absorbent materials contaminated with a hazardous substance. Require "Salvage Drum" labeling and must pass a 3-PSI pressure test. SPCC Compliant, DOT 49 CFR 173.3

Handling Capacity 440 lbs

POLY OVERPACK SALVAGE DRUM WHEELED

Product Code	Description	Ext Dimensions	Capacity	Ship Wt	Color
CEP-OP50-1259-YE	50 Gal Wheeled				
	Poly-Overpack® Salvage				
	Drum w/Screw Top	23" D X 18.38" Btm D X 45.38"h	50 Gal	47 lbs	Yellow
UN1H2/X125/S (FN	IPAC 1259-YF)				

Enpac Wheeled Poly-Overpack™ are the first mobile one piece overpack. Built in handles and 6" polyolefin wheels that allow for easy steering through doorways and around any obstacle. A salvage drum and dolly all in one!

Handling Capacity 275 lbs.

CEP-OP95-WHEELED 95 Wheeled Poly

Overpack Salvage Drum

W/Screw Top 31.38" D X 25.75" Btm D X 47.5" H 95 Gal 56 Lbs Yellow

UN 1H2/X113/S (ENPAC 1299-YE)

Enpac Wheeled Poly-Overpack™ are the first mobile one piece overpack. Built in handles and 6" polyolefin wheels that allow for easy steering through doorways and around any obstacle. A salvage drum and dolly all in one! Handling Capacity 250 lbs.



OP50-1259



OP95-WHEELED



POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

Product Code	Description	Ext Dimensions	Capacity	Ship Wt	Color
CEP-LP20-1220-YE	20 Gal Poly Over-Pack®				
	Salvage Drum	22.25" D X 18" Btm D X 19"H	20 Gal	10 Lbs	Yellow
	W/Screw Top				
UN 1H2/X75/S A					
Handling Capacit	ty 166 lbs.				

CEP-OP30-1230-YE 30 Gal Poly Over-Pack®

Salvage Drum 22.25" D X 18" Btm D X 30"H 30 Gal 13 Lbs Yellow

W/Screw Top

UN 1H2/X100/S (ENPAC 1230-YE)

Handling Capacity 220 lbs.

The ENPAC 20 and 30 Gallon Salvage Drums are versatile units that can directly contain solids and sludges with security. With a half-turn lid these ergonomically designed units allow for easy access, unlike competing "hoop-ring designs" that need a bolt and nut. The 20 Gal unit accepts bottles, c...ans and 5-Gallon pails, while the 30 Gallon unit can contain up to 16 Gallon drums. Units are also nestable which allows for ease of shipment and storage space.

CEP-LP20-1654 20 Gal Salvage Drum

Metal Lever-Lock Ring 20 7/8" D X 16 11/16" Btm D X 20 7/16" H 20 Gal 16 Lbs Yellow

UN 1H2/X75/S (EAGLE 1654) Handling Capacity 165 lbs

CEP-OP30-1602 30 Gal Salvaged Drum

Metal Lever Lock Ring 21 1/" D X 16 5/8" Btm D X 28 1/2"H 30 Gal 18 Lbs Yellow

UN 1H2/X100/S (EAGLE 1602) Handling Capacity 220 lbs.

Eagle salvage drums for use with damaged or leaking containers of hazardous materials or used absorbent materials contaminated with a hazardous substance. Require "Salvage Drum" labeling and must pass a 3-PSI pressure test. SPCC Compliant, DOT 49 CFR 173.3

All 20 And 30 Gallon Salvage Drums Nestable





OP30-1230-YE LP20-1220-YE



LP20-1654



OP30-1602



POLY LAB	PACK DRUMS				
Product Code	Description	Ext Dimensions	Capacity	Ship Wt	Color
CEP-LP14-1610	14 Gal Lab Pack Plastic Lever Lock Ring	15" D X 12 3/4"Btm D X 26 1/2"H	14 Gal	9 Lbs	Yellow
UN 1H2/X65/S (E. Handling Capacity	AGLE 1610)				
CEP-LP14-1610MB	14 Gal Lab Pack Metal Lever Lock Ring	15" D X 12 3/4"Btm D X 26 1/2"H	14 Gal	9 Lbs	Blue
UN1H2/X65/S AN Handling Capacity	D 1H2/Y100/S (ĔAGLE 1610				
CEP-LP14	14 Gal Lab Pack Metal Lever Lock Ring, Nestable	14.9" D X 26.3" H	14 Gal	8.5 Lbs	Blue
UN 1H2/Y100S AI					
CEP-LP20SL-Y	20 Gal Lab Pack Screw Top	20 3/8" D X 16 3/4"Btm DX 20 3/4"H	20 Gal	13 Lbs	Yellow
UN 1H2/X57/S (E. Handling Capacity	AGLE 1650)	20 0/0 2 // 10 0/1 2411 2// 20 0/111	20 001	10 200	
CEP-LP20-1652	20 Gal Lab Pack Plastic Lever Lock Ring	20 7/8" D X 16 11/16" Btm D X 20 7/16"H	20 Gal	15 Lbs	Yellow
UN 1H2/X40/S (E Handling Capacity	AGLE 1652)	20 110 2 X 10 11/10 2411 2 X 20 1/10 11	20 001	10 250	1011011
CEP-OP30-1600SL	30 Gal Lab Pack Screw Top	22 1/2" D X 16 5/8" Btm D X 28 1/4"H	30 Gal	18 Lbs	Yellow
UN 1H2/X12/S AN Handling Capacity	ND 1H2/Y180/S (EAGLE 1600		00 001	10 250	1011011
CEP-OP30-1601	30 Gal Labe Pack Plastic Lever Lock Ring	21 1/8" D X 16 5/8" Btm D X 28 1/2"H	30 Gal	16 Lbs	Yellow, Black
UN 1H2/X100/S (I Handling Capacity	EAGLE 1601)	21.110 27.100,0 28.1127.20 1/211	00 001	10 200	Diaon
CEP-OP30-1601M	30 Gal Lab Pack Metal Lever Lock	21 1/8" D X 16 5/8" Btm D X 28 1/2"H	30 Gal	18 Lbs	Yellow, Black
UN 1H2/X120/S A Handling Capacity	ND 1H2/Y180/S (EAGLE 160		JU Gai	10 253	Didok
CEP-OP30-1601MB	30 Gal Lab Pack Metal Lever Lock	21 1/8" D X 16 5/8" Btm D X 28 1/2"H	30 Gal	18 Lbs	Blue
UN 1H2/X120/S A Handling Capacity	ND 1H2/Y180/S (EAGLE 160		Jo Gui	10 200	Dido

ALL LAB PACKS ARE NESTABLE EXCEPT FOR MODEL 1650













OP30-1601

OP30-1601MB

POLY DRUMS Product Code Description **Ext Dimensions** Capacity Ship Wt Color CEP-OP30-S 30 Gal Poly Drum Open Top Lever Lock Ring 18" Dia. X 27" H 30 Gal 15 Lbs Blue Plain Cover Straight Sided UN 1H2/Y125/S CEP-PD55-RS 55 Gal Poly Drum Open Top Lever Lock Ring 23.2" Dia X 33.8 " H 55 Gal 21 Lbs Blue Plain Cover Straight Sided UN 1H2/Y130/S CEP-PD55-OTBH 55 Gal Poly Drum Open Top Lever Lock Ring 23.2" Dia X 33.8 " H 55 Gal 21 Lbs Blue Bungs In Cover Straight Side CEP-PD55-CTBH 55 Gal Poly Drum Tight Head, 2" Nps And 2" Butress 23.3" Dia X 34.8" H 55 Gal 21 Lbs Blue Straight Side UN 1H1/Y1.9/150 CEP-PD55-1655 57 Gal Poly Drum Plastic Yellow. Lever Lock Ring 23 3/4" Dia. X 19 3/8" Btm Dia. X 39 1/8"H 57 Gal 23.5Lbs Black Plain Cover, Nestable UN 1H2/X200/X AND 1H2/Y250/S (EAGLE 1655) CEP-PD55-1655M 57 Gal Poly Drum Metal Yellow. Lever Lock Ring 23.5Lbs Black, White 23 3/4" Dia. X 19 3/8" Btm Dia. X 39 1/8"H 57 Gal Plain Cover, Nestable UN 1H2/X200/S AND 1H2/Y250/S (EAGLE 1655M) CEP-PD55-1655MB 57 Gal Poly Drum Metal Lever Lock Ring 23 3/4" Dia. X 19 3/8" Btm Dia. X 39 1/8"H 57 Gal 23.5Lbs Blue Plain Cover, Nestable UN 1H2/X200/S AND 1H2/Y250/S (EAGLE 1655MB) CEP-PD56-1656 57.5 Gal Poly Drum Plastic Lever Lock Ring 21" Dia, X 22 12" Btm Dia, X 36 3/8"H 57.5 Gal 23.5 Lbs Yellow Plain Cover, Straight Side UN 1H2/X200/S AND 1H2/Y250/S (EAGLE 1656) 57.5 Gal Poly Drum CEP-PD56-1656M Yellow. 23.5 Lbs Metal Lever Lock Ring 21" Dia. X 22 12" Btm Dia. X 36 3/8"H 57.5 Gal Black Plain Cover, Straight Side UN 1H2/X200/S AND 1H2/Y250/S (EAGLE 1656M) CEP-PD56-1656MB 57.5 Gal Poly Drum Metal Lever Lock Ring 21" Dia. X 22 12" Btm Dia. X 36 3/8"H 57.5 Gal 23.5 Lbs Blue Plain Cover, Straight Side UN 1H2/X200/S AND 1H2/Y250/S (EAGLE 1656M)









CEP-PD55-1655M









CEP-PD55-RS CEP-PD55-MB



POLY AND	STEEL PAILS				
Product Code	Description	Ext Dimensions	Capacity	Ship Wt	Color
CEP-LP1	1 Gal Poly Pail W/Hammer On Lid, 60 Mil		1 Gal		
CEP-LP2	2 Gal Poly Pail W/Hammer On Lid With Gasket		2 Gal		White
CEP-LP2-SL	2 Gal Poly Pail W/ Life Latch Lid	11.2" Dia X 10.23"H	2 Gal	1.25 Lb	White
UN 1H2/Y1.2/S					
CEP-LP5	5 Gal Poly Pail W/Hammer On Lid	11.845" Dia X 14.25" H	5 Gal	3 Lbs	White
Non UN Rated					
CEP-LP5SL	5 Gal Poly Pail W/ Twist N Lock Lid 90 Mil		5 Gal	3 Lbs	White
UN 1H2/Y3.0/S					
CEP-LP6	6 Gal Poly Pail, 90 Mil, Non UN Rated				White
CEP-LP6-LID	Hammer On Lid Ofr Lp6 Sold Separately.				
CEP-CARBOY5	5 Gal Tight Head W/70Mm T And Swing Handle	amper Proof Neck With Vent	t		
UN3H1/Y/1.8.100	- y				
CEP-SD5	5 Gal Steel Pail Black 26 Gauge With Plain Lug Cover	11.812" Dia X 13.307" H	5 Gal	2 Lbs	Black
UN/1A2/Y1.5/80	24g 0010.				

IBC TOTES

Product Code	Description	Capacity
CEP-IBCTOTE-330	330 Gal lbc Tote, New, Ball Valve	330 Gal
CEP-IBCTOTE-330-RM	330 Gal Ibc Tote, Reman, New Bottle, Used Cage	330 Gal
CEP-TOTE-275	275 Gal lbc Tote, New, 2" Ball Valve W/ Vitran Seals	275 Gal
CEP-IBCTOTE-275-RM	275 Gal lbc Tote, Reman, New Bottle, Used Cage 2" Ball Valve	275 Gal







CEP-SD5



CEP-IBCTOTE-330

STEEL OVERPACK SALVAGE DRUMS AND CARBON STEEL DRUMS

Product Code	Description	Ext Dimensions	Capacity	Ship Wt	Color
CEP-SOP110-HM1101	110 Gal Over Pack Steel Drum Open Head	30" Dia X 41" H	110 Gal	102 Lbs	Yel/Red
Bolt Ring, 1.5/1.5/1.5, UN 1A2/Y409/S	·				
CEP-SOP85-HM8501	85 Gal Over Pack Steel Drum Open Head	26" Dia X 37" H	85 Gal	80 Lbs	Yel/Red
Bolt Ring, 1.5/1.5/1.5, UN 1A2/X440/S AND 1	A2T/Y320/S				
CEP-SOP85	85 Gal Over Pack Steel Drum Open Head	26" Dia X 37" H	85 Gal	75 Lbs	Gray/Red
Bolt Ring, 1.2/0.9/0.9 UN 1A2/Y440/S	Brain opon rioda	20 3.4 7.07 11	oo ou.	7 0 200	o.aym.ca
CEP-SD20-HM2001	20 Gal Salvage Steel Salvage Drum	18.25"Dia X 19.25"H	20 Gal	30 Lbs	Yel/Red
CEP-SD55OH-NEW	55 Gal Steel Drum Open Head Plain Cover		55 Gal	48 Lbs	Blk/Wht
CEP-SD55OHBH-NEW	55 Gal Steel Drum Open Head W/Bung Cover		55 Gal	48 Lbs	Blk/Wht
CEP-SD55THNEW	55 Gal Steel Drum Tight Head,1.1/.8/1.1 Gauge		55 Gal		Blk/Wht
UN 1A1/X1.8/300	110au, 1.17.0/1.1 Gaugo		00 001		Diloviile
CEP-SOP30-CQ3002	30 Gal Steel Drum Open Head Plain Cover		30 Gal		Blk/Wht
UN 1A2/X200S & 1A2/	Y1.5/150				
CEP-SOP10-OT	10 Gal Steel Drum Open Head Plain Cover	14" Dia X 17" H	10 Gal	14 Lbs	Blk/Wht
0.9/0.9/0.9					

UN 1A2/X120/S AND 1A2/Y1.8/150 Other Sizes Available Upon Request



OVER PACK STEEL DRUMS



STEEL DRUMS

FIBER DRUMS & FLUORESCENT LAMP CONTAINERS

Product Code	Description	Capacity	
CEP-FIB55	Fiber Drum	55 gal.	
CEP-FIB30	Fiber Drum	30 gal.	
CEP-FIB4	Fiber Drum For 4' Lamps		
	Holds Approx. 70 Bulbs		
CEP-FIBDRUM6-8	Fiber Drum For 6-8' Lamps		
	#VTT75-66		



Fiber drums are ideal for fluorescent lamp bulb disposal and non-haz waste incineration.

DRUM PUMPS

Product Code Description

CEP-HANDPUMP22 PETROLEUM HAND PUMP

PVC Stroke pump for petroleum, polyurethane valves, buna-n-seals, reinforced vinyl hose. Do not use with hot liquids. Not UL-Listed. Fits steel drum 2" NPS, 3' long hose, 1 1/4" D hose. Ship wt. 5 lbs.

CEP-PUMP-P50PX ECONO DRUM & PAIL PUMP

Polypropylene/polyethylene construction. Exceptional resistance to corrosive chemicals, non-flammable solvents. Fits 2" and 3/4" NPS, 16 oz. per stroke. Not recommended for chlorinated products. Fits 5-55 gallon drums. Tube must be cut to fit 15 or 30 gallon drums. Ship wt. 2 lbs.

CEP-PUMP-BR150 HIGH OUTPUT PISTON PUMP

Durable diecast aluminum housing, s/s liner and piston shaft. Easy grip, lockable handle, telescoping suction tube fits 15-55 gallon drums with 2" NPS bung. For petroleum based liquids, UL-Listed for flammables, up to 20 gallons per 100 strokes. Includes a 5/8"x8' hose with an imbedded static wire and an aluminum nozzle. Ship wt. 15 lbs.

CEP-PUMP-P60P LEVER ACTION POLYPROPYLENE DRUM PUMP

Handles viscous liquids up to 12,000 cPs, delivers 10 ounces per stroke. Unique lever-action pumps up to 6 gallons per minute, handles liquids equivalent in viscosity to SAE90 oil. Telescoping suction tube adjusts to fit 15-55 gallon drums. Fits 2" NPS bung. Self venting spout rotates 360 degrees for versatile dispensing. Not for use above 125 degrees F or with heated drums. Ship wt. 4 lbs.


HANDPUMP22



PUMP - P50PX



PUMP - BR150



PUMP - P60P



975M



272301

DRUM ACCESSORIES

Product Code Description

CEP-POLYFAUC2 POLY FAUCET 2"

2" Polyethylene faucet with EPDM Gasket large bore for fast dispensing of fluids. Good for viscous non-corrosive fluids.

CEP-POLYFAUC75 POLY FAUCET .75"

.75" Polyethylene faucet for use with non-flammable, non-corrosive thin liquids not suitable for heavy oils.

CEP-273108 PAIL TIPPER

Steel pail tipper is used for manually dispensing liquid from 5-gallon steel or plastic pails. Easy assembly, ships knock down and boxed. Ship wt 10 lbs. Capacity 70 lbs. adjustable locking chime stop, dispensing height 10". Assembled overall dimension: 14 1/2"W x 14 1/2" D x 30" H.

CEP-240042 PT PAIL TRUCK

Handles up to four standard steel or plastic 5-gal pails. Ergonomic design eliminated the need to stack pails on a nose plate. 10" semi-pneumatic wheels. Capacity 500 lbs. Ship wt. 40 lbs.

CEP-RWA ALUMINUM NON-SPARKING DRUM WRENCH
CEP-975M BRONZE ALLOY NON-SPARKING DRUM WRENCH
CEP-272301 100% NON-SPARKING DRUM DEHEADER

CEP-272301 TOU% NON-SPARKING DRUM DEHEADER
CEP-272302 REPLACEMENT BLADE FOR #272301
CEP-272083 FAUCET ZINC DIE CAST ALLOY FAUCET,

.75" NPT connection with flame arrestor, can be padlocked, self closing design, FM approved for non-viscous liquids. Viton gasket. Sold in packages of 10.

CEP-272080 FAUCET ZINC DIE CAST ALLOY FAUCET,

.75" NPT connection no flame arrestor, can be padlocked, self closing design, FM approved for non-viscous liquids. Viton gasket. Sold in packages of 10.

CEP-272037 FAUCET HEAVY DUTY BRASS FAUCET,

.75" NPT connection, Teflon gasket, self closing design. Adjustable shank designed to easily adjust to proper drain position after installing drum. Internal flame arrestor. FM approved for use with oil (under 30 SAE) and non-corrosive flammable. Sold in packages of 2.

CEP-272038 FAUCET HEAVY DUTY STAINLESS STEEL.

Internal flame arrestor. FM approved for use with oils (under 30 SAE) and non-flammable, compatible with stainless steel. Adjustable shank designed to easily adjust to proper drain position after installing in drum. .75" NPT connection, Teflon gasket.

CEP-272034 HEAVY DUTY GATE VALVE 2" BRASS

FM approved for use with viscous non-corrosive fluids heavier than 30 SAE. Fast, self-closing Teflon blade. 2" NPT connection.

CEP-BP-1 BARREL PATCH 5"X7"x6' STRAP
CEP-BP-2 BARREL PATCH 5"X7"X11' STRAP
CEP-BP-3 BARREL PATCH 5"X7"X 27'STRAP

Leakproof patch, tough nylon belt fits areound 55 gallon drum. Easy to use, ratcheting buckel ensures a tight seal. Cleans easily with soap and waters. Comes in portable case for easy storage and transportation.



272034



273108



240042



BARREL PATCH





GROUNDING WIRES & CABLES



Product Code Description CEP-CLAMP-GATP Aluminum Clamp w/ Quick Release Harness CEP-CLAMP-G40P Bronze Clamp, (2) SIS Points w/ Chain Release #REB2960 Grounding Clamp CEP-GRDGCLAMP-REB W/SSTL Points CEP-C-CLAMP-EP-1 C-Clamp CEP-C-CLAMP-EP-2 C-Clamp CEP-C-CLAMP-EP-3 C-Clamp CEP-GRDGASSY-R1 #R-1 Grounding Assy w/3' SS Cable and, 2 Reb Clamps CEP-CABLEREEL-R20 Cable Reel w/ 20' Cable & R&B Clamp CEP-RETACLMP-10-2 #RAC10 Retract A Clamp w/10' Cable and Reb Clamp CEP-CABLE-RAC10 #RAC102 Cable, Cable Only, 10' Length Less Clamp CEP-RETACLMP-RAC20 #RAC20 Retract A Clamp

CEP's grounding wires and cables are ideal for creating a static resistant setting for transfer of fluids from all metal containers and tanks.


20' of Cable and GAT-P Clamp

CABLEREEL-R20









CLAMP-GATP



CLAMP-G40P



C-CLAMP



RETACLMP-10-2





PIPE, VALVE & HOSE CONTAINMENT

Product Code	Description	
CEP-PCC 301 CEP-PCC 303 CEP-ROUNDUP42	Poly Containment Poly Containment Round Up	24" x 24" 36" x 36" 42" x 42" x 12"





Product Code Description

CEP-9709 DOLLY No Collar CEP-9713 DOLLY w/Collar CEP-DOLLY-433S

Drip catching drum dolly - no collar Drip catching drum dolly w/collar 30 Gallon Drum Dolly

EXCELLENT DRUM SPILL COLLECTION



CEP-9713 DOLLY W/COLLAR

HAND TRUCKS

Product Code	Description
CEP-DTRUCK-1500	EZY Rol 2-Wheel Drum Truck 30 and 55 Gallon Drums
CEP-DTRUCK-2175	EZY Rol 4-Wheel Drum Truck 30 and 55 Gallon Drums



DTRUCK-1500



DTRUCK-2175

ULTRA DRUM TRAYS

• 55 and 30 gallon drums.

Product Code	Description	
CEP-1045	Drum Tray® No Grate	32" x 27 1/8" x 8 1/8"
CEP-1046	Drum Tray® With Grate	32" x 27 1/8" x 8 1/8"
Drum Trays		







PORTABLE LIFTS

Product Code	Description
CEP-VERSA-LIFT	Manually propelled Floor Truck. 800lb. capacity.
CEP-ROTO-LIFT	Rotating Drum Handler Manually Propelled
CEP-RAPTOR-8575	Raptor Barrel Hawk
CEP-ROTOGRIP-78 CEP-ROTOGRIP-90	Roto-Grip Lifts and Rotates Drums and Cylinders 18-24" with electric clamping jaws Choose from 78" or 90" Model.
CEP-ROTOGRIP-CW78 CEP-ROTOGRIP-CW90	Counter weighted Rotogrip lifts and Rotates Drums 360° Choose 78" or 90" High Model







ROTO-LIFT



RAPTOR-8575



ROTOGRIP-78



ROTOGRIP-CW78

POLY-TOPS

Product Code	Description
CEP-2030-TARP	Poly-Top for 20 and 30 Gal. Poly-Overpack
CEP-6595-TARP	Poly-Top for 65 and 95 Gal. Poly-Overpack
CEP-1259-TARP	Poly-Top for 50 Gallon Wheeled Poly-Overpack
CEP-1299-TARP	Poly-Top for 95 Gallon Wheeled Poly-Overpack

- UV-inhibitors resist the effect of weathering
- Constructed of High Density Polyethylene fabric








LIFT TRUCK ATTACHMENTS

Product Code	Description
CEP-VERSAGRIP-89701	VERSA GRIP II Self-Powered Hydraulic Fork Lift Attachment
CEP-DSNATCHER	Gravity Actuated Mechanical Drum Snatcher for 55 Gallon Steel Drums



DSNATCHER



VERSAGRIP-89701

ULTRA FUNNELS-POLYETHYLENE®

ULINA I	-UNNELS-PUL	, , , , , , , , , , , , , , , , , , ,
Product Code	Description	Dimensions
CEP-0482	Bung Access Funnel W/ Spout	23 5/8" x 5 1/2"
CEP-0488	Bung Access Funnel No Spout	23 5/8" x 5 1/2"
CEP-0484	Bung Access Funnel W/ Spout, Hinged Cover	29" x 26 3/4" x 9 1/2"
CEP-0487	Bung Access Funnel No Spout, Hinged Cover	29" x 26 3/4" x 9 1/2"







ULTRA FUNNELS-POLYETHYLENE®



Product Code	Description	Dims
CEP-0471	Universal Funnel W/ Spout	25" x 6"
CEP-0476	Snap-on Cover Optional	
CEP-0497	Global Funnel W/ Spout, No Cover	13 lbs.
CEP-0499	Global Funnel W/ Spout, Hinged Cover	18 lbs.
CEP-9985	Pop-up Fill Gage Optional	
CEP-0498	Snap-on Cover Optional	



ULTRA OPENHEAD FUNNEL

Product Code	Description	Dimensions
CEP-0460	For Drums 22 1/4" – 23 1/2" dia.	24 1/2" dia. x 11"

Replaces drum lid allowing convenient drum access for pouring, collection rags, and soiled absorbents.





ULTRA BURP FREE FUNNEL

Product Code	Dimensions	Weight
CEP-0656	22" OD x 11 1/2"H	8 lbs.
CEP-0651	13 3/8" OD X 11" H	5 lbs.

- Built-in vent No more splashing or "burping" when pouring liquids!
- Threaded brass insert screws into 2" drum bung.
- All polyethylene construction won't rust or corrode provides excellent chemical resistance.
- Hinged, lockable lid prevents unauthorized access.
- New, larger style provides bigger pouring area and easy access.



UNIVERSAL POLY-DRUM FUNNELS

Product Code	Description	Dimensions
CEP-3004-YE	Funnel	26" x 5.5" x 4"
CEP-3004-YE-SF	Safety Funnel	26" x 5.5" x 4"
CEP-3040-YE	Funnel Cover	26" x 5.5" x 4"

Funnel

- Funnel fits both closed and open head 55 gallon drums and other containers.
- Exclusive feature patented scalloped design, high side walls & bung fitting holders.

Safety Funnel

Safety funnel has a non-sparking safety bung closure with flame arrestor.

Cover

· Optional lockable cover (lock not included.)







DRUM ACCESSORIES

Description
Overpack Dolly
Drum Lifter
Horizontal Drum Lifter



· Safety first.

		40" -"
CEP-1660	Drum Funnel	18" x 7"
CEP-1662	Drum Funnel	18" x 7"
	With Screen	
CEP-1664	Drum Funnel	18 1/2" x 5"
	Cover	
CEP-1666	Drum Cover-	23" x 5"
	Closed Head	
CEP-1667	Drum Cover-	24" x 5"
	Open Head	
CEP-1670	Drip Pan	10 1/2" x 10 1/2 x 3"
32070	2	10 1/2 X 10 1/2 X 0

Drum Covers

· Dome shaped design keeps water contaminants from accumulating on drum head.











Product Code Description

CEP-Q-VAC Q-Vac™100

CEP-Q-VAC PLUS Q-Vac™100 w/Spill Scooter

- Fits on a standard 55 gallon, closed-top drum.
- · Requires no filters.
- · No moving parts to break or replace.
- · Pumps liquid directly into drum.
- · A liquid overflow shut-off valve ensures vacuum automatically turns off when full.







DRUMVAPORLOCKS®

Product Code	Description	Dimensions
CEP-0440	Ultra-VaporLock W/ Fill Tube	35 1/2" x 1 3/4"
CEP-0444	Ultra-VaporLock No Fill Tube	6" x 1 3/4"

Eliminate vapor escape while decanting wastes.



DRUMVAPORLOCKS



DRUMLIFTERS

DRUMLIFTERS®

Product Code	Description	
CEP-0409	DrumLifter	Load Capacity:1000 lbs.

WRINGERS

Product Code Description

CEP-WRINGER100 Manual Wringer




12" x 1" Dia Rolls



- · Wring and reuse sorbent pads or towels. · Mountable on open-head drums, tubs or boards.
- · Excellent for carwashes.
- · Built for heavy-duty, long life and low maintenance.
- Constructed with sturdy steel frame and springs.







DUST COVER

Product Code	Description
--------------	-------------

CEP-DUSTCVR Drum Dust Cover For 55 Gallon Drum 100/cs

Keep you drum tops clean from dust, dirt and moisture with this inexpensive drum top (shower cap) cover. The sewn elastic band keeps cover securely in place but easy to remove.

4 Mil. Polyethylene, Non Breathable, Clear Sold by the case



ULTRA TANKER TOURNIQUETS®

Product Code	Description	Dimensions
CEP-2000	Magnetic Model	15 3/4" x 32 1/4" x 3 1/4"

Magnetic Model

- · 8 magnets.
- · Spark resistant assembly for use on steel surfaces.





Minimize environmental damage, protect lives and save the load!

ULTRA DRUM TOURNIQUETS®

Product Code	Description	Dimensions
CEP-2010	Magnetic Model	22 1/2" x 6 1/2" x 2 7/8"
CEP-2013	Universal Model	22 1/2" x 6 1/2" x 2 7/8"

Both models have stainless steel backing plate.





SEALANTS - EPOXY PIPE REPAIR

















HAZ-MAT BOXES

Product Code	Description	MONEY
CEP-BOX-HSCMEGA3	Cubic Yard Box Kit W/ Lid, Liner & Nail Kit	
CEP-BOX-RSCMEGA3	Cubic Yard Box Kit W/ Liner & Nail Kit	
CEP-LINER-6	Replacement Liner, 6 m	il, Black



CEP's cubic yard waste boxes are all tri-wall in construction, contain lid, liner, and nail kit.

Rated for packing groups I,II, & III



LAB PACK BOXES

Product Code	Description	Dimensions	Wt. Cap	
CEP-LABBOX-5	Lab Pack Box 5 Gallon W/Liner	10"X10"X12"	40 Lb	160/Pallet
CEP-LABBOX-10	Lab Pack Box 10 Gallon W/Liner	12 1/2" X 12 ½" X 14 7/8"	88 Lb	160/Pallet
CEP-LABBOX-20	Lab Pack Box 20 Gallon W/Liner	16" X16"X 19 ¼"	165 Lb	80/Pallet
CEP-LABBOX-30	Lab Pack Box 30 Gallon W/Liner	16"X16"X 29"	250 Lb	80/Pallet
CEP-LABBOX-55	Lab Pack Box 55 Gallon W/Liner	21 ¼" X21 ¼" X30"	350 Lb	80/Pallet

- 2 Wall Corrugated Box
- 4 Mil Liner
- UN Approved For Packaging Group I, II, III
- X Rated



GREEN CORRUGATED DRUMS

Product Code	Description	Dimensions	Wt. Cap.	Tare Wt	
CEP-GRNDRUM-17 Stacks 12 High When I	Green Drum 17 Gallon Full	14.5" High X 22.5" Dia.	200 Lb	10 Lb	4/Pallet
CEP-GRNDRUM-25 Stacks 8 High When F	Green Drum 25 Gallon ull	19" High X 22.5" Dia	275 Lb	13 Lb	4/Pallet
CEP-GRNDRUM-35 Stacks 6 High When F	Green Drum 35 Gallon ull	26.5" High X 22.5"Dia	325 Lb	15 Lb	4/Pallet
CEP-GRNDRUM-55 Stacks 3 High When F	Green Drum 55 Gallon ull	39" High X 22.5" Dia	500 Lb	20 Lb	4/Pallet

- · Made Of 35% Recycled Fiber
- · Y Rated For Packing Groups II And III
- 3 Layers Corrugation
- Drums 100% Incinerable
- · Lever Locking Bands Can Be Recycled & Reused
- · Conveniently Rolls On Edge
- · Designed To Fit 4 Per Pallet
- · Includes Drum And Lid Fully Assembled
- · 6 Mil Polvethylene Liner
- · Lever Locking Band And Zip Tie



GRNDRUM-17



GRNDRUM-25



GRNDRUM-35



GRNDRUM-55

UN/DOT APPROVED

HAZ-MAT CONTAINERS

Product Code

CEP-CLEANSAK36

Description

Clean Sak, With Liner 36"X36"X36", 2000 Lb Cap

UN Approved

CEP-FLEXPAK

• 3 Mil Inner Polyethylene Liner

• 4-10" Lifting Loops • Duffle Closure

Flex Pak. With Liner 36"X36"X36", 3000 Lb Cap 20/Pallet

Dimesions

- · UN Approved For Packing Groups I, II, III
- Polypropylene Layers Enveloping 4 Rigid Corrugated Panels
- 6 Mil Polyethylene Liner
- · Duffle Top



CLEANSAK36



FLEXPAK

For hazardous waste, the bulk boxes we offer are rated for all UN/DOT transport requirements of all hazardous solids and liquids.

ANTISEPTIC BIO-HAND CLEANER

Product Code	Description		HQ
CEP-HC-17350 CEP-HC-17357	4 oz. Bottle 64 oz. Bottle	24/cs 8/cs	HIGHEST QUALITY
SOLD IN CASE QUA	ANTITIES ONLY		

- Other sizes available upon request.
- Available in Fresh Scent or Citrus Scent.



ANTIMICROBIAL WIPE

Product Code	Description	
CEP-PAWS-34400	Individually Wrap Towelette	100/Box
CEP-PAWS-34405	Tub Dispenser	50 Ct.
CEP-PAWS-34410	Tub Dispenser	160 Ct.
SOLD IN CASE QUANTITIES ONLY		

Help reduce the risk of cross-contamination and infection.



LENS CLEANER

Product Code	Description		
CEP-LC-37000	Lens Cleaner Wipes	100/Box	
SOLD IN CASE QU	ANTITIES ONLY		



ANTIMICROBIAL HANDWASH

Product Code	Description	
CEP-SW-34450	8 oz. Bottle	24/cs
CEP-SW-34452	16 oz. Bottle	12/cs
CEP-SW-34455	1 Gal. Bottle	4/cs
SOLD IN CASE QUANTITIES ONLY		

- Contains PCMX antimicrobial action and aloe vera to moisturize hands.
- · Meets PIC and OSHA standards.



SANIZIDE PLUS DISINFECTANT, CLEANER & DEODORIZER

Product Code	Description	
CEP-SZ-2	2 oz. Spray Bottle	24/cs
CEP-SZ-16	16 oz. Trigger Sprayer	12/cs
CEP-SZ-32	32 oz. Trigger Sprayer	6/cs
CEP-SZ-1	1 Gallon Bottle	4/cs
SOLD IN CASE QUA	ANTITIES ONLY	



NATURES WAY HS SPILL RESPONSE/BIOREMEDIATION



Product Code	Description		
CEP-NW5 CEP-NW55	5 Gallon Pail 55 Gallon Drum		
CFP-NWBUI K	Bulk Tote		

- · U.S. EPA listed as a surface washing agent
- · Certified for use in California by the SCAQMD
- Reduces or eliminated VOC's, eliminates sheens on contact
- · Eliminated oily residues and odors after rinsing
- Reduces slippery conditions and vapors during application
- Patented non-toxic formula facilitates microbial growth
- Non-irritating to skin, harmless to vegetation and wildlife
- Used by major corporations and US military for over 10 years.



DIAMOND: ALL PURPOSE INDUSTRIAL CLEANER/DEGREASER

Product Code	Description
CEP-DIAMOND-5	5 Gallon Pail
CEP-DIAMOND-55	55 Gallon Drum
CEP-DIAMOND-BULK	Bulk Tote

- Replaces strong industrial alkaline cleaners
- 100% Biodegradable, will not harm microbes in sewers or water treatment systems at high dilution
- Dissolves and removes heavy layers of grease, grime, carbon, and soot with minimum effort
- Economical concentrate, water based, biodegradable
- Allows for faster restoration of heavily stained concrete, rocks, and gravel
- Economical to use. More concentrated than typical alkaline cleaners
- Excellent for use with pressure washers or in mop buckets



K-GOLD: NON PETROLEUM SOLVENT

Product Code	Description
CEP-GOLD-5	5 Gallon Pail
CEP-GOLD-55	55 Gallon Drum
CEP-GOLD-BULK	Bulk Tote

- · Low odor, non flammable.
- · Replaces strong petroleum and citrus solvents.
- Non toxic, no VOC's, fumes, odors, or pungent scent
- · Non-flammable, flash point over 280 degrees F.
- Meets or exceeds citrus and solvent performance
- · Economical. Priced below competing products
- · Rinses off completely with water
- 100% Biodegradable, environmentally friendly
- Harmless to microbes in sewers and water treatment
- Used for food based materials, including water resistant greases, tough carbon, tar, and asphaltic materials, mastics, rubber marks, graffiti and many industrial protective coatings.



EMERALD: SUPER INDUSTRIAL CLEANER/DEGREASER

Product Code	Description
CEP-EMERALD-5	5 Gallon Pail
CEP-EMERALD-55	55 Gallon Drum
CEP-EMERALD-BULK	Bulk Tote

- Non-hazardous, non toxic, non flammable, no VOC's
- Mild PH, no butyls, no bleach, no ammonia, non abrasive
- Economical concentrate, water based, biodegradable
- · Safe alternative to harsh chemicals and solvents
- Powerful and quick. Cuts through grease, soot, grime
- · Rinses easily, leaving no resides- or wipe dry
- Non toxic to microbes used in waste water treatment
- Reduces health and environmental related liabilities



CLEANERS AND SOLVENTS

Product Code

Description

CEP-MARINEDBLUE-5

Marine Blue Clean 5 Gal

Dispersant listed on the EPA NCP schedule used to break up oil slicks on the water surface and increase the oil's rate of biodegradation. Ranked as one of the least toxic on the EPA NCP schedule, ideal for emergency responders. Comes in an easy to use, easy to pour 5 gal bucket

CEP-MARINEGREEN-5

Marine Green Clean 5 Gal

Washing agent...listed as one of the least toxic surface washing agents on the EP NCP schedule. It is used to safely clean and remove oil from solid surfaces such as beaches, rocks, piers, pilings,rubber boots and gloves, boats and ships. Comes in easy to use, easy to pour 5 gal pail.



Marine Green Clean Plus 5 Gal

Washing agent...listed as one of the least toxic surface washing agents on the EP NCP schedule. When you need an extra punch for cleaning and removing heavy oil from shore lines, boats and ships, this is the cleaner of choice. Has a pleasing lemon fragrance. Comes in an easy to use, easy to pour 5 gal. bucket.

CEP-SPEEDYGREEN-5

Speedy Green, 5 Gal

Multi-purpose environmentally friendly cleaner designed for every day cleaning of concrete, floors, equipment as well as spill response. Safe for use on metals. Comes in an easy to use, easy to pour 5 gallon bucket

CEP-WINCLEAN-5

Win Clean

Biodegradable Industrial glass and mirror cleaner that is ammonia free. It is designed to clean windows without streaks. Comes in an easy to use, easy to pour 5 gallon bucket.

CEP-BIODESOLV-5

Bio Desolv 5 Gal

Versatile biodegradable natural degreaser used to quickly remove excess grease build up. It is an excellent cleaner for difficult oily surfaces as well as tar and asphalt. Comes in an easy to use, easy to pour 5 gallon bucket

CEP-EMU5

Bunker "C" Solvent, 5 Gal

Liquid product containing chlorinated hydrocarbons, penetrants, cresols, wetting agents and inhibitors formulated specifically for removing hard carbon deposits and carbon-gum residues.



CEP-EMU5



CEP-MARINEDBLUE-5



CEP-MARINEDGREEN-5



CEP-MARINEGREENPL5



MICROBLAZE AND MICROBLAZE OUT

Product Code	Description	
CEP-MICROBLAZE-55	Microblaze	55 gal. drum
CEP-MICROBLAZE5	Microblaze	5 gal. container
CEP-MICROBLAZE-OUT	Microblaze	5, 55, 250 gal.



BIO REMEDIAL



CEP offers a full line of maintenance chemical cleaners, degreasers and lubricants. Oil spill dispersant cleaners and microbial action that acts on chemicals are also available.

WIPES & RAGS

Description MONEY Q	UALITY
1/4 Fold Air Laid Wipes 12"x13"	800/cs
Rags, Colored	50 lbs. box
Rags, Fleece Colored	50 lbs.
Colored Sweatshirt, Recycled	25 lbs. box
Recycled Colored Knits	25 lbs. box
Colored Fleece, New	25 lbs. box
White Sweatshirt, New	25 lbs. box
Bleached Knit Wipers	25 lbs. box
Red Shop Towel-Washed	25 lbs. box
White T-Shirt, Recycled	25 lbs. box
Scrubs in Bucket, 72/Bucket	6 Buckets/cs
	1/4 Fold Air Laid Wipes 12"x13" Rags, Colored Rags, Fleece Colored Colored Sweatshirt, Recycled Recycled Colored Knits Colored Fleece, New White Sweatshirt, New Bleached Knit Wipers Red Shop Towel-Washed White T-Shirt, Recycled





CEP's wipes, rags and shop towels are the most cost-effective MRO clean room sorbents. Soft tissue wettable wipes are also available.

TOOLS/BRUSHES/MOPS

Product Code	Description
CEP-SCOOP-6400	Scoop, Plastic, Small 32 oz
CEP-SCRAPER	Scraper, Hand, Plastic
CEP-NSSHOVIR	Large Scoop Non-Sparking Shovel
CEP-NSSHOV-6880EB	Small Scoop Non-Sparking Shovel
CEP-SQ18-HEAD ONLY	Squeegee 18" Plastic,
CEP-SQHANDLE-60	Wood Handle For Squeegee
CEP-PSHBRM-24HD	Push Broom Head Only
	24" Wood Block w/ Plastic Bristles
CEP-NSTOOLKIT-BC5	Tool Kit Non-Sparking #M47 6 Pc









WATER SCRUBBER

Product Code	Description	Dimensions
CEP-4305-WS	5-Gallon	13"X13"X17"
CEP-4305-WS-RF	5-Gallon Refill	
CEP-4350-WS	50-Gallon	24"X24"X45.5"
CEP-4350-WS-RF	50-Gallon Refill	A'


AVAILABLE IN 5 AND 50 GALLON DRUMS

Clean your contaminated water!

The ENPAC Water Scrubber is a simple yet highly effective product designed for the removal of oil from water. Contaminated water is purified by replaceable absorbents intended to capture hydrocarbons from collected liquid. Simply pour oil contaminated water into the unit and allow the decontaminated water to flow from the 3/4" drain located at the bottom of the unit.



BUTT CANS









ULTRA SMOKING RECEPTACLES

Product Code	Description	
CEP-1530 CEP-1532 CEP-1533	SmokeStop Only	Cactus Green Top / Terra Cotta Base Beige Gray

Nautical 1 CEP-1540 2 CEP-1542 Nantucket 3 CEP-1554 Roman Column







Attractive designs compliment any office, factory, restaurant, hotel or resort.



DECORATIVE SAFE SMOKERS™

Product Code	Description	Dimensions	Weight
CEP-1212Beige	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
CEP-1212Black	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
CEP-1212Gray	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
CEP-1213Beige	Safesmoker Classic	12.5" base dia. x 37" h	18 lbs
CEP-1213Black	Safesmoker Classic	12.5" base dia. x 37" h	18 lbs
CEP-1213Gray	Safesmoker Classic	12.5" base dia x 37" h	18 lbs.
CEP-1214Beige	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs
CEP-1214Black	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs.
CEP-1214Gray	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs.



ULTRA-SMOKESTOP SMOKING RECEPTACLES

Product Code	Description	Dimensions	Weight
CEP-1555	SmokeStop, Golf Ball Model	49" H x 14" D	12 lbs

Golf Ball Model

- · Polyethylene construction will not rust or corrode
- · Design minimizes smoke exit and water entry
- Unique odor-absorbing and fire suppressing filter available
- 4-gallon steel pail holds over 3,000 cigarettes easily removed and cleaned





Attractive designs complement any office, factory, restaurant, hotel or resort

SAFETY RAIL PROTECTORS



Product Code	Description
CEP-C-1 CEP-C-2 CEP-C-3	Single Rail Application – 18" Column Dual Rail Application – 42" Column Triple Rail Application – 42" Column

(For rail dimensions, se	ee graphic at right.)	Dim. A	Dim. B	Dim. C
CEP-R-10	10' Rail	115-7/16"	120"	130"
CEP-R-9	9' Rail	103-7/16"	108"	118"
CEP-R-8	8' Rail	91-7/16"	96"	106"
CEP-R-7	7' Rail	79-7/16"	84"	94"
CEP-R-6	6' Rail	67-7/16"	72"	82"
CEP-R-5	5' Rail	55-7/16"	60"	70"
CEP-R-4	4' Rail	43-7/16"	48"	58"







ULTRA SIDEWINDER CABLE PROTECTION SYSTEM

Product Code	Color	1-Ft. Ext. System	24-Ft. Ext. System
CEP-1800	BLK/YELLOW	1801	1820
CEP-1802	BLACK	1803	
CEP-1804	BROWN	1805	
CEP-1806	GRAY	1807	
Duete et Canda ana	Cables and Ausid D	anaaraua	. Maximum

- Protect Cords and Cables and Avoid Dangerous Tripping Hazards.
- 3- Foot Systems 40"L x3" W x 3/4" tall (SMALL)
- 1- Foot Systems 12" L x 3" W x 3/4" tall (SMALL)
- 24-Foot Systems 292" L x 3" W x 3/4" tall (SMALL)
- Internal channel opening 3/4" wide x 3/8" high
- Maximum Weight Capacity: 2,000 lbs/sq.in.
- Articulating piece connection make it possible to turn unit around obstructions or to create a change in direction. Maximum turn per segment is approximately 8-10- degrees.

ALSO AVAILABLE IN MEDIUM AND LARGE



RACK GUARD

		Fits	
Product Code	Dimensions	Racking	Wt.
CEP-1702	6"X5"X8"	1.5"X3"	2 lb.
CEP-1703	6"X5"X8"	3"X3"	2 lb.

Eagle Rack Guard is designed to help prevent rack and shelving damage from forklifts and pallet trucks. Quick and Easy snap on design, these models require no tools to install and can be stacked for a desired height to comply with the international standard of 16".

Color: Yellow



BARRICADE SYSTEMS



Product Code	Description	QUALITY
CEP-1840PEDX	Ped-X Barricade, Lim	ne, Ped-X-ing Sheeting
CFP-1840NS	Ped-X Barricade Lim	ne No Sheeting

Barricades fold flat for easy transport.



ULTRA PROTECTORS



Product Code	Description	QUALITY
CEP-1525 CEP-1526	Post Protectors Post Protectors	For 4" posts– 4 1/2" dia. x 52" For 6" posts– 6 5/8" dia. x 52"
CEP-1521 CEP-1523 CEP-1522	Beam Protectors Corner Protectors Wall Protectors	7 1/2" x 8 1/2" x 36" 5 3/4" x 5 5/8" x 42" 2" x 6" x 48"

Post Protectors

- Come in custom colors for the top cap and bottom.
- Preformed channel in top of post can be used for promotional or cautionary signage.

Beam Protectors

• Modular design — install in "stacked" mode to protect from high-reaching equipment.

· Special designed groove allows for easy install.

Corner and Wall Protectors

· Buffer your facility from material handling damage.



BOLLARD POST & SLEEVE COMBOS

Product Code	Description	Bollard Dims.	Post Sleeve	Item	Weight
1743PS	4" Round Bollard Post w/4" Smooth Post Sleeve	36"h x4.5" dia.	5" dia. X 36"h	2	50lbs.
1744PS	4" Round Bollard Post w/4" Smooth Post Sleeve	42"h 4.5" dia.	5"dia. x 42" h	2	55 lbs
1764PS	6" Round Bollard Post w/6" Smooth Post Sleeve	42"h x 6.625" dia.	7" dia x 42" h	2	77 lbs



Product Code CEP-1706	Description Column Protector For 6" Column	24" x 24" x 42"		4
CEP-1708	Column Protector For 8" Column	24" x 24" x 42"	9	
CEP-1710	Column Protector For 10" Column	24" x 24" x 42"	3	
CEP-1712	Column Protector For 12" Column	24" x 24" x 42"		9
CEP-1738	Post Protector			
CEP-1720	Sm. Corner Protectors	21" H, 5 lb. ea. Set of 2		
CEP-1725	Lg. Corner Protectors	42" H, 10 lb. ea. Set of 2		
	is your "One St			







CLEARANCE BARS

Product Code	Description	Dimenstions	Weigh
CEP-1780	5" Clearance bar	5" dia x 76"	7 lbs
CEP-1781	7" Clearance bar	7" dia x 77"	9 lbs

Chain not included.



POST SLEEVES

Product Code	Description	Dimensions
CEP-POSTSLV-1732	4" Post Sleeve	
CEP-POSTSLV-1730	6" Post Sleeve	
CEP-POSTSLV-1738	8" Post Sleeve	
CEP-POSTSLV-1730-72	6" Post Sleeve	72"H
CEP-POSTSLV-1738-72	8" Post Sleeve	72"H

• Standard color is yellow.

Add:
W=White R=Red GN=Green OR=Orange
LM=Lime BR=Brown Blk=Black
to part number.



POLY CURB RAMP

Product Code Description Dimensions

CEP-CRAMP-1794 Poly Curb Ramp 28"Wx27"Lx4"H







HOSE BRIDGES

Product Code Description





CEP-HBRIDGE2472 Hose Bridge 24" x 72" x 5 1/2"

- · Low angle profile and wide for easy access.
 - All cars.
 - Fire rescue.
 - Apparatus and heavy trucks.
- · Recycled plastic.
- · NOW with 6 hose openings! Two 5", two 4", two 3".
- In plant use:
 - Welding cables.
 - Electrical conduit.
 - Water lines.
 - Hydraulic lines.
 - Air lines.
 - Steam lines.

Industrial use — water department, electrical/ gas/phone utilities, construction.







FLOOR MATS & GRATES

Product Code Description CEP-DRIDEK3 3' x 4' Grating








CEP's line of floor matting and grates are both anti-fatigue and durable for high traffic or work areas. Dri-decking is lockable for continuous sizes.

CUSHION TILE SYSTEMS

Product Code Description

CEP-MAT12X2 Modular Safety Station Mats



- Anti-fatigue, 3/4" thick supported by 81 "mini shock absorbers."
- · Interlocking "waffle grid" allows maximum drainage.
- Modular 12" x 12" tiles fit snugly together to create any size mat.
- 2 3/4" ramps or new extra-wide 6" ramps.
- 100% recycled plastic.
- Specify color and surface style.
- Choose from 13 eyecatching colors.
- Tiles available in 8 styles.
- Standard.

- Carbide Grit Top®.

HQ HIGHES1

- Encapsulated Dura Grit®.
- Conductive and Static Dissipative.
- Super Tough.

- Solid Tile.
- Super Soft. - Tuft Stuff Carpet. Tile®

- Pre-assembled workstations in 9 sizes.
- 30" x 36"
- 30" x 48" - 30" x 60"
- 30" x 72"
- 30" x 96"
- 42" x 60" - 42" x 72"
- 42" x 96"
- 42" x 120'








Houston • Atlanta • Los Angeles • New York • Indianapolis • New Orleans Vancouver · Calgary · Toronto · Montreal · Newfoundland · Nova Scotia Phone Toll-free 800.444.4237 Fax Toll-free 866.922.1690











CEP's tarps & slings are fire retardant and UV resistant for all weather conditions.





SAFETY FENCING

Description **Product Code**

Dimensions

CEP-FENCING-100 Safety Fencing 4' x 100'







CONSTRUCTION SAFETY

Product Code Description

CEP-TAPE 3" x 1000' Caution Tape Yellow w/ Black Letters CEP-SAFETYCONE28 Safety Cone - Orange

CEP-FLRSIGN Floor Sign, Caution CEP-FLRSIGN-DANGER Floor Sign, Danger







CEP offers a full line of construction safety and remediation products.

CAN BE ADDED TO SPILL KITS





Construction Safety



SOIL EROSION PREVENTION

Product Code

Description

Call for quote and sizes

GEOTEX-W- (SIZE) Geotextile woven fabric GEOTEX-NW- (SIZE) Geotextile nonwoven fabric

Applications used for

- RailRoad Stabilization
- Asphalt Overlay
- Pond UnderlinersErosion Control
- StabilizationDrainage

Woven and Non-Woven Geotextile Fabric This geotextile is made up of polypropylene fibers. These fibers are needled to form a stable and durable network such that the fibers retain their relative position. It is non-biodegradable and resistant to most soil chemicals, acids and alkali with a pH range of 3 to 12.

CALL FOR QUOTE





ASPEN FIBER LOGS

Product Code	Description
CEP-ASPLOG9	9"x 25'
CEP-ASPLOG12	12"x 10'

Aspen Fiber logs come in 9"x12" and 18" diameters. These are used any where sediment needs to be filtered. They have also been used in lieu of silt fence around job perimeters when allowed. They are traditionally staked in place with either t-posts or wood stakes.





MARINE - CONTAINMENT BOOMS

Product Code	Description	Dimensions
CEP-CB10-50	Containment Boom	10" x 50'
CEP-CB10-100	Containment Boom	10" x 100'
CEP-CB18-50	Containment Boom	18" x 50'
CEP-CB18-100	Containment Boom	18" x 100′
CEP-CB24-50	Containment Boom	24" x 50'
CEP-CB24-100	Containment Boom	24" x 100'
CEP-CB36-50	Containment Boom	36" x 50'
CEP-CB36-100	Containment Boom	36" x 100'
CEP-MINICB25	Mini Creek Boom	5" x 25′
CEP-PERMABOOM24	Perma Boom	24" X100' Sections










MARINE - BOOM REELS, DISPERSANT SPRAYERS & PUMPS

Reel

a Fomes		
Product Code	Description	Capacity
CEP-BREEL500-M	Manual Boom Reel	500' Capacity
CEP-BREEL500-E	Electric Boom Reel	500' Capacity
CEP-BREEL500-D	Diesel Driven Boom	500' Capacity







MARINE SKIMMERS & TURBIDITY CURTAINS

TURBIDITY CURTAINS HIGHEST QUALITY		
Product Code	Description	
CEP-RMOPSKIM	Electric or Diesel Driven Rope Mop Skimmer	
CEP-DISCSKIM	Diesel Driven Disc Skimmer	
CEP-VACSKIM Vacuum Suction Skimmer		
CEP-WEIRSKIM	Fiberglass-Weir Skimmer	
CEP-BAFSYST100	Turbidity or Baffle Curtain System	

*Call for Specifications, All Models and Styles Available



CEP's oil skimmers are the leaders in continuous mechanical recovery. All models vary in recovery rates. The CEP Turbidity Curtains are designed for wastewater treatment or pond sludge containment and diversion.

Various Lengths – 10′ – 50′







BOOM STORAGE BOX

Product Code Description

CEP-BOOM STORAGE BOX Aluminum Storage Box

- Numerous Configurations Available
- Holds 500 to 1,000 feet of Various sizes of Containment Boom
- One Per Pallet





MARINE - SPILL ACCESSORIES

Product Code	Description	
CEP-TOWBR25	Boom Tow Bridle	7 lbs
CEP-TIDESLIDE18	Boom Tide Slide	4′
CEP-CBRKIT	Boom Repair Kit	
CEP-BOOMSTAKE4	Boom Stake - Steel	4′
CEP-ROPE1/4	600' Spool Poly	1/4"








CEP offers the widest range of boom accessories anywhere worldwide!



MARINE - SPILL ACCESSORIES

Description	\$
Anchor	25 lb. SAVES YOU MONEY
Anchor	50 lb.
Viscous Snare	Loose 30/cs
Viscous Snare	Rope 50' Sections
Oil Boom Buoy /	
	Anchor Anchor Viscous Snare





IDEAL FOR HEAVY OILS



Boom buoys, lights and anchors ensure full containment boom safety. CEP's viscous snare products are ideal for heavy crudes.

LED LIGHTS

CEP-2660

LED LIGHTS			
Product Code	Description	Lumin/Length	
CEP-2220	VB3 LED Light	5.5 / 3 1/2"	
CEP-1930	L1 LED Light	8.9 / 3 5/8"	
CEP-1930IR	L1 IR LED Light	2 5/8"	
CEP-2020	SabreLite LED	35 / 8 3/4"	
CEP-1990	MityLite 3N LED	8.9 / 5"	
CEP-2330	M6 LED Light	41 / 5 1/2"	
CEP-8020	M8 LED	35 / 10 1/4"	
CEP-2620	HeadsUP Lite	9 Low 14 Hi / 1 1/2"	
CEP-2610	HeadsUP Lite	3 Low 28 Hi / 1 1/2"	
CEP-2600	HeadsUP Lite	25 / 3 13/16"	
CEP-2640	HeadsUP Lite	9 Low 21 Hi / 2 5/8"	

HeadsUP Lite





HEAVY DUTY LIGHTS

9 Low 44 Hi / 2 5/8"

Prod Code	Description	Lumin/Length	Colors
CEP-3600	Little Ed Alkaline 4AA	25 / 7 1/2"	<u> </u>
CEP-3650	Little Ed Rechargeable	28 / 7 1/2"	

Colors

MEDIUM DUTY LIGHTS

Product Code	Description	Lumin/Length	Colors
CEP-2000	Super SabreLite	33 / 7 13/16"	<u> </u>
CEP-1820	Pocket SabreLite	15 / 5 13/16"	_ <u> </u>
CEP-1800	Super PeliLite	15 / 6"	• <u></u>





WATERTIGHT PROTECTOR CASES

Product Code	Interior Dimension	Exterior Dimension	Colors
CEP-1120	7 3/8" x 4 7/8" x 3 1/16"	8 1/4" x 9 11/16" x 4 7/8"	
CEP-1200	9 3/8" x 7 1/4" x 4 1/16"	10 5/8" x 6 9/16" x 3 9/16"	
CEP-1300	9 3/8" x 7 1.4" x 6 1/8"	10 5/8" x 11 5/8" x 6"	
CEP-1400	12" x 9 1/16" x 5 3/16"	13 3/8" x 6 9/16" x 3 9/16"	
CEP-1500	17" x 11 7/16" x 6 1/8"	18 1/2" x 14 1/16" x 21 1/4"	
CEP-1600	21 3/4" x 16 13/16" x 7 7/8"	24 1/4" x 19 7/16" x 8 11/16"	
CEP-1750	50 1/2" x 13 7/16" x 5 1/4"	53" x 17 7/16" x 6 1/16"	
CEP-350	20" x 20" x 20"	22 1/2" x 22 7/16" x 3 9/16"	



Many other sizes available. Optional pull straps and wheels. Optional padded dividers.





Extra Protection Pick 'N' Pluck™ foam allows you to customize the interior according to your gear.

ULTRA DECONDECKS

Product Code

CEP-TACTICAL MODEL - DCON-6000 CEP-HOSPITAL MODEL - DCON-6010 CEP-NON-AMBULATORY MODEL - DCON-6020

TACTICAL MODEL - DCON-6000

- PREP Replaces conventional containment pools contaminated water is captured in deck sump and attached 55 gallon bladder.
- Deck and bladder capacity is 99 gallons.
- · Use for chemical, biological, and/or radiological response.

HOSPITAL MODEL - DCON-6010

- · Privacy shelter quickly attaches to DeconDeck.
- · Supply hose and shower unit provided warm water supply required.
- · Dual bladders and deck combine to contain 165 gallons of liquid - nearly one hour of continuous use.

NON-AMBULATORY MODEL - DCON-6020

- Elevated deck allows contaminants to be separated from workers and patients.
- Includes hose and spray wand.
- · Deck and bladder contain 88 gallons.
- · Replacement bladders Product Code CEP-2320.







.....................

DIS







ULTRA RESPONSE SHOVELS®

Product Code Description Dimensions CEP-0401 Quick-Release Shaft 15" x 10" x 3" Collapsed and "D" Handle (Fits into 5 gallon or larger spill kits.) CEP-0402 Quick-Release 19 1/2" x 10" x 3" Collapsed Telescoping Shaft (Fits into 20 gallon or larger spill kits.) CEP-0404 37" Assembled Quick-Release Shaft, Polyethylene Scoop







PORTABLE DECON WASTE POOLS

Product Code	Description	Dimensions	Capacity
CEP-DP-6	Decon Pool	62"ID x78"OD	85 Gal. Capacity
CEP-DPP-96	6' Pool Ground Pa	d	
CEP-DPH-20	6' Pool Retention I	Hose	
CEP-DPI-5	Inflatable Collar	5´Dia x 13"High	120 Gal. Capacity
	Wash Pool w/Case)	
CEP-DPI-8	Inflatable Collar	8'Dia x 13"High	307 Gal. Capacity
	Wash Pool w/Case)	



DPI-5/ DPI-8

QUICK & EASY TO DEPLOY




DP-6

DECON CONTAINMENT BERMS

Product Code	Description	
CEP-DBI-1414	Std. Duty Inflatable Sidewall Decon Berm	14′ x 14′ x 7″D
CEP-DBI-1426	Std. Duty Inflatable Sidewall Decon Berm	14′ x 26′ x 7″D
CEP-DBI-1640	Std. Duty Inflatable Sidewall Decon Berm	16' x 40' x 7"D

INFLATABLE

- Standard Duty 10 oz. PVC.
- Also available in Heavy Duty 32 oz. PVC.





ENCLOSED DECON WASTE TANK

Product Code	Description	
CEP-TEWT-110	Enclosed Waste Tank	110 Gal.
CEP-TEWT-150	Enclosed Waste Tank	150 Gal.
CEP-TEWT-300	Enclosed Waste Tank	300 Gal.
CEP-TEWT-600	Enclosed Waste Tank	600 Gal.
CEP-TEWT-1200	Enclosed Waste Tank	1200 Gal.
CEP-TEWT-1800	Enclosed Waste Tank	1800 Gal.
CEP-TEWT-2500	Enclosed Waste Tank	2500 Gal.

28 oz. PVC coated rip-stop woven fabric. Ideal for potable and non-potable water storage.





DECON-U-SHOWER



Product Code Description

CEP-DU-50 Portable DeCon "U" Shower includes bag

52" x 52" x 7'6"H Assembled Size

Dimensions

Containment pool sold separately.


• Output 6.33 GPM @ 30 PSI






DECON	SPRAY	HOOPS
--------------	--------------	-------

Product Code	Description	Dimensions
CEP-DH40	DeCon Spray Hoop 2 Pieces	45"OD x 39"ID Two 43"-66" Extendable Handles
CEP-DH40-4P	DeCon Spray Hoop 4 Pieces	45"OD x 39"ID Two 32"-53" Extendable Handles
CEP-DHSB4 CEP-DHSB44	Storage Bag for DH40 Storage Bag for DH40-4	4P








BE PREPARED FOR DISASTER!! 10' x 25'

HQ HIGHEST QUALITY



12 oz. White Rip-Stop fire retardant material. Includes frame, cover, hardware, 2 vents, 1 window and 1 door.

Decon Shelter

Options: Additional Door / Additional Window

SHELTER HEATER

Product Code Description

CEP-HOT VENT PRO-70 Shelter Heater



Heat output from 100°F to 250°F.

• 70,000 Btu system.

CEP-QE1025

• Connect to any 8"-10" air hose duct.





PORTABLE HIGH PRESSURE SOAP INJECTOR

Product CodeDescriptionCapacityCEP-FSI-1H.P. Soap Injector2 Gal Capacity

- · Manually operated.
- · High pressure.
- Foot pump with serrated foot treadle.
- Supply line hose: 3/8" x 10'
- Overcome line pressures to 1250 lbs.







DAT SERIES HAZMAT DECON SHOWERS

Product Code	Description	Weight	Dimensions
CEP-DAT2020S	Decon Shower, One Person, Full Size	80 lbs	7' x 7' x 8'H
CEP-DAT1010S	Decon Shower, One Person, Economy Size	45 lbs	3' x 3' x 8'H
CEP-DAT3060S	Decon Shower, Multiple Personnel, Large	185 lbs	13' x 20' x 9'H

- · Portable, heavy duty construction
- · Rapid deployment
- · Multiple models/sizes available
- No pool to roll out no parts to assemble
- · High visibility interior incorporated into all DAT series showers

Incredible stability even in high wind conditions to 70 mph plus when properly tied down



STANDARD DECONTAMINATION SHOWER SYSTEM

Product Code	Description	Weight
CEP-HMK1101A	Standard Decontamination Shower System	95 lbs


- System includes: shower, pool, elevation grids and carry bags
- Unique quick-connects for fast assembly
- · Six shower heads plus an independent hand-held sprayer
- Heavy-duty yet transports easily in two vinyl bags



PORTABLE DIAPHRAGM HAND PUMP

Product Code	Description
CEP-P-15	15GPM diaphragm Hand Pump
	Includes Female Nyglass quick Couplers
	and Mounting Board
CEP-PP15-IHA	10' x 1-1/2" Inlet Hose
CEP-PP15-OHA	20' x 1-1/2" Outlet Hose









AEROSOL FILLER CRUSHERS, HYDRAULIC WASTE & DRUM COMPACTORS

Product Code	Description
CEP-DCRUSH55	Steel Drum Compactor – 60,000 lbs. force
CEP-AEROSOLV-5000	Aerosol Can Puncture/Recycle System
CEP-WASTECOMPACT250	Bulk Waste Compactor –

All CEP compactors are EPA certified and offer the highest level of compactor force. The aerosol puncture and recycle systems are all static resistant and ideal for proper aerosol disposal.



AEROSOL CANS DEPRESSURIZED

Product Code	Description
CEP-J-7	Can-Emitor
CEP-2001	V.O.C. Filter Kit
CEP-2002	Hose Kit with Drum Adapters

- After can is punctured, the liquid and propellant are expelled through the hose into the drum.
- Propellants escape through the vent in the lid or through the filter where hydrocarbons are absorbed.

Remains sealed at all times...and will accept all sizes of aerosol cans!







POLY TANKS & BULK TOTES



Product Code	Description	
CEP-PTANK350	Poly Tank 350 Gallon	16" Manhole
CEP-PTANK500	Poly Tank 500 Gallon	16" Manhole
CEP-PTANK1000	Poly Tank 1000 Gallon	16" Manhole

CEP's poly tanks and bulk totes are ideal for bulk liquid storage and transfer. All sizes are available.

HAZ MAT TRAILERS

Product Code	Description
CEP-UTRAIL16	16' Dual Axle-Bumper Pull Utility Trailer
CEP-UTRAIL20	20' Dual Axle-Bumper
CEP-ERTRAIL16	Pull Utility Trailer 16' Dual Axle-Enclosed Response Trailer





HAZ MAT TRAILERS



Description

CEP-ERTRAIL20

20' Dual Axle-Enclosed Response Trailer





CEP offers the finest line of bumper pull and enclosed emergency response trailers. All trailers are dual axle with anti-lock brakes, optional bumper or goose pull and rear or side doors and ramps.

CALL FOR A QUOTE ON A FULLY STOCKED EMERGENCY RESPONSE HAZ MAT TRAILER!

OIL TAINERS

Product Code Description	١
--------------------------	---

CEP-OIL TAINER 385 Gal Used Oil Container The ideal double-wall tank with 110% secondary containment.

CEP-OILTAINER-200 200 Gal Used Oil Container Available Capacity 100, 150, 200, & 385 Gallons.

CEP-OILTAINER-150 150 Gal Used Oil Container Weather resistant and vented with hinged, lockable manway.

CEP-OILTAINER-100 100 Gal Used Oil Container

Maintenance-free, won't rust, chip or dent. Easy to clean with soap and water.

- · Translucent "Safety Yellow" containment tank for easy routine inspection.
- · Large Sink with debris screen and removable debris strainer.
- · Automatic overflow shutoff.


- · Oil level monitoring gauge.
- 2" external quick-release drain coupling.
- Made of 100% Recyclable Polyethylene.
- · Meets the latest EPA standards for used oil storage containers CFR 40-279.22



IN-LINE MULTI MANIFOLD

Product Code	Description
CEP-MM15-3	1-1/2" Inlet / 3 Valve Outlet
CEP-MM15-6	1-1/2" Inlet / 6 Valve Outlet
CEP-MM25-3	2-1/2" Inlet / 3 Valve Outlet
CEP-MM25-6	2-1/2" Inlet / 6 Valve OUtlet

NH threaded rocker lug inlet couplings are standard.









HIGH VOLUME PUMPS

Product Code	Description	
CEP-D75	Selwood High Volume Pump	5HP, 264GPM
CEP-D100	Selwood High Volume Pump	8.7HP, 528GPM
CEP-D150	Selwood High Volume Pump	38HP, 1672GPM
CEP-D200	Selwood High Volume Pump	56HP, 2640GPM

- Self prime
- · Environmentally friendly
- · Indefinite dry running
- · Oil immersed mechanical seal
- Super silent from 58db







POSITIVE DISPLACEMENT PUMPS

Pı	roduct Code	Description	
1	CEP-PD50	Selwood Simplite Diaphragm F	Pump,
		general purpose	1HP, 48.5GPM
2	CEP-PD75	Selwood Spate Pump	3.3HP, 132GPM
3	CEP-PD100	Selwood Spate Pump	8HP, 339GPM

- · Unique auto self priming.
- · Environmentally friendly.
- · Indefinite dry running.
- Handles oils and sludges.
- · Simple maintenance.











SOLIDS HANDLING PUMPS

Pr	oduct Code	Description	
-	CEP-S150	Selwood Seltorque Pump	32HP, 1408GPM
	CEP-S200	Selwood Seltorque Pump	56HP, 2200GPM
	CEP-S300	Selwood Seltorque Pump	106HP, 4843GPM

- · Seltorque pumps for solid handling.
- · Auto self priming.
- Environmentally friendly.
- Indefinite dry running.
- · Oil immersed mechanical seal.









HOW TO ORDER

USA

Fax purchase orders	866.922.1690	Toll-free
Phone verbal orders	800.444.4237	Toll-free
Internet orders	www.cepsorbe	ents.com
Email	customer_serv	rice@cepsorbents.com

International

IIILEITIALIOIIAI	
Fax purchase orders	713.921.7967
Phone verbal orders	713.921.7900
Internet orders	www.cepsorbents.com
Email	customer_service@cepsorbents.com

WARRANTY INFORMATION

Information provided with respect to CEP products is based on testing and data believed to be accurate; however, the reliability of that information is not guaranteed. All sizes in this catalog are nominal. Pad thickness is measured at time of manufacture and used for comparative reasons.

Disposal.

Fluids absorbed by CEP products will not be rendered less hazardous, less toxic, or less flammable and, when absorbed, will remain in their original state. Therefore, handle, store, and dispose of CEP products after use with the same caution as you would the original fluid. Products must be disposed of in compliance with local, State and Federal regulations. Because various fluids absorbed may be of a toxic or hazardous nature, CEP does not recommend disposal procedure.

Exclusion of Warranties.

CEP products are sold without implied warranty of merchantability or fitness for particular purpose, and excluding all other warranties, expressed or implied.

Damages.

CEP is not liable for damages of any type (whether direct, consequential, incidental or special) arising out of or in connection with, the manufacture, sale, delivery, handling or any other use of CEP products. CEP's only obligation is to replace any CEP product proved to be defective.







Safety Equipment Distributors Association











Customer Service Phone Toll-free Customer Service Fax Toll-free

Customer Service Fax Toll-free 866.922.1690
Customer Service Email customer_service@cepsorbents.com

Corporate Headquarters

3500 Pasadena Freeway Pasadena, Texas 77503 Phone 713.921.7900 Fax 713.921.7967









800.444.4237

cepsorbents

cepsorbents

Complete Environmental Products

Distributed By

Complete Environmental Products, Inc.
CEP SORBENTS.com